



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

## National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No: NHAI/18013/1/2020-ROJ/Permission-Laying /PHED Pipeline/78/NH-52 km 69.2 to 73.2/62

Date: 08.04.2021

### INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying of OFC at Lalwadi Chauraha to Jhilai Pulia at NH-12 (New NH-52), Km. 69/2 to 73/2, (on Jaipur-Tonk-Deoli section) total 4.00 km length (as per enclosed SLD) by M/s. Dinesh Engineering Services Pvt. Ltd. in the state of Rajasthan - reg.

Ref.: 1. M/s. Dinesh Engineering Services Pvt. Ltd. letter dated 26.02.2020.

2. PD, PIU-Jaipur letter no.NHAI/JPR/J-T-D/OFC/JM/2020/2818 dt. 17.03.2021.

Sir,

It is to inform all concern that M/s. Dinesh Engineering Services Pvt. Ltd., Jaipur vide letter under reference (i) has submitted a proposal for grant of permission for laying of OFC at Lalwadi Chauraha to Jhilai Pulia at NH-12 (New NH-52), Km. 69/2 to 73/2, (on Jaipur-Tonk-Deoli section) total 4.00 km length (as per enclosed SLD) by M/s. Dinesh Engineering Services Pvt. Ltd. in the state of Rajasthan to this office vide letter under reference (ii) for approval of the Competent Authority.

2. The proposal is regarding permission for grant of permission for laying of OFC at Lalwadi Chauraha to Jhilai Pulia at NH-12 (New NH-52), Km. 69/2 to 73/2, (on Jaipur-Tonk-Deoli section) total 4.00 km length (as per enclosed SLD) by M/s. Dinesh Engineering Services Pvt. Ltd. in the state of Rajasthan.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to lay grant of permission for laying of OFC at Lalwadi Chauraha to Jhilai Pulia at NH-12 (New NH-52), Km. 69/2 to 73/2, (on Jaipur-Tonk-Deoli section) total 4.00 km length (as per enclosed SLD) by M/s. Dinesh Engineering Services Pvt. Ltd. in the state of Rajasthan. The objections/comments may be addressed to the below mentioned address upto 07.05.2021, beyond due date, no comments/objections will be accepted.

**The Regional Officer, Regional Office - Jaipur**


National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

  
08/04/2021  
(Kuldeep Songara)  
DGM (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Jaipur: for information.

(iv) M/s. Dinesh Engineering Services Pvt. Ltd., Jaipur: for information.



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

## National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, जयपुर

Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

No. NHAI/JPR/J-T-D/OFC/JM/2020/2818

दूरभाष / Phone : 91-141 - 2351427

फैक्स / Fax : 91-141 - 4026465

ई-मेल / E-mail : jai@nhai.org

②

Date 08.03.2021

17

Chief General Manager (Tech)/Regional Officer

National Highways Authority of India

Regional Office,

F-120, Janpath, Shyam Nagar

Jaipur (Raj.).



mg101  
mks

Sub. : Permission for laying of Optical Fiber Cable at Lalwadi Chauraha to Jhilai Pulia at NH-12 Km. 69/2 to Km. 73/2 Total 4000 Mtr. (as per enclosed SLD) Km. in the state of Rajasthan.

- Ref:
- Office of the Highway Administration cum Regional Office, Jaipur letter no. RW/JAI/RJ/PS/UTILITY/2019/395/192 dated 13.01.2020 received in this office on dated 17.01.2020.
  - This office letter no. 2828 dated 25.01.2020 addressed to IE M/s CEG Ltd.
  - IE, M/s CEG Ltd. letter no. 612 dated 06.02.2020.
  - This office letter no. 3023 dated 12.02.2020 addressed to M/s Dinesh Engineering Services Pvt. Ltd.
  - M/s Dinesh Engineering Services Pvt. Ltd. letter dated 26.02.2020 received in this office on dated 27.02.2020.
  - This office letter no. 3256 dated 04.03.2020 addressed to IE, M/s CEG Ltd.
  - This office letter no. 503 dated 13.07.2020 addressed to applicant M/s Dinesh Engineering Services Pvt. Ltd.
  - M/s Dinesh Engineering Services Pvt. Ltd. letter dated 16.07.2020 received in this office on dated 17.07.2020.
  - This office letter no. 611 dated 27.07.2020 addressed to IE.
  - IE, M/s CEG Ltd. letter no. 706 dated 06.08.2020 addressed to this office.
  - This office letter no. 1178 dated 25.09.2020 addressed to applicant M/s Dinesh Engineering Services Pvt. Ltd.
  - M/s Dinesh Engineering Services Pvt. Ltd. letter no. 487 dated 23.12.2020 received in this office on dated 29.12.2020.
  - Canara Bank letter dated 03.02.2021

Sir,

Office of the Highway Administration -cum-Regional Officer, MoRTH, Jaipur vide their letter dated 13.01.2020 has submitted the three copies of said proposal to this office to examine the said proposal in accordance with Ministry's Guidelines issued vide no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & Ministry letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017.

2. The said proposal has been examined by Independent Engineer of the Project Jaipur-Tonk-Deoli section of NH-12, M/s CEG Ltd. IE vide their letter dated 06.08.2020 (ref-10) has recommended for permission of said proposal to this office for laying of Optical Fiber Cable at Lalwadi Chauraha to Jhilai Pulia at NH-12 Km. 69/2 to Km. 73/2 total 4000 Mtr. (as per enclosed SLD) Km. in the state of Rajasthan.

3. IE, M/s CEG Ltd. vide their letter dated 06.08.2020 has submitted this office that:-

"The proposal has been re-examined by IE and in light of observation raised vide your letter no. 503 dated 13.07.2020 and has following observation-

- The proposal resubmitted by M/s Dinesh Engineering Ltd, vide their letter dated 16.07.2020 has incorporated all observation raised vide your letter no. 503 dated 13.07.2020.

मुख्यालय: जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110075 :

Corporate Office: G-5 & 6, Sector-10, Dwarka, New Delhi-110075 :

Web : www.nhai.org

2. The proposal confirm that all standard condition issued vide Ministry Letter no. RWINH 33044/29/2015/S&R (R) dated 22.11.2016 & RWIJA/RJ/PS/2017/UTILITY/GENL/ 1161-1189 dated 16.03.2017 are followed.
3. The IE has also verified the DLC rates from Revenue department official web site and latest downloaded DLC rates are same as submitted by applicant
4. As required the amount of License fee works out to Rs. 67 087/- for five years and Bank Guarantee (valid for one year) works out to Rs. 4,00,000/- (Refer Annexure -I for details). The same has also been entered in the checklist at SI. No. 8 & 9 respectively

In view of the above the IE recommends permission for laying underground optical fiber cable in favour of the applicant. This is to clarify that only HDD (Horizontal Directional Drilling - Trenchless) method shall be adopted for laying of the cable and within the 2.0 mtr. of utility corridor only."

4. IE has calculated the license deed amount for five years based on the proposed DLC rates (verified by Sub Registrar) of Rs. 67,087/- and Bank Guarantee of Rs. 4,00,000/-. Further, this office vide letter dated 25.09.2020 has requested to submit Bank Guarantee and the license fee as calculated by IE.
5. Applicant vide their letter dated 23.12.2020 has submitted the receipt of submission of license fee in the Bharat Kosh (copy of the same is enclosed) and the required B.G. No. 0669IGP200028688 dated 22.12.2020 of Rs. 4,00,000/- to this office. Applicant has also submitted an undertaking as "within 07 days of receipt notice M/s Dinesh Engineering Ltd. will submit any kind of additional license deed amount of when as it was demanded by NHAI/MoRTH"
6. The said BG has got confirmed by the Canara Bank vide their letter dated 03.02.2021 (ref-13).
7. In view of the above, the said proposal has been verified and it seems to be found in order as per the prevailing site conditions. Duly signed checklist & drawings by undersigned is enclosed. It is recommended to accord the approval for laying of Optical Fiber Cable at Lalwadi Chauraha to Jhilai Pulia at NH-12 Km. 69/2 to Km. 73/2 total 4000 Mtr. in the state of Rajasthan.

The proposal is forwarded for further necessary action please.

Encl. : As above.

Yours faithfully,




Project Director  
NHAI, PIU Jaipur



To,

**The Project Director**

National Highway Authority of India  
Project Implementation Unit, Jaipur  
D-148, Behind RSEB Sub-Station,  
Vaishali Nager, Jaipur - 302021  
Ph-0141-2351417/2351427  
Email: jai@nhai.org



YAG-SS  
Mgmt-AS  
Steno-Jm  
for Mgmt  
11/8

**Subject:**

Independent Engineer Services during Operation & Maintenance stage of selected Road stretches under BOT Project in the state of Rajasthan (4/6 Lanning of Jaipur - Tonk - Deoli; NH-12; Project Stretch - (K.M. 18.700 to K.M. 165.000) Project Length Actual 148.763 Km. - **Permission for laying underground optical fiber cable at Lalwai Chauraha to Jhilai Pulia at NH-12 from km 69/2 to km 73/2 Total 4000 Mtr (asper enclosed SLD) In the state of Rajasthan.**

**Ref:**

i) Your Letter No. NHA/JPR/J.T. D/NOC/JM/2020/611 dated 27.07.2020

Dear Sir,

This is in reference to your above letter vide which you have forwarded the proposal for laying underground optical fiber cable at Lalwai Chauraha to Jhilai Pulia at NH-12 from km 69/2 to km 73/2 Total 4000 Mtr (as per enclosed SLD) In the state of Rajasthan in two copies.

The proposal has been re-examined by IE and in light of observation raised vide your latter no. 4503 dated 13.07.2020 and has following observation -

1. The proposal resubmitted by M/s Dinesh Engineering Ltd. vide their letter dated 16.07.2020 has incorporated all observation raised vide your latter no. 4503 dated 13.07.2020.
2. The proposal confirm that all standard condition issued vide Ministry Letter no. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016 & RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017 are followed.
3. The IE has also verified the DLC rates from Revenue department official web site and latest downloaded DLC rates are same as submitted by applicant.
4. As required the amount of License fee works out to Rs. 67,087/- for five years and Bank Guarantee (valid for one year) works out to Rs. 4,00,000/- (Refer Annexure - I for details). The same has also been entered in the checklist at Sl. No. 8 & 9 respectively.

In view of the above, the IE recommends permission for laying underground optical fiber cable in favour of the applicant. This is to clarify that only HDD (Horizontal Directional Drilling - Trenchless) method shall be adopted for laying of the cable and within the 2.0 mtr. of utility corridor only.

The documents (Check list & drawing) have been signed by IE. Two sets duly signed are attached herewith and one set is kept with IE for record please.

Submitted for kind information and necessary action please.

Thanking You,

Yours faithfully,

**For Consulting Engineers Group Ltd.**

**Sukesh Gupta**  
Team Leader

**CC:** Concessionaire, M/s IRB Jaipur Deoli Tollway Ltd.: for kind information please.

**Encl:** A.A. (Two sets of file)

## CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.

### General Information

1. Name and Address of the Applicant/Agency :Dinesh Engineers Limited.
2. National Highway No. :NH-12
3. State :RAJASTHAN
4. Location : LALWADI CHAURAHA TO JHILAI PULIA

Chainage in km : NH-12 KM 69/2 km TO 73/2 km

5. Length in m :4000 MTR

6. Width of available ROW in both side

:30 M

gom (36 min LHS & 24 m in RHS) 

7. Side of NH

: RHS/LHS

(left or right side of NH


towards increasing chainage/Km direction)

8. Name of Highway Authority of NHAI/PWD/BRO : NHAI

9. Highway Administration address : NHAI (Jaipur )

For Dinesh Engineers Ltd.

  
13/01/2020  
Auth. Signatory

  
Sukesh Gupta  
Team Leader  
CEG, Tonk

21/   
Project Director  
NHAI, PU  
Jaipur

S.No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	NA	Enclosed	NA
2	Whether up gradation of the stretch in near future is proposed or not			
	(a) If yes, provision of utility adversely affect the plan of up-gradation	NO	Not affect plan of up-gradation	NA
3	<b>Laying of the utility service along the National Highways.</b>	YES		YES
3.1.	Location of proposed utility service along the stretch		Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	
3.2	Depth of top of utility service from ground level	1.6M	0.6 meter	YES
3.3	Mechanism for crossing water channel	NA	Through utility duct(if provision exists) or beneath the bed of water channel	NA
4	Whether ROW is restricted in this stretch?	NO		NO
3.4.1	If yes, whether provision of land acquisition is required to lay utility			
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished			

For Dinosh Engineers Ltd.

  
13/10/2020  
Auth. Signatory

  
Suresh Gupta  
Team Leader  
CEG, Tonk

  
Project Director  
NHAI, PIU  
Jaipur



3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	NA	Not less than one lane	YES
4	<b>Laying of utility services across the NH</b>			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NA	Not to be allowed	YES
4.2	Proposed crossing of utility service	PERLLEL TO NH	Perpendicular to NH	YES
4.3	Type of casing pipe/conduit carrying the utility line.	MS CASING	Steel, cast iron, or reinforced cement concrete and have adequate strength	YES
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	YES
4.5	Length of casing/conduit pipe crossing NH.	NA	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing/conduit pipe.	1.6M	At least 1.2 m below the top of subgrade	YES
4.7	Crossing method in case of CC pavement.	NA	Only boring method (HDD)	NA
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	NA	In accordance with IRC codes.	NA
5	<b>Document / Drawings enclosed with the proposal</b>	YES		YES
5.1	Cross-Section showing the size of trench for open trenching method	NA	Enclosed, if applicable	NA

For Dinesh Engineers Ltd.

*[Signature]*  
13/01/2020  
Auth. Signatory

*[Signature]*

*[Signature]*  
Sukesh Gupta  
Team Leader  
CEG, Tonk

*[Signature]*  
Project Director  
NHAI, PIU  
Jaipur

	(a) Trench width	NA	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	NA
	(b) Filling of trench	NA	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	NA
	(c) location of trench	NA	extreme edge of the ROW	NA
5.2	Cross section showing the size of pit and location of conduit for HDD method	ENCLOSED	Enclosed, if applicable	ENCLOSED
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	ENCLOSED	Enclosed	ENCLOSED
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	ENCLOSED	Enclosed	ENCLOSED
6	Methodology for laying of utility line	ENCLOSED	Enclosed	ENCLOSED
	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	ENCLOSED	Enclosed	ENCLOSED
8	License fees in Favor of MoRTH RPAO Jaipur	YES  Rs 67087/- (For five years) 9	As per Ministry vide circular no. RE/NH-33044/29/2015/S&R (R) dated 22.11.2016	YES

For Dinash Engineers Ltd.

*AD*  
13/11/2020  
Auth. Signatory

21

*Sukesh Gupta*  
Team Leader  
CEG, Tonk

*Project Director*  
NHAI, PIU  
Jaipur



9	Whether Bank Guarantee has been obtained	NA Rs 4,00,000/- (for one year) 29	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R) dated 22.11.2016	NA
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			
10	<b>Affidavit / Undertaking from the Applicant for</b>	ENCLOSED		ENCLOSED
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	ENCLOSED	Enclosed	ENCLOSED
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	ENCLOSED	Enclosed	ENCLOSED
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	ENCLOSED	Enclosed	ENCLOSED
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	ENCLOSED	Enclosed	ENCLOSED
10.5	Undertaking for indemnity against all damages and claims.	ENCLOSED	Enclosed	ENCLOSED
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	ENCLOSED	Enclosed	ENCLOSED
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	ENCLOSED	Enclosed	ENCLOSED

For Dinech Engineers Ltd.

13/11/2020  
Auth. Signatory

Sukesh Gupta  
Team Leader  
CEG, Tonk

Project Director  
NHAI, PIU  
Jaipur

10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	ENCLOSED	Enclosed	ENCLOSED
------	--	----------	----------	----------

- 1 The Right of the Way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is (30M) m (from center of ROW to edge of ROW towards proposed utility)  
*36 m in LHS*
- 2 The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

[Name Designation and signature of the authorized representative of applicant]

[Name Designation and signature of concerned field authority of NHAI/PWD/BRO]

For Dinesh Engineers Ltd.  
*[Signature]*  
13/10/2020  
Auth. Signatory

*[Signature]*  
Sukesh Gupta  
Team Leader  
CEG, Tonk

*[Signature]*  
Project Director  
NHAI, PIU  
Jaipur

*[Signature]*


## CERTIFICATE

1. Undersigned has examined the proposal of the applicant for laying of.....  
..... and confirm that the all standard conditions issued vide Ministry circular No: RW/NH-33044/29/2015/S&(R) dated 22.11.2016 has been followed.
2. It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design ,stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway ,easing of curve etc.
3. I will ensure supervision of the work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
4. I will notify/forfeit the BG for claims for damages done/disruption in working , if any.
5. I will ensure that proposed permission in entered the register of records
6. The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.

**[Name Designation and signature of concerned field authority of NHAI/PWD/BRO]**

For Dinash Engineers Ltd.

  
13/01/2020  
Auth. Signatory



राजस्थान RAJASTHAN

Undertaking

AH 458921

for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.

Undertaking

for renewal of Bank Guarantees and when asked by NHAI/  
MoRTH.

Undertaking

for confirming all standard condition of MoRTH/NHAI guidelines

For Director Engineers Ltd  
13/01/2020  
M. S. Chaturvedi



### Undertaking

for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost

### Undertaking

for indemnity against all damages and claims.

### Undertaking

for management of traffic movement during laying of utility line without hampering the traffic.

### Undertaking

that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant

For Dinosh Engineers Ltd.  
B/01/2020  
Auth. Signatory



## Undertaking

that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration

Forditech Engineers Ltd.  
13/01/2020  
Auth. Signatory