

(सडक परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)



Project Implementation Unit, Bareilly

282/01, ग्रेटर ग्रीन पार्क, बिशप कॉनरोड स्पूल के पास, बरेली - 240 006 (उ.प्र.) 282/01, Greater Green Park, Near Bishop Conrad School, Bareilly - 243 006 (U.P.) फोन/Tel.: +91 581 4053132

ई-मेल/E-mail : bareilly@nhai.org, piubareilly@gmail.com



Dated: 26.09.2025

10004/38/2025/NH-30/PIU-BRLY/ - 0516

Invitation of Public Comments

Sub: Permission for pipeline laying work of 12 inch along with OFC RHS from Navin Chowk to Sethiya oil industries along ch. 413.850 to ch. 419.590 respectively and across at ch. 413.850 length approximately 5.80 km. in District-Sitapur in the state of Uttar Pradesh.

This office has received subject proposal for permission for laying of underground Gas Pipeline & crossing by HDD method at subject location(s).

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by mentioned office within 30 days from the date of publication beyond which no comments shall be entertained.

The Chief General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow 226 010

(Navratan)
Project Director

Encl: As above

Copy to:

(i) The Regional Officer, NHAI, UP (West), Lucknow

(ii) Web Admin, NHAI-HQ- with request for uploading on the NHAI website.

(iii) The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)



282/01, ग्रेटर ग्रीन पार्क, बिशप कॉनरोड स्कूल के पास, बरेली - 243 008 (ड.प्र.)

282/01, Greater Green Park, Near Bishop Conrad School, Bareilly - 243 006 (U.P.)

ई-मेल/E-mail: bareilly@nhai.org, piubareilly@gmail.com



10004/38/2025/NH-30/PIU-Brly/ - 05 6

26.09.2025

सार्वजनिक टिप्पणियाँ हेत् आमंत्रित

विशयः उत्तर प्रदेश राज्य में राष्ट्रीय राजमार्ग संख्या—24 (नया रा.रा.रा.सं.—30) के जनपद सीतापुर में नवीन चौक से सेठिया ऑयल इंडस्ट्रीज तक चैनेज 413+850 से चैनेज 419+590 तक एवं कांसिग सहित कुल लगभग 5.80 किमी लंबाई में ओएफसी आरएचएस 12 इंच की पाइपलाइन बिछाये जाने हेतु अनापत्ति के संबंध में।

इस कार्यालय को उत्तर प्रदेश राज्य में राष्ट्रीय राजमार्ग संख्या-24 (नया रा.रा.रा.सं.-30) के जनपद सीतापुर में नवीन चौक से सेठिया ऑयल इंडस्ट्रीज तक चैनेज 413+850 से चैनेज 419+590 तक सीमान्तर्गत एवं कासिंग एचडीडी विधि द्वारा गैस पाइप लाइन बिछाये जाने हेतु अनापत्ति के रांबधं में विषयगत प्रस्ताव प्राप्त हुआ है।

उक्त प्रस्ताव को मंत्रालय द्वारा दिशा—िनर्देश RW/NH-33044/29/2015/S&R (R) dated 22nd November 2016 के तहत जारी दिशा—िनर्देशों के अनुसार दावे और आपित्तियाँ सार्वजिनक असुविधा सुरक्षा और सामान्य सार्वजिनक हित के आधार पर मॉगने के लिए आवेदन को 30 दिनों के लिए सार्वजिनक डोमेन में रखा जाएगा।

उक्त के मद्देनजर उपरोक्त आवेदन पर जनता की टिप्पणियाँ नीचे उल्लिखित पते पर आमंत्रित की जाती है. जो प्रकाशन की तारीख रो 30 दिनों के भीतर निम्न कार्यालय पते पर पहुँच जानी चाहिए। इसके बाद किसी भी टिप्पणी पर कोई विवार नहीं किया जाएगा।

> मुख्य महाप्रबन्धक (तकनीकी)/क्षेत्रीय अधिकारी भारतीय राष्ट्रीय राजमार्ग प्राधिकरण क्षेत्रीय कार्यालय, उत्तर प्रदेश (पश्चिमी), 3/248, विशाल खण्ड, गोमती नगर लखनऊ।

संलग्नकः उपरोक्तानुसार।

(नवरत्न)

26.09.26

परियोजना निदेशक

प्रतिलिपिः

- े क्षेत्रीय अधिकारी, भारतीय राष्ट्रीय राजगार्ग प्राधिकरण, क्षेत्रीय कार्यालय, उत्तर प्रदेश (पश्चिमी), लखनऊ को सादर सूचनार्थ प्रेषित।
- 2. वेब एडगिन, भारतीय राष्ट्रीय राजगार्ग प्राधिकरण, गुख्यालय, नई दिल्ली को भारतीय राष्ट्रीय राजगार्ग प्राधिकरण वेबसाइट पर अपलोड करने हेतु अनुरोध के साथ प्रेषित।
- 3. राकनीकी निदेशक, एनआईसी, परिवहन भवन, नई दिल्ली को मंत्रालय की वेबसाईट पर अपलोड करने हेतु अनुरोध के साथ प्रेषित।

प्रधान कार्यालयः जी-5 एवं 6, सेक्टर -10, द्वारका, नई दिल्ली - 110 075 फोन : 91-11-25074100 /200 वेबसाइट : www.nhai.org Corporate office : G-5 & 6, Sector -10, Dwarka, New Delhi - 110 075 Tel. : +91-11-25074100 / 200 website: www.nhai.org

CHECK LIST FOR GETTING APPROVAL FOR LAYING OF UNDERGROUND GAS PIPELINE ON NH 30 SITAPUR SHAHJAHANPUR

Guidelines to Project Director for Processing the Proposal for laying of Underground Gas Pipeline in the land along/across the National Highways vested with NH-30 SITAPUR SHAHJAHANPUR

Relevant circulars

- 1) Ministry Circular No. NH-41 (58)/68 dated 31.1.1969
- 2) Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976
- 3) Ministry Circular No. RW/NH-III/P/66/76 dated 11.5.1982
- 4) Ministry Circular No. RW/NH-11037/1/86-DOI (ii) dated 28.7.1993
- 5) Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995
- 6) Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999
- 7) Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003
- 8) Ministry Circular No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016

Sr. No.	ltem	Information/ Status	Remark s
1	General Information	di niti	
1.1	Name and Address of the Applicant	M/s. Bharat Petroleum Corporation Limited - # 7 First floor Keshav Green City Sitapur, Uttar Pradesh 261001.	, s
1.2	National Highway Number	NH- 30	
1.3	State	Uttar Pradesh	
1.4	Location	Sitapur , Uttar Pradesh	
1.5	(Chainage in km)	Steel Natural Gas Pipeline: (i) Along ch : 413.850 Kms to ch : 419.590 Kms across Ch : 413.850 Kms	
1.6	Length in Meters	5800	
1.7	Width of available ROW	60 M	
	(a) Left side from center line towards increasing Chainage / km direction.		
	(b) Right side from center line towards increasing Chainage / km direction		
1.8	Proposal to lay underground Gas pipe line.		



अजीत कुगाठाद्वीस्थापुर्विश्वास Kurnar Singh singh ajit bysinghajie mtory Date: 2025,07.02 Bharat Petroleum Corporation Limite Lakhimpur GA CGD Projects

	(a) Left side from center line	
	towards increasing chainage / km direction	(i)
	(b) Right side from center line towards increasing chainage/ km direction	Steel Natural Gas Pipeline: (i)Along ch : 413.850 Kms to ch : 419.590 Kms across Ch : 413.850 Kms
1.9	Proposal to acquire land	No
	(a) Left side from center line	NA
	(b) Right side from center line	NA 6
1.10	Whether proposal is in the same side where land is not to be acquired	NA
	If not then where to lay the Pipe	NA
1.11	Details of already laid services, if any, along the proposed route	NA
1.12	Number of lanes (2/4 / 6/8 lanes) existing	4 Lanes
1.13	Proposed Number of lanes (2 lane with paved shoulders 4/6/8 lanes)	NA
1.14	Service road existing or not	No
	If yes then which side	
	(a) Left side from center line	NA
	(b) Right side from center line	NA
1.15	Proposed Service road	
	(a) Left side from center line	NA
	(b) Right side from center line	NA -
1.16	Whether proposal to lay Gas Pipeline is after the service road or between the service road and main carriageway	At the extreme edge of Utility Corridor
1.17	Whether carrying of Gas pipeline has been proposed on highway Bridges. If Yes, then mention the methodology proposed for the same.	No

Theme Environment NH-24

Theme Bareilly-Siapur NH-24

singh Digitally signed by singh ajit Date: 2025.07.02 12:52:03 +05:30 12:52:03 +05:30 शक्तीय प्रवस्थक (गैस) / Territory Manager भारत पेट्रोलियम कॉपॉरेशन लिमिटेड Bharat Petroleum Corporation Limited Lakhimpur GA CGD Projects

1.18	Whether carrying of gas pipeline has been proposed on the parapet/any part of the bridges. If Yes, then mention the methodology proposed for the same.	No	K	4		181			
1.19	If crossings of the road involved If Yes, it shall be either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency	Yes	1	, A	± ₫n	. '- 1'	172.00		,
	owning the line (a) Whether the existing drainage structures are allowed to carry the pipeline.	No	***************************************	4		and New York		and the state of t	
	(b) Is it on a line normal to NH	Yes							
111	(c) Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter. What is the distance from the existing structures.	Noted	A ^E	4.7		4,1	4.46		
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced			* $= \delta_{k}^{*}$		28	ļļņ.		
	cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.		×.	st.		¥. 4.	i Partin		
	(e) Ends of the casing / conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	į.	, ie	V.	e , .	5			
	(f) The casing / conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills.	Noted							

Team Leader
Theme Engineering Services Pvl.Ltd
Bareilly-Shapur NH-24

singh Digitally signed by singh ajit Date: 2025.07.02 अजीत कुमार सिंह ब्राइटिंग प्रिकार प्रवेश (गैस) / Territory Manager (GAS) भारत प्रदेशिलयम कॉमोरिशन लिपिटिंग Bharat Petroleum Corporation Lakhimpur GA CGD Projects

	(g) The top of the casing / conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts.	Noted		á				
	(h) Mention the methodology proposed for crossing of road for the proposed Sewage/ gas pipe line, Crossing shall be by boring method (HDD) [Trench-less Technology],	Noted		4				
	specially, where the existing road pavement is of cement concrete or dense bituminous concrete type. (i) The casing / conduit pipe	7.	11	કર્ _ર		81 M	. 784	
	shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Noted	ı°.	4	,		Lee	
2	Document / Drawings enclosed with the proposal	Yes						
	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2m deep X 0.3m wide)			ű		3 Y 3	2 1 2 1 k	
	(i) Should not be greater than 60 cm wider than the outer diameter of the pipe			4	i			
2.1	(ii) located as close to the extreme edge of the right-of-							
	way as possible but not less than 15 meter from the center-lines of the nearest carriageway	NA		4	Ĩ.		Arwei	
	(iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall							

Theme E James Habit NH-24

Digitally signed by
singh ajit singh ajit
pate: 2025.07.02 सह / Ajit Kumar Singh
12:51:26+05:30
धात्रीय प्रयोगक (गिस) / Tenter Manager (GAS)
मास्त पेट्रोलियम कॉपॉरेशन विकास

	these be laid over the existing culverts and bridges	
	(iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	
	Cross section showing the	
2.2	size of pit and location of gas pipeline for HDD / Boring method	
2.3	Strip plan / Route Plan showing Gas pipeline, Chainage, width of ROW, distance of proposed, pipe line from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed
2.4	Methodology for laying of showing Gas pipe line.	Enclosed
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Noted, Methodology is enclosed.
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Noted

Jury Them Barelly Sitapur NH

singh ajit Digitally signed by singh ajit Date: 2025.07.02 12:51:10 +05'30'

अजीत कुमार सिंह / Ajit Kumar Singh क्षेत्रीय प्रवस्वक (गैस) / Territory Manager (GAS) भारत पेट्रोलियम कॉर्पोरेशन लिगिटेड Bharat Petroleum Corporation Limitation Lakhimpur GA CGD Projects

.,				2.	- 4	
(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be excavated and replaced by	Noted	E-	ă,			
selected material. (c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road	Yes	***	4		20	
crust. (d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Noted		e,			
(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.		2	Š			
(f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line	Noted			we di		

Fheme Sagmeering Services Pyl.Lia.
Bareilly- Shapur NH-24

Digitally signed singh ajit by singh ajit Date: 2025,07.02 12:50:52 +05'30'

अजीत कुमार शिंह / Ajit Kun Kingh भेत्रीय प्रवस्थक (गैंस) / Territory Manager (G. भारत पेट्रोलियम कॉर्पोशंक्षान लिगिटेड Bharat Petroleum Corporation Limited Lakhimpur GA CGD Projects

Horizontal Directional Drilling	
2.4.2 (HDD) Method Yes	
Methodology for laying of Gas Pipe Line through CD works and method of laying. In cases where the carrying of gas pipe line on the bridge becomes inescapable.	
Draft License Agreement Yes, MOU b/w NHAI & BPC signed by two witnesses	L is enclosed
Performance Bank	
Guarantee in favour of NHAI/NH PWD has to be obtained @ Rs100/- per	1 4 55 18 E
running meter (parallel to NH) and Rs1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till	
satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying	*
the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of	N 51 1 2 2 2 1
trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NH to the licensee for clearing debris/loose earth.	
4.1 Performance BG as per above is to be obtained. This shall be submitted aft letter from Ro west (UP N PIU NHAI .	
4.2 Confirmation of BG has been BG once submitted in PI obtained as per NHAI/NH Verification by the said confirmation.	
Affidavit / Undertaking from the Applicant for	
Not to Damage to other utility, if damaged then to pay 5.1 the losses either to NHAI/NH Yes PWD or to the concerned agency	

Theore Engineering Services Pvt.Ltd Bareilly-Sitapur NH-24

Singh ajit by singh ajit Date: 2025.07.02 गर रिस्ट / Ajit Jamar Singh 12:50:34 +05:30 कि (निस) / Territory Manager (GAS) मारत पेट्रोलियम कॉपॉरेशन विरोधित Bharat Petroleum Corporation Limited Lakhimpur GA CGD Projects



	Renewal of Bank						
5.2	Guaranteeas and when asked by Morth/NHAI	Yes		Ĕ,			
5.3	Confirming all standard condition of Ministry Circulars and NHAI's guideline.	Yes					
5.4	Shifting of Gas pipe line as and when required by NH at their own cost			Ą			
5.5	Shifting due to 6 lanning / widening of NH	Yes		17		3	
5.6	Indemnity against all damages and claims clause (xxiv)						
				Ę	7.7.8	- 7	
5.7	Traffic movement during laying of Gas pipe line to be managed by the applicant						
		N		- ā	3 1 4 1	e si	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	Ves					Įž.
5.9	Prior approval of the NH shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the	Yes		ť,	o g		
	showing Gas Pipeline located in the National highway right-of-ways.			4			
5.10	Expenditure, if any, incurred by NH for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas Pipe line will be borne by the agency owning the line.	Yes	8	45			

Jorna Teaming Services PVLLIO

Digitally signed by singh ajit Date: 2025.07.02

अजीत कुमार सिंह / Ajit Kumar सामा । क्षेत्रीय प्रवन्धक (गैस) / Territory Manager (GAS) भारत पेट्रोलियम कॉर्पोरेशन तिमिटेड Bharat Petroleum Corporation Limited Lakhimpur GA CGD Projects

5.11	If the NH considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NH at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days)	Yes
	Certificate from the applicant in the following format (i) Laying of Gas Pipeline will not have any deleterious	
5.12	effects on any of the bridge components and roadway safety for traffic. (ii) for 6 —lanning "We do undertake that I will relocate	Yes
3.12	service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NH" for future six- lanning or any other development."	
6.	Who will sign the agreement on behalf of Gas pipeline agency	Ajit Singh Territory Manager UP 03 Gas # 7 First floor Keshav Green City Sitapur, Uttar Pradesh 261001.
7	The Executive Engineer will submit the	
7.1	following. Certificate for confirming of all standard condition issued vide Ministry Circular No. MH-41 (58)/68 dated 31.1.1969, Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976, Ministry	ξ.

Theme Engineering Services Pyt.Lto
Bareilly-Shapur NH-28

Singh Digitally signed
by singh ajit
ajit श्रीय प्रवन्धः 2025.07.62jit Kumar singt
ajit श्रीय प्रवन्धः 2025.07.62jit Kumar singt
भारत पेट्रोलियन कॉर्पोरेशन लिनिटेड
Bharat Petroleum Corporation Limited
Lakhimpur GA CGD Projects

	Circular No. RW/NH- III/P/66/76 dated 11.5.1982, Ministry Circular No. RW/NH-		4	+,(T,(E,),)	
	11037/1/86-DOI (ii) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995, Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999 and Ministry Circular No. RW/NH-Circular No. RW/NH-		s.		
	34066/7/2003 S&R (B) dated 17.9.2003 and Ministry Circular No. RW/NH- 33044/29/2015-S&R (R) dated 22.11.2016.		4		
	Certificate from EE in the following format (i) "It is certified that any other location of the Gas pipeline would be extremely difficult and unreasonable costly and the installation of Gas		Æ.		
	pipeline within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as		Ęĺ	1	
7.2	widening of the carriageway; easing of curve etc". (ii) for 6 –lanning (a) Where feasibility is	NA		OF 52 1 1 82	
	available "I do certify that there will be no hindrance to proposed six-lanning based on the feasibility report		£.°		
	considering proposed structures at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-lanning".		ξ.		

Bareilly Shapur NH-24

Singh Digitally signed by singh ajit Date: 2025.07.02 Date: 2025.07.02 अंजीत कुमार शिक्षड के क्षेत्रिय प्रवस्ताक (गेस) / Territory Market मेट्रोलियम कॉपॉरेशन लिगिटेंड् Bharat Petroleum Corporation Limited Lakhimpur GA CGD Projects

-		If NH section proposed to be	
		taken up by NHAI on BOT basis - a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay the pipelines has also been	A secondary
	8	granted as a right of way to the concession agreement for up-gradation of	NA
		Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same."	
	9	Who will supervise the work of laying of Gas pipeline	
		(a) On behalf of the Applicant	TERRITORY MANAGER UP 03 (GAS) Sitapur, Lakhimpur, Bahraich, Shravasti, Balrampur, MaharajGanj & Siddharth Nagar.
1		(b) On behalf of NHAI/NH PWD	
	10	Who will ensure that the defects in road portion after laying of Gas pipeline are corrected and if not corrected then what action will be taken.	
ĺ		(b) On behalf of NHAI/NH PWD	
	11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire?	M/S BHARAT PETROLEUM CORPORATION LIMITED
	12	A certificate from EE that he will enter the proposed permission in the register of records of the permissions in	NO
		the prescribed Performa (copy enclosed).	

Themsengineering Services Pyllia

Singh Digitally signed by singh ajit Date: 2025.07.02 अञ्जल कुमार सिंह 12:48:३५८:०५:७५ Manager G मारत पेट्रोलियम कॉर्पोरेशन लिमिटेड Bharat Petroleum Corporation Limited Lakhimpur GA CGD Projects

If any previous approval is accorded for laying of underground Gas Pipeline

13 then photocopy of register of records of permissions accorded as maintained by EE then copy be enclosed

James DE)

Theme Engineering Services Pvt.Lta
Bareilly-Sitapur NH-24

the or in a part foodball by

singh ajit Digitally signed by singh ajit Date: 2025.07.02 12:48:19 +05'30'

अजीत कुमार Ajit Kumar Singh क्षेत्रीय प्रवचक (त्रिक्ट) / Territory Manager (GAS) भारत पेट्रोलियम कांप्ररेशन लिमिटेड Bharat Petroleum Corporation Limited Lakhimpur GA CGD Projects