

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड्क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

परियोजना कार्यान्वयन इकाई, बरेली Project Implementation Unit, Bareilly

282/01, ग्रेटर ग्रीन पार्क, बिशप कॉनरोड़ स्कूल के पास, बरेली - 243 006 (उ.प्र.) 282/01, Greater Green Park, Near Bishop Conrad School, Bareilly - 243 006 (U.P.)

फोन/Tel.: +91 581 4053132

ई-मेल/E-mail: bareilly@nhai.org, piubareilly@gmail.com

10004/38/2025/NH-30/PIU-BRLY/ - 0545



Dated: 15.10.2025

Invitation of Public Comments

Sub: Proposal for permission for laying of underground water supply pipeline under Jal Jeevan Mission by HDD Method from Km. 317+320 to Km. 317+500 (180m) & from Km. 317+640 to 317+736 (96m) LHS and from Km. 317+000 to Km. 318+336 (1336m) RHS (Total length of LHS +RHS=1612m) and crossing at Km. 317+100, Km. 317+320, Km. 317+500, 317+640 (Total length of 04 crossings 140m) at village Hafizganj Block, Tehsil-Nawabganj & District-Bareilly at NH-30 in the state of Uttar Pradesh.

This office has received subject proposal for permission for laying of underground Water Pipeline & crossing by HDD method at subject location(s).

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by mentioned office within 30 days from the date of publication beyond which no comments shall be entertained.

The Chief General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow 226 010

Project Director

Encl: As above

Copy to:

(i) The Regional Officer, NHAI, UP (West), Lucknow.

(ii) Web Admin, NHAI-HQ- with request for uploading on the NHAI website.

(iii) The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India (Ministry of Road Transport and Highways, Govt. of India)

परियोजना कार्यान्वयन इकाई, बरेली

Project Implementation Unit, Bareilly

282/01, ग्रेटर ग्रीन पार्क. बिशप कॉनरोड स्कूल के पास, बरेली - 243 006 (उ.प्र.) 282/01, Greater Green Park, Near Bishop Conrad School, Bareilly - 243 006 (U.P.) फोन/Tel.: +91 581 4053132

ई-मेल/E-mail: bareilly@nhai.org, piubareilly@gmail.com

10004/38/2025/NH-30/PIU-Brly/ - 0545

15.10.2025

सार्वजनिक टिप्पणियाँ हेतु आमंत्रित

विषयः राष्ट्रीय राजमार्ग संख्या—74 (नया रा.रा.रा.सं.—30) के सीमान्तर्गत जल जीवन मिशन के तहत एचडीडी विधि द्वारा भूमिगत जलपूर्ति पाइप लाइन बिछाने की अनुमति का प्रस्ताव किमी. 317.320 से किमी 317.500 (180 मीटर) तथा किमी 317.640 से किमी 317.736 (96 मीटर), एलएचएस और किमी 317.000 से 318.336 (1336 मीटर) आरएचएस कुल लम्बाई 1612 मीटर किमी 365.276 से किमी 368.430 (एलएचएस) 3154 मीटर, किमी 365.415 से किमी 368.430 (आरएचएस) एवं कॉसिंग किमी0 317.100, किमी0 317.320, किमी0 317.500, किमी0 317.640 कुल लम्बाई 140 मीटर ब्लॉक— हाफिजगंज, तहसील — नवाबगंज, जिला—बरेली (उत्तर प्रदेश राज्य) में भूमिगत जलपूर्ति पाइप लाइन बिछाये जाने हेतु अनापत्ति के संबंध में।

इस कार्यालय को उत्तर प्रदेश राज्य में राष्टीय राजमार्ग संख्या—24 (नया रा.रा.सं.—30) के सीमान्तर्गत एवं कासिंग एचडीडी विधि द्वारा जल जीवन मिशन के तहत भूमिगत जलपूर्ति पाइप लाइन बिछाये जाने हेतु अनापित्त के संबंध में विषयगत प्रस्ताव प्राप्त हुआ है।

उक्त प्रस्ताव को मंत्रालय द्वारा दिशा—निर्देश RW/NH-33044/29/2015/S&R (R) dated 22nd November 2016 के तहत जारी दिशा—निर्देशों के अनुसार दावे और आपित्तियाँ सार्वजिनक असुविधा सुरक्षा और सामान्य सार्वजिनक हित के आधार पर मॉगने के लिए आवेदन को 30 दिनों के लिए सार्वजिनक डोमेन में रखा जाएगा।

उक्त के मद्देनजर उपरोक्त आवेदन पर जनता की टिप्पणियाँ नीचे उल्लिखित पते पर आमंत्रित की जाती है, जो प्रकाशन की तारीख से 30 दिनो के भीतर निम्न कार्यालय पते पर पहुँच जानी चाहिए। इसके बाद किसी भी टिप्पणी पर कोई विचार नहीं किया जाएगा।

> मुख्य महाप्रबन्धक (तकनीकी)/क्षेत्रीय अधिकारी भारतीय राष्ट्रीय राजमार्ग प्राधिकरण क्षेत्रीय कार्यालय, उत्तर प्रदेश (पश्चिमी), 3/248, विशाल खण्ड, गोमती नगर लखनऊ।

संलग्नकः उपरोक्तानुसार।

(नवरत्न) परियोजना निदेशक

प्रतिलिपिः

- क्षेत्रीय अधिकारी, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, क्षेत्रीय कार्यालय, उत्तर प्रदेश (पश्चिमी), लखनऊ को सादर सूचनार्थ प्रेषित।
- 2. वेब एडिमिन, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, मुख्यालय, नई दिल्ली को भारतीय राष्ट्रीय राजमार्ग प्राधिकरण वेबसाइट पर अपलोड करने हेतु अनुरोध के साथ प्रेषित।
- तकनीकी निदेशक, एनआईसी, परिवहन भवन, नई दिल्ली को मंत्रालय की वेबसाईट पर अपलोड करने हेतु अनुरोध के साथ प्रेषित।

CHECK LIST

Guidelines for Project Directors for processing the proposal of crossing /laying optical fibre/ HT cables/ Water supply pipe line etc. by privet parties in the land along National Highway with NH PWD.

Relevant Circulars

Ministry Circular No. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016. Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) Dated 06.08.2013

Check-list for getting approval for laying/crossing water pipe line on NH land

S.No.	ltem	Information/Status	Remarks
1.	General Information		
1.1	Name and address of the applicant/Agency	Office of the Executive Engineer, U.P. Jal Nigam (Rural), BAREILLY	
1.2	National Highway	NH-30	
1.3	State	Uttar Pradesh	
1.4	Location	District – BAREILLY	
1.5	(Chainages in KM)	from Km. 317+320 to Km. 317+500 (180m) & from Km. 317+640 to 317+736 (96m) LHS and from Km. 317+000 to Km. 318+336 (1336m) RHS and crossings at Km. 317+100, Km. 317+320, Km. 317+500, Km. 317+640 at NH-30	
1.6	Length in Meters	shown in drawing	
1.7	Width of available ROW	3nown in drawing	
1.7	(a) Left side from centre line towards increasing chainage/km direction	15m to 20m (Variable)	
	(b) Right side from centre line towards increasing chainage/km direction	15m to 20m (Variable)	Ÿ.
1.8	Proposal to lay the water pipe line		
	(a) Left side from centre line towards increasing chainage/km direction		
	(b) Right side from centre line towards increasing chainage/km direction	-	
1.9	Proposal to acquire land		
	(a) Left side centre line.	Not required	
	(b) Right side centre line.	Not required	

Dhirendra Kumar Sr. Pavement Specialist MTL JV With BCL (BLY-PBT-NH-30/74)

N.K. Sharma Team Leader MTL JV With BCL (BLY-PBT-NH-30/74)

(Kurnkum Gangwar)
Executive Engineer
Division Office
U.P Jal Nigam (Rural)
Bareilly







shoulders and drains (e.g. Highway in currying through hilly, rolling terrain) the cable shall be laid clear of the drain. (v) where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnessess 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		<u> </u>		
terrain) the cable shall be taid clear of the drain. (v) where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.5 Mythology of laying of pipe line 2.6 Mythology of refilling of trench. 2.7 Laying OFC/ HT cable through CD method 2.8 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 2. Affidavit/ Undertaking/ from the applicant for		shoulders and drains (e.g. Highway		
of the drain. (v) where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		in currying through hilly, rolling		
(v) where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		terrain) the cable shall be laid clear		
corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be through the less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		of the drain.		
corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be through the less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		(v) where land strip for utility		
earmarked (available ROW restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
restricted to the toe of the embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC / Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC / HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
embankment) for laying of cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line		,		
cable/duct, the permission may be refused. 1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
refused. Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
1.18 Number of applicants of the same stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
stretch. 1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	4.40	1 2 1 3 2 3 3 4		ļ
1.19 Whether the case of multiple licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	1.18		Single applicant	
licenses. 1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
1.20 If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	1.19	Whether the case of multiple	Single	
programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		licenses.		
programmer to lay their respective ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	1.20	If so furnish a joint implement	No	
ducts within stipulated time frame. 1.21 If crossing of the road involved if yes, it shall only be through the less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
1.21 If crossing of the road involved if yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
yes, it shall only be trough trench less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	1.21		Yes it shall only be through	
less technology 2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	1.2			
2. Document/drawing enclosed with the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for			TIDD Method	€
the proposal. 2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2			
2.1 Cross section showing the size of trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	۷.			
trench for open trenching method (is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	0.4			
(is it normal size of 1.20m deep x0.5m wide) 2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2.1		Shown in drawing	
2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
2.2 Cross section showing the size of pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		(is it normal size of 1.20m deep		
pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line Enclosed 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
pit location of pipe line for HDD method 2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line Enclosed 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2.2	Cross section showing the size of	NA	
2.3 Strip Plan / Route Plan showing the OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line Enclosed 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		method		
OFC/ Pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2.3	Strip Plan / Route Plan showing the	Shown in drawing	
ROW, important mile stone, intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
intersections, cross drainage works etc. 2.4 Mythology of laying of pipe line Enclosed 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
etc. 2.4 Mythology of laying of pipe line 2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		, , , , , , , , , , , , , , , , , , , ,		
2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		_		
2.4.1 Open trenching method. If, yes, methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2.4		Fueles ed	
methodology of refilling of trench. 2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for		Open transfer was the first		
2.4.2 Horizontal Directional Drilling (HDD) method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2.4.1		i renchiess	
method 2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	0.1.			
2.4.3 Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2.4.2		Yes, through HDD	
works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
works and method of laying (Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	2.4.3	Laying OFC/ HT cable through CD	NA	
(Whether to be hung outside parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
parapet) 3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
3. Draft license agreement signed by two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for				
two witnesses 4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	3.		Yes	
4. Performance Bank Guarantee 5. Affidavit/ Undertaking/ from the applicant for	5.5			
5. Affidavit/ Undertaking/ from the applicant for	1			
applicant for				
	ວ.	_		
5.1 NOT to damage to other utility, if Yes, enclosed	F 4	7-3	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	5. I	Not to damage to other utility, if	Yes, enclosed	





	damaged then to you the leaner		
	damaged then to pay the losses either to NH PWD or to the		
		12	
5.2	concerned agency. Renewal Bank Guarantee	A1A	
5.3		NA Van sambassal	
	Confirmation all standard condition of NH PWD guidelines.	Yes, enclosed	
5.4	Shifting of water pipe line as and when required by NH PWD	Yes, enclosed	
5.5	Shifting due to 6-laning / widening of NH	Yes, enclosed	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes, enclosed	
5.7	Traffic movement during laying of water pipe line to be managed by applicant	Yes, enclosed	
5.8	If any claim is raised by the Concessionaries then the same has to be paid by the applicant	Yes, enclosed	
5.9	Certificate for 6-laning from the applicant in following format. "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHA for future six-laning or any other development."	Yes, enclosed	
6.	Affidavit / Power of Attorney in favour of authorized signatory.	Affidavit enclosed	
7.	Copy of DOT license	No, water pipe line	Govt. Project
8.	Certificate from the Project Director	Yes, enclosed	1
8.1	Certificate from confirming of all standard condition issued vide Ministry Circular NO. RW/NH-33044/27/2005/S&R(R)(Pt.) dated 7/8/2013 & dated 22.11.2016	Yes	
8.2	Certificate for 4-laning from PD in the following format	Already 2-lane	
	 (a) Where feasibility is available "I do certify that there will be no hindrance to proposed 4-laning base on the feasibility report considering proposed structure at the said location. (b) In case feasibility report is not available (I do certify that sufficient ROW is available at site for accommodate proposed 	NA NA	
	6-laning."		







9	As per guidelines license fee shall	Department will pay fee	
	be charged.	after issuing demand note	
10	If NH section proposed to be taken up NH PWD on BOT basis — a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of way to the concessionaire under the concession agreement for upgradation of [Section From Km to km of NH PWD NO on Build, Operate and Transfer Basis]	NA	
11	Who will supervise the work of laying of water pipe line	Office of the Executive Engineer, U.P. Jal Nigam (Rural), BAREILLY	
12	Who will ensure that the defects in road portion after lay of water pipe line are corrected and if not corrected then what action will be taken.	Engineer, U.P. Jal Nigam	
13	Who will pay the claims for damages' done/disruption in working of concessionaire if asked by the concessionaire.	Office of the Executive Engineer, U.P. Jal Nigam (Rural), BAREILLY	a
14	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed performa (copy enclosed) issued vide Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016	Yes	
15	If any pervious approval is accorded for after lay of water pipe line then photocopy if register of records of permissions accorded as maintained by PD (as per Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016) as referred in para 13 above is enclosed or not.	NA	



N.K. Sharma Team Leader MTL JV With BCL (BLY-PST-NH-30/74)

