



सत्यमेव जयते

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक: NHAI/18013/1/2021-ROJ/Permission-Crossing-4" dia Gas Pipeline/Torrent/280/NH-48, km 142.925/2038 दिनांक: 23.10.2023

### INVITATION OF PUBLIC COMMENTS

विषय: Proposal for grant of permission for laying 4" dia Gas Pipeline crossing at Km. 142+925 of total length 62.10m on Delhi-Jaipur section of NH-48 at Neemrana, Distt-Alwar in the state of Rajasthan by M/s. Torrent Gas Jaipur Pvt. Ltd. - reg.

सन्दर्भ: (i) M/s Torrent Gas Jaipur Pvt. Ltd letter no. TGJPL/CGD/22.23/Steel-08 dt. 11.08.2023.  
(ii) PD, PIU-Jaipur letter no. NHAI/JPR/NOC/Torrent/142+925/2023/1522 dated 22.09.2023 (received on 25.09.2023).

Sir,

It is to inform all concern that M/s. Torrent Gas Jaipur Pvt. Ltd., Jaipur vide letter cited under ref. (i) above has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (ii) for approval of the Competent Authority, Highway Administration.

2. The proposal is for grant of permission for laying of 4" dia Gas Pipeline crossing at Km. 142+925 of total length 62.10m on Delhi-Jaipur section of NH-48 at Neemrana, Distt-Alwar in the state of Rajasthan by M/s. Torrent Gas Jaipur Pvt. Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying and crossing of 4" dia Gas Pipeline across the subjected project stretch. The objections/comments may be addressed to the below mentioned address upto 23.11.2023, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur  
National Highways Authority of India,  
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,  
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

महोदय  
(मनोज खोड़ा)  
प्रबन्धक (तकनीकी)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]  
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]  
(iii) PD, PIU-Jaipur: for information.  
(iv) M/s. Torrent Gas Jaipur Pvt. Ltd., Jaipur: for information.



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Satation, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org



(2)

No. NHAI/JPR/NOC/Torrent Gas/142+925/2023/1522

Date: 22.09.2023

### Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath

Shyam Nagar, Jaipur-302019

MIT-MK  
22/9



Sub.: Permission for laying of 4" dia gas pipeline crossing at km. 142+925 of total length 62.10m on NH-08 (New NH-48) at Neemrana District Alwar on Delhi-Jaipur highway in the state of Rajasthan-reg.

- Ref.: 1. M/s Torrent Gas Jaipur Pvt. Ltd. Letter no. TGJPL/CGD/22.23/steel-08 dated 11.08.2023  
2. This office letter no. 1256 dated 21.08.2023  
3. M/s Torrent Gas Jaipur Pvt. Ltd. Letter no. TGJPL/NHAI/23-24/ dated 12.09.2023

Sir,

This has reference to M/s Torrent Gas Jaipur Pvt. Ltd. above referred letter dated 11.08.2023 vide which said proposal has submitted to this office for laying of 4" dia gas pipeline crossing at km. 142+925 of total length 62.10m on NH-08 (New NH-48) at Neemrana District Alwar on Delhi-Jaipur highway in the state of Rajasthan on Gurgaon-Kotputli-Jaipur section of NH-8.

2. The said proposal has been examined in consultation with IE of the project highway. Further, this office vide above referred letter dated 21.08.2023 has requested to applicant vide this office letter dated 21.08.2023 to deposit the requisite License Fee and Performance Bank Guarantee. M/s Torrent Gas Jaipur Pvt. Ltd. vide letter dated 12.09.2023 has submitted the proof of deposition of License Fee amounting to Rs. 7181/- in Bharat Kosh vide Receipt No. 3108230016047 dated 31.08.2023 and Performance Security in the form Bank Guarantee no. 006GT02232490007 of Rs. 6,210/- of HDFC Bank Ltd. and valid upto 05.09.2028, the same also confirmed by Canara Bank, Vaishali Nagar Branch.

3. In view of the above, the said proposal has been examined in this office and seems to be found in order.

4. Duly signed checklist & documents is enclosed with the proposal and recommended to grant permission for laying of 4" dia gas pipeline crossing at km. 142+925 of total length 62.10m on NH-08 (New NH-48) at Neemrana District Alwar on Delhi-Jaipur highway in the state of Rajasthan.

Encl. : As above

Yours faithfully,

Project Director 22/9

## CHECK-LIST

Guidelines for processing the proposal for laying of utility line in the land across National Highways vested with NHAI/PWD BRO.

Ministry circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

Sr.No.	Item	Information/ Status	Remarks
	<b>General Information</b>	(Rajasthan)	
1	Name and Address of the Applicant / Agency	<b>Torrent Gas Jaipur Private Limited Samanvay, 600 Tapovan, Ambawadi, Ahmedabad, Gujarat-380015).</b>	
2	National Highway Number	New NH-48 (OLD NH-08)	
3	State	Rajasthan	
4	Location	Delhi to Jaipur Road	
5	(Chainage in km)	CH. 142.925	
6	Length in Meters	62.10m	
7	Width of available ROW in both side	31.05m	
8	Side of NH (left or right side of NH towards increasing chainage /KM/ direction)	Only crossing	
9	Name of Highways Authority of NHAI/PWD/BRO	NHAI-PIU-JAIPUR	
10	Highway Administration Address	National Highway Authority of India, Regional Office, Jaipur F-120, Jan Path, Shyam Nagar, Jaipur, Rajasthan 302019	

*Anurag Kumar*

02m  
Project Director / Project Director  
NHAI PIU भारासाप्रा, प.का.ई. / NHAI PIU, Jaipur  
JAIPUR

Sr.	Item	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid utility service in any	No	Enclosed	N/A
2	Whether up gradation of the stretch in near future is proposed or not	Yes		N/A
	If yes provision of utility adversely affect the plan of up gradation	No	No affect plan of up gradation	N/A
3	Laying of the utility service along the National Highways	Only Across Not Along		
3.1	Location of proposed utility service along the stretch	Crossing at NH from CH. 142+925	Utility duct / beyond the toe line of the embankment and drains , enclose to the extreme edge of the ROW	
3.2	Depth of the utility service from Ground level	1.65m	At least 1.2m below the top	Complying
3.3	Mechanism for crossing for water channel	N/A	Through utility duct (if provision exist) or beneath the bed of water channel	N/A
3.4	Whether is ROW restricted in the stretch?	No		N/A
3.4.1	If yes whether provision of land acquisition is required to lay utility	N/A		N/A
	a. If yes whether undertaking for land acquisition along with relevant L.A detail has been furnished	N/A		N/A
3.4.2	With if concrete duct , in utility service are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility Service across the NH			
4.1	Whether existing drainage structures is allow to carry the utility lines.	No	Not to be allowed	N/A
4.2	Proposed crossing of utility service	Yes	Perpendicular to NH	NA
4.3	Type of casing pipe/conduit carrying the utility line	N/A	Steel , cast iron , or RCC and have adequate strength	N/A

*Refinapati*

TORRENT GAS & PIPE PVT. LTD.

*Anoop Kumar Kar*

परियोजना निदेशक / Project Director  
गणराजप्रा, ए.का.ई. / NHAI PIU,




4.4	Whether ends of the casing /conduit pipe are sealed from the outside	N/A	Sealed	N/A
4.5	Length of Casing /conduit pipe crossing NH	NA	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the conduit pipe	1.65m	At least 1.2m below the top of subgrade	Complying
4.7	<b>Crossing method in case of CC pavement</b>	<b>HDD</b>	<b>Only boring method (HDD)</b>	<b>Complying</b>
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	N/A (Underground only)	In accordance with IRC codes.	N/A
5	Document/drawing enclosed with the proposal	Yes Enclosed		YES
5.1	Cross section showing in the site of trench for open trenching method	N/A (HDD)	Enclosed, if applicable	N/A
5.	a. Trench width	N/A	More than 30cm and less than 60 cm wider than the outer diameters of the utility pipe	N/A
	b. Filling of trench	N/A	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	N/A
	c. Location of trench	N/A	Extreme edge of the ROW	N/A
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes enclosed	Enclosed , if applicable	Complying
5.3	Strip plan / Route plan showing utility line , chainage, width of ROW , distance of proposed utility from the edge of ROW , important mile stone , intersection , cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying
6	Methodology for laying of utility line	HDD, Yes enclosed	Enclosed	Complying
7	Draft license agreement is as per Ministry circular No-RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.and	Yes enclosed	Enclosed	Complying



02M  
 परियोजना निदेशक / Project Director  
 भारास्रा, प.का.ई. / NHAI PIU, Jaipur

	signed by two witness			
8	License fee in favour of MORT&H RPAO Jaipur	Yes	As per Ministry circular No-RW/NH330044/29/2015/S&R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Yes	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Yes
	a. If yes, whether confirmation of BG has been obtained as per MORT&H / NHAI guidelines	Shall be obtained		
10.	<b>Affidavit /Undertaking from the applicant for</b>			
10.1	Undertaking for not to damage other existing utility , if damaged then to pay the losses to either to MORT&H / NHAI to the cornered agency	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantee and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying
10.3	Undertaking for conforming all standard condition of MORT&H/ NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claim	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic moment during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that if any claim is raised by the concessionaire/ contractor than the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative	Enclosed	Enclosed	Complying

*22/11/2016*  


*Anoop Kumar*

*02m*

परियोजना निदेशक / Project Director  
भारतप्रा, प.का.ई. / NHAI PIU, Jaipur

	authorities such as directorate of electricity, chief controller of explosive safety of directorate , state / central pollution control board and any other statutory clearances applicable before applying to Highway Administration			
--	---	--	--	--

The ROW of the National Highway available at the proposed location from the central line of divided carriageway is 31.05m from central of ROW edge of ROW towards proposed utility in rural section 31.05m from central of ROW edge of ROW towards proposed utility in urban section.

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.

  
TORRENT GAS JAIPUR

Name designations & Signature of the  
Authorized representative of applicant

02m  
परियोजना निदेशक / Project Director  
भारत सरकार, प.का.ई. / NHAI PIU, Jaipu  
Name designations & Signature of the  
concerned field authority of NHAI / PIU

