



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No: NHAI/18013/1/2020-ROJ/Permission-Laying /OFC/85/NH-11A Ext. km 52 to 64/77 Date: 09.04.2021

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying OFC at NH 11A Ext. Barkhapur to Datawas mode Km. 52.00 to km. 64.00, total length is 12 km. (as per enclosed SLD) on Dausa-Lalsot-Kauthun section by M/s. Dinesh Engineering Ltd. in the state of Rajasthan - reg.

Ref.: 1. M/s. Dinesh Engineering Services Pvt. Ltd. letter dated 02.03.2021.
2. PD, PIU-Dausa letter no.23011/20/PIU/DAU/NOC/OFC/8259 dt. 26.03.2021.

Sir,

It is to inform all concern that M/s. Dinesh Engineering Services Pvt. Ltd., Jaipur vide letter under reference (i) has submitted a proposal for grant of permission for laying of OFC at NH 11A Ext. Barkhapur to Datawas mode Km. 52.00 to km. 64.00, total length is 12 km. (as per enclosed SLD) on Dausa-Lalsot-Kauthun section by M/s. Dinesh Engineering Ltd. in the state of Rajasthan to this office vide letter under reference (ii) for approval of the Competent Authority.

2. The proposal is regarding permission for grant of permission for laying of OFC at NH 11A Ext. Barkhapur to Datawas mode Km. 52.00 to km. 64.00, total length is 12 km. (as per enclosed SLD) on Dausa-Lalsot-Kauthun section by M/s. Dinesh Engineering Ltd. in the state of Rajasthan.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to lay grant of permission for laying of OFC at NH 11A Ext. Barkhapur to Datawas mode Km. 52.00 to km. 64.00, total length is 12 km. (as per enclosed SLD) on Dausa-Lalsot-Kauthun section by M/s. Dinesh Engineering Ltd. in the state of Rajasthan. The objections/comments may be addressed to the below mentioned address upto 08.05.2021, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur


National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,


(Kuldeep Songara)
DGM (Tech.)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Dausa: for information.
(iv) M/s. Dinesh Engineering Services Pvt. Ltd., Jaipur: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, दौसा

87, गंगा विहार कोलोनी, होटल रावत पैलेस के पीछे, दौसा - 303303 (राज.)

Project Implementation Unit Dausa

87, Ganga Vihar Colony, Behind Hotel Rawat Palace, Dausa-303303 (Raj.)

No. 23011/20/PIU/DAU/NOC/OFC/8259

Chief General Manager (Tech.)

Regional Officer

National Highways Authority of India

F - 120, Jan Path, Shyam Nagar,

Jaipur-Raj.

दूरभाष / Phone : 01427-224918


ई-मेल / E-mail : dausa@nhai.org



भारतमाला

प्रगति के पथ पर अग्रसर

Date: 26.03.2021



2

Handwritten signature and initials

Sub.: Permission of Laying Optical fiber cable at 11A Ext. Barkhapur to Datawas mode Km. 52.000 to Km. 64.000 Total 12000 Mtr. (as per enclosed SLD) Km. in the state of Rajasthan.

- Ref.:**
1. Applicant M/s Dinesh Engineers Ltd. letter dated 02.03.2021
 2. This office letter no. 7165 dated 07.01.2021.
 3. NHAI, RO, Jaipur letter no. 3031 dated 15.12.2020
 4. This office letter no. 6564 dated 13.11.2020
 5. IE Letter no. SAI/IE/DLK/NHAI/2020/1667 dated. 12.11.2020
 6. IE Letter no. SAI/IE/DLK/NHAI/2020/1655 dated. 29.10.2020
 7. Your letter RW/JAI/RAJ/PS/UTILITY/2019/394A/2886 dt. 19.08.2020
 8. Your letter RW/JAI/RAJ/PS/UTILITY/2019/394/169 dt. 10.01.2020
 9. This office letter no. 5139 dated. 24.07.2020

Sir,

Kindly refer RO Jaipur letter ref (1) vide which certain observation were conveyed i.r.o. subject proposal of Permission for Laying Optical fiber cable at 11A Ext. Barkhapur to Datawas mode Km. 52.000 to Km. 64.000 Total 12000 Mtr. (as per enclosed SLD) Km. in the state of Rajasthan.

The said observation were conveyed to the applicant vide this office letter no. 7165 dated 07.01.2021 for necessary compliance.

In compliance of that the applicant vide ref (1) submitted the compliances of the observations raised by RO, Jaipur, duly submitting the required Bank Guarantee, Proof of deposition of License fee and desired Undertaking on Rs. 50 stamp.

Further the Bank guarantee submitted by applicant confirmed by Canara Bank Dausa vide email dated 17.03.2021 on request of PIU, Dausa.

Further to submit that the above submitted compliances found in order.

In view of above, the subject proposal is again hereby submitted and recommended for necessary approval of Competent Authority.

Yours sincerely

Encl.: As above:

Handwritten signature of Sahi Ram

Project Director
NHAI, PIU-Dausa

Copy to:-

1. RO, MoRTH, DCM, Ajmer Road, Jaipur for information please.
2. M/s Dinesh Engineer Ltd. for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, दौसा

87, गंगा बिहार कोलोनी, होटल रावत पैलेस के पीछे, दौसा - 303303 (राज.)

Project Implementation Unit Dausa

87, Ganga Vihar Colony, Behind Hotel Rawat Palace, Dausa-303303 (Raj.)

No. 23011/21/PIU/DAUSA/NOC/OFC/7165

दूरभाष / Phone : 01427-224918
ई-मेल / E-mail : dausa@nhai.org



भारतमाला

प्रगति के पथ पर अग्रसर

Date: 07.01.2021

M/s Dinesh Engineering Services Pvt. Ltd.

Meera Devi Bhagwan Sahay,

Khohra Moh. Nagli Circle,

Alwar (Raj.)-301001

Sub: Permission of Laying Optical fiber cable at 11A Ext. Barkhapur to Datawas mode Km. 52.000 to Km. 64.000 Total 12000 Mtr. (as per enclosed SLD) Km. in the state of Rajasthan - reg.

Ref.: 1. RO, NHAI, Jaipur NHAI/18013/1/2020-ROJ/Permission-OFC/ 3031 dt.15.12.20.
2. IE, Sai consulting letter no. SAI/EI/DLK/NHAI/2020/1667 dated 12.11.2020
3. MoRT&H, Jaipur letter no. RW/JAI/PS/Utility/2019/394A/2886 dated 19.08.2020
4. Your letter dated 19.08.2020

Sir,


With reference to subject matter Highway Administration-cum Regional Office, MoRT&H, Jaipur vide there letter under ref. (3) has submitted the three copies of said proposal to this office to examine the said proposal in accordance with Ministry's Guidelines vide no. RW/NH-33044/29/2015/S&S(R) dated 22.11.2016 & Ministry' letter no. RW/JAI/RJ/PS/2017/UTILITYGENL/1161-1189 dated 16.03.2017.

In this context, it is to inform you that said proposal has been examined by Independent Engineer of the project (Dausa-Lalsot-Kothoon section of NH-11A extn.) in light of Ministry's Guidelines vide no. RW/NH-33044/29/2015/S&S(R) dated 22.11.2016 & Ministry's letter no. RW/JAI/RJ/PS/2017/UTILITYGENL/1161-1189 dated 16.03.2017. Independent Engineer calculates the License fee amount and performance Bank Guarantee, Hence you are hereby requested to submit the following for further course of action.

1. Submit the performance Bank Guarantee of Rs.12,00,000/- as per para 6 of Ministry's circular dated 22.11.2016 with a validity of one year in favor of Project Director, NHAI, PIU, Dausa.
2. Submit the License fee Rs.37,830/- and submit proof of deposition of License fee as per para 5 of ministry's circular dated 22.11.2016 in Bharat Kosh.
3. An undertaking on Rs. 50/- non judicial stamp duly stating that "within 07 days of receipt notice M/s Dinesh Engineering Services Pvt. Ltd. will submit any kind of additional license deed amount of when as it was demanded by NHAI/MoRT&H"
4. DLC rates of road side land (certified by Revenue Authority)

In view of above, you are requested to submit compliance on the above said point to this office for further necessary action.

Yours sincerely


(Sahi Ram)

Project Direct

NHAI-PIU, Dausa

Copy to.: CGM (T), RO, Jaipur in ref. letter no. 3031 dated 15.12.2020 for information.




Dinesh Engineers Limited
Infrastructure Provider (IP-1)

F-14, First Floor, Mahima Trinity,
Plot No. 5, Swage Farm, New Sanganer Road,
Jaipur, Rajasthan - 302 019.
Tel. : 022-2770 4600 / 4700
Email : admr@depl.co.in • www.depl.co.in
GST No : 08AAACD3117C129

To,

Dated-02-03-2021

The Project Director
NHAI, PIU, DAUSA



Sub: Permission for laying Optical Fiber Cable at LALWADI CHAURAHA TO BARKAPUR TO DATWAS MOD KM. 52 TO 64 Total=12000 Mtr in the state of Rajasthan.

REF:-Letter from NHAI, PIU, DAUSA no. 23011/21/PIU/DAUSA/NOC/OFC/7165 dated 07.01.2021

Dear Sir,

With reference to above letter vide which the query has been raised for granting ROW of said section, please find below our point wise reply;


- 1) Bank Guarantee no-0669IGP210001186 dated 17-Jan-2021 for Rs- 12,00000/- (Rupees Twelve Lakhs Only) as per Ministry's Guidelines issued 22-11-2016 is attached herewith
- 2) Proof of License Fee as para 5 as per Ministry's Guidelines issued 22-11-2016 of Rs- 37830 (Thirty-Seven Thousand Eight Hundred Thirty Only) Transaction Ref No- 2302210010014 Dated- Feb 25 2021 in Bharat Kosh is attached herewith.
- 3) An Undertaking on non judicial stamp of Rs 50 is attached herewith.
- 4) DLC rate is downloaded by Revenue Department Official Gov Website is already submitted .

We hereby again submitting our proposal with above required documents. Kindly grant us permission for the said section.

Thanking you,

For- Dinesh Engineers Ltd.

Auth Signatory



bharatkosh.gov.in

Government of India Receipt Portal

RECEIPT

Transaction Ref.No. 2302210010014

Dated: Feb 25 2021 4:17PM

Received from M/S. DINESH ENGINEERS LIMITED with Transaction
Ref.No. 2302210010014

Dated Feb 25 2021 4:17PM the sum of INR 37830 (Thirty-Seven Thousand
Eight Hundred Thirty Only) through Internet based Online payment in the
account of

License fee for laying of utility services, , Barkhapur to Dtawas MOD Ch 52/00-
64/00 Length 12 km.

**Disclaimer:- This is a system generated electronic receipt, hence no physical signature
is required for the purpose of authentication**

Printed On: 25-02-2021 04:29:41

Assy :- Controller General of Accounts

For- Dinesh Engineers Ltd.

Auth Singanov



सत्यमेव जयते


INDIA NON JUDICIAL

Government of Uttar Pradesh

e-Stamp

SHYAM SARASWAT
STAMP VENDOR
LICENCE NO-205
E-STAMPING ACC ID UP14196504
TEHSIL SADAR, DIST. AGRA

Certificate No.	: IN-UP41019153680856T
Certificate Issued Date	: 01-Mar-2021 02:49 PM
Account Reference	: NEWIMPACC (SV)/ up14196504/ AGRA SADAR/ UP-AGR
Unique Doc. Reference	: SUBIN-UPUP1419650470955885992427T
Purchased by	: MESSERS DINESH ENGINEERS LTD JAIPUR
Description of Document	: Article 19 Certificate or other Document
Property Description	: FOR OTHER USE
Consideration Price (Rs.)	:
First Party	: NHAI DAUSA MORTH JAIPUR
Second Party	: MESSERS DINESH ENGINEERS LTD JAIPUR
Stamp Duty Paid By	: MESSERS DINESH ENGINEERS LTD JAIPUR
Stamp Duty Amount(Rs.)	: 50 (Fifty only)



-----Please write or type below this line-----

UNDERTAKING

Within 7 days of receipt notice M/S Dinesh Engineers Ltd will submit any kind of additional license deed amount of when as it was demanded by NHAI/ MoRT&H .

For- Dinesh Engineers Ltd.
Auth Singnatory

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.

General Information

1. Name and Address of the Applicant/Agency :Dinesh Engineers Limited.
2. National Highway No. :NH-11AE
3. State :RAJASTHAN
4. Location : BARKAPUR TO DATWAS MOD
Chainage in km : NH-11AE KM 52 TO KM 64
5. Length in m :12000 MTR
6. Width of available ROW in both side :30 M
7. Side of NH : RHS/LHS (left or right
side of NH towards increasing chainage/Km direction)
8. Name of Highway Authority of NHAI/PWD/BRO : NHAI
9. Highway Administration address : NHAI (Jaipur)

For Dinesh Engineers Ltd.

Auth. Signatory

S.No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	NA	Enclosed	NA
2	Whether up gradation of the stretch in near future is proposed or not			
	(a) If yes, provision of utility adversely affect the plan of up-gradation	NO	Not affect plan of up-gradation	NA
3	Laying of the utility service along the National Highways.	YES		YES
3.1.	Location of proposed utility service along the stretch		Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	
3.2	Depth of top of utility service from ground level	1.6M	0.6 meter	YES
3.3	Mechanism for crossing water channel	NA	Through utility duct(if provision exists) or beneath the bed of water channel	NA
3.4	Whether ROW is restricted in this stretch?	NO		NO
3.4.1	If yes, whether provision of land acquisition is required to lay utility			
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished			

For Dinesh Engineers Ltd.


Auth. Signatory

3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	NA	Not less than one lane	YES
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NA	Not to be allowed	YES
4.2	Proposed crossing of utility service	PERLLEL TO NH	Perpendicular to NH	YES
4.3	Type of casing pipe/conduit carrying the utility line.	MS CASING	Steel, cast iron, or reinforced cement concrete and have adequate strength	YES
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	YES
4.5	Length of casing/conduit pipe crossing NH.	NA	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing/conduit pipe.	1.6M	At least 1.2 m below the top of subgrade	YES
4.7	Crossing method in case of CC pavement.	NA	Only boring method (HDD)	NA
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	NA	In accordance with IRC codes.	NA
5	Document / Drawings enclosed with the proposal	YES		YES
5.1	Cross-Section showing the size of trench for open trenching method	NA	Enclosed, if applicable	NA

For Dinesh Engineers Ltd.


Auth. Signatory

	(a)Trench width	NA	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	NA
	(b) Filling of trench	NA	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	NA
	(c) location of trench	NA	extreme edge of the ROW	NA
5.2	Cross section showing the size of pit and location of conduit for HDD method	ENCLOSED	Enclosed, if applicable	ENCLOSED
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	ENCLOSED	Enclosed	ENCLOSED
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	ENCLOSED	Enclosed	ENCLOSED
6	Methodology for laying of utility line	ENCLOSED	Enclosed	ENCLOSED
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	ENCLOSED	Enclosed	ENCLOSED
8	License fees in Favor of MoRTH RPAO Jaipur	YES	As per Ministry vide circular no. RE/NH-33044/29/2015/S&R (R)dated 22.11.2016	YES

For Dinesh Engineers Ltd.


Auth. Signatory

9	Whether Bank Guarantee has been obtained	NA	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R)dated 22.11.2016	NA
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			
10	Affidavit / Undertaking from the Applicant for	ENCLOSED		ENCLOSED
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	ENCLOSED	Enclosed	ENCLOSED
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	ENCLOSED	Enclosed	ENCLOSED
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	ENCLOSED	Enclosed	ENCLOSED
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	ENCLOSED	Enclosed	ENCLOSED
10.5	Undertaking for indemnity against all damages and claims.	ENCLOSED	Enclosed	ENCLOSED
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	ENCLOSED	Enclosed	ENCLOSED
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	ENCLOSED	Enclosed	ENCLOSED


For Dinesh Engineers Ltd.


Auth. Signatory

10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	ENCLOSED	Enclosed	ENCLOSED
------	--	----------	----------	----------

The Right of the Way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is (30M)m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

For Dinesh Engineers Ltd.

 Auth. Signatory

[Name Designation and signature of the authorized representative of applicant]


[Name Designation and signature of concerned field authority of NHAI/PWD/BRO]

CERTIFICATE

1. Undersigned has examined the proposal of the applicant for laying of.....
..... and confirm that the all standard conditions issued vide Ministry circular No: RW/NH-33044/29/2015/S&(R)dated 22.11.2016 has been followed.
2. It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design ,stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway ,easing of curve etc.
3. I will ensure supervision of the work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
4. I will notify/forfeit the BG for claims for damages done/disruption in working , if any.
5. I will ensure that proposed permission in entered the register of records
6. The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.

For Dinesh Engineers Ltd.
Auth. Signatory
10/01/2020

[Name Designation and signature of concerned field authority of NHAI/PWD/BRO]



for renewal of Bank Guarantees and when asked by NHAI/ MoRTH. Other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency. AH 458913

Undertaking

for renewal of Bank Guarantees and when asked by NHAI/ MoRTH.

Undertaking

for confirming all standard condition of MoRTH/NHAI guidelines

For Dinesh Engineers Ltd.

Auth. Signatory
10/01/2020

Undertaking

for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost

Undertaking

for indemnity against all damages and claims.

Undertaking

for management of traffic movement during laying of utility line without hampering the traffic.

Undertaking

that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant


Undertaking

that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization,

For Dinesh Engineers Ltd.
10/01/2020
Auth: Signator

Oil Industry Safety Directorate, State/Central Pollution Control Board
and any other statutory clearance s applicable, before applying to
Highway Administration

For Dincoch Engineers Ltd.


10/01/2020
Auth. Signatory