



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यतायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र. टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO-NAG/NH-361/WS/UT-130/2022-23/ 854

Date: 07.06.2022

INVITATION OF PUBLIC COMMENTS

Sub: Permission for laying of Underground Water Supply Utility line of 350mm dia DI pipe from km 507+550 (Proposed Interchange with NH-353I) to km 511.950 (Samruddhi Mahamarg Crossing) on Wardha - Butibori section of NH-361 (Total length -4.52 kms) (along 4.40 km & Across 120m)- Reg.

Ref.:

1. PD, PIU-Yavatmal letter no. 1140 dated 21.05.2022
2. PD, NHAI, PIU-2 Nagpur vide letter no 64 dated 13.04.2022

It is to inform all concern that Project Director, NHAI, PIU-2 Nagpur vide letter under reference (ii) has submitted a proposal for the ~~subjected~~ work and PD, NHAI, PIU, Yavatmal has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.


2. The alignment proposed by that Project Director, NHAI, PIU-2 Nagpur along on Wardha-Butibori Section of NH-361 in the State of Maharashtra is as follows:

- laying of Water Supply Utility line of 350mm dia DI pipe from km 507+550 (Proposed Interchange with NH-353I) to km 511.950 (Simruddhi Mahamarg Crossing) on Wardha - Butibori section of NH-361 (Total length -4.52 kms) (along 4.40 km & Across 120m).
- Alignment of the cable is along Wardha-Butibori Section of NH-361.
- 01 no of Crossing by HDD method.

3. As per Para-4 of Ministry's Circular No.RW/NH-35344/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091
Email : ronagpur@nhai.org


(Naresh Y. Wadetwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website
[mansoor@nic.in]