

DRAFT

AUTOMOTIVE INDUSTRY STANDARD

**Code of Practice for Type Approval of
Modular Hydraulic Trailers towed by
Puller Tractor of Category N3**

Date of hosting on website: 8th May 2019
Last date for comments: 8th June 2019

Note: This draft is prepared incorporating agreed comments discussed in first panel meeting held on 26th March 2019.

Status chart of the standard to be used by the purchaser for updating the record

Sr. No.	Corrigenda.	Amendment	Revision	Date	Remark	Misc.
General remarks :						

INTRODUCTION

The Government of India felt the need for a permanent agency to expedite the publication of standards and development of test facilities in parallel when the work on the preparation of the standards is going on, as the development of improved safety critical parts can be undertaken only after the publication of the standard and commissioning of test facilities. To this end, the erstwhile Ministry of Surface Transport (MoST) has constituted a permanent Automotive Industry Standards Committee (AISC) vide order No. RT-11028/11/97-MVL dated September 15, 1997. The standards prepared by AISC will be approved by the permanent CMVR Technical Standing Committee (CTSC). After approval, the Automotive Research Association of India (ARAI), Pune, being the secretariat of the AIS Committee, has published this standard. For better dissemination of this information ARAI may publish this document on their Web site.

The need for transportation of heavy and over-dimensional cargo is increasing continuously due to big projects and advancement in technology. Multi axle modular hydraulic trailer (MHT) is trailer module intended for transportation of indivisible heavy or over-dimensional cargo.

Ministry had received representations from Hydraulic Trailers Owners Association (HTOA) regarding the difficulties in registration of operation of their trailers in various states. Accordingly MORTH directed to modify CMVR provisions. Committee formed under Director ARAI formulated the norms, these norms are issued in the form of notifications by MORTH viz. GSR 212 (E) and SO 1434 (E) and are established under CMVR. Notification SO 1434 (E) is superseded by SO 3467(E) dated 16th July 2018 and SO 3881 (E) dated 6th August 2018.

MORTH further directed to formulate Automotive Industry Standard on the subject.

While formulating AIS, to have combination of puller tractor and modular hydraulic trailer more road worthy and to facilitate administrative procedures following minimum requirements are added compared to the above notifications:

1. Maneuverability requirements
2. Draw bar Coupling
3. Draw Bar Eye
4. EMC/EMI: If fitted with electronic components
5. Technical specifications to be submitted while type approval
6. Clarity on registration procedure

The AISC panel and the Automotive Industry Standards Committee (AISC) responsible for preparation of this standard are given in Annexure-3 and Annexure-4 (To be included).

CONTENTS


Clause No.	Details	Page No. (To be included)
1	Scope	
2	References	
3	Definitions	
4	General Requirements	
5	Technical Requirements	
6	Approval of Safety Components	
7	Brakes for Puller Tractor	
8	Service Brakes for Modular Hydraulic Trailers – Constructional and Functional Requirements	
9	Additional Requirements Compared to GSR 212 (E)	
10	Type Approval of Trailers	
11	Technical Information to be submitted by the MHT Manufacturer	
12	Changes in the Technical Specifications already Type Approved	

List of Annexures

Annexure-1	Technical Information on Modular Hydraulic Trailers to be submitted by the Trailer Manufacturer to Testing Agency	
Annexure -1A	Brief Specifications for Modular Hydraulic Trailers to be submitted by the trailer manufacturer to the Registering Authority	
Annexure -1B	Details of Location of Modular Hydraulic Trailer Identification Number and code for month and year of manufacture	
Annexure-2	Guidelines for registration of Modular Hydraulic Trailers (MHT)	
Annexure-3	AISC Panel Composition	
Annexure-4	Automotive Industry Standards Committee Composition	

* * * * *

	Code of Practice for Type Approval of Modular Hydraulic Trailers towed by Puller Tractor of Category N3
1.0	<p>SCOPE</p> <p>This standard lays down the requirements applicable to Modular Hydraulic Trailers (MHT) towed by Puller Tractor of Category N3. This code is applicable to modular hydraulic trailers upto and including single module of eight axle lines with two axles in a row.</p> <p>Note: This code is not applicable to larger combination with more than eight axle lines, its movement shall be subjected to approval from concerned authorities.</p>
2.0	REFERENCES
2.1	GSR 212 (E) dated 20 th March 2015
2.2	SO 3467(E) dated 16 th July 2018 and SO 3881 (E) dated 6 th August 2018.
3.0	DEFINITIONS: For the purposes of this standard following definitions shall apply
3.1	<p>“Modular Hydraulic Trailer * ” means a trailer module intended for carrying indivisible heavy or over-dimensional cargo and having the following features namely:-</p> <p>(i) Swing axles with hydraulic suspension;</p> <p>(ii) Independently steerable axles;</p> <p>(iii) Two or more axle rows;</p> <p>(iv) Suitable arrangement for joining such modules; Longitudinally or laterally or both;</p> <p>(v) Suitable provision for joining such separate modules with spacer beam arrangement or by bolster arrangement or by grinder girder bridge arrangement or by loading deck arrangement;</p> <p>(vi) Suitable drawbar arrangement for being pulled or pushed or self-propelled;</p> <p>(vii) Fitted with suitable braking system.</p> <p>*Note: Modular Hydraulic Trailer or MHT or trailer mentioned in this standard has one meaning only.</p>

	<p>Explanation: For the purpose of this clause, the expressions,-</p> <p>(i) “spacer beam arrangement” shall mean the arrangement of rigid steel frame used for joining two separate modular hydraulic trailer units to form a single rigid chassis for movement of long indivisible cargo.</p> <p>(ii) “bolster arrangement” shall mean the arrangement of two separate units of modular hydraulic trailer mounted with turn tables and the cargo rests on the turn tables, whereby cargo structure itself acts as long member of trailer chassis.</p> <p>(iii) “girder bridge arrangement” shall mean the arrangement of two separate units of modular hydraulic trailers mounted with turn tables, and cargo is placed on a steel girder, which is then mounted on modular hydraulic trailer, whereby the steel girder acts as the long member of the trailer chassis.</p> <p>(iv) "loading deck arrangement" shall mean the arrangement of two separate units of modular hydraulic trailers mounted with turn tables, and cargo is placed on a loading deck, which is then mounted on both modular hydraulic trailers, whereby the loading deck acts as the long member of the modular hydraulic trailer chassis.</p>
3.2	<p>“Puller Tractor” means a multi-axle haulage tractor of category N3 vehicle as defined in GSR 212 (E) dated 20th March 2015.</p>
4.0	GENERAL REQUIREMENTS
4.1	<p>Axle Loading: The permissible load on the axles of puller tractor and modular Hydraulic Trailer shall be as per notifications SO 3467(E) and SO 3881(E).</p>
4.2	<p>Dimensional Requirements: The overall dimensional requirements for puller tractor and modular Hydraulic trailers shall be as under :</p>
4.2.1	<p>Overall Length: As defined under CMV Rule 93</p>
	<p>Overall length of puller tractor : 10 m maximum</p>
	<p>Overall length of modular Hydraulic trailers, any single module with maximum eight axle rows : 19 m maximum</p>
	<p>Overall length of puller tractor and modular hydraulic trailer combination shall not exceed 29 metres</p>
	<p>Note: The overall length of combination is measured between the fronts of the puller tractor to the rear most part of the trailer. However when pushing tractor are provided the overall length of combination is measured between the fronts of the puller tractor to the rear most part of the pushing tractor.</p>
4.2.2	<p>Overall Height: 4.75 m maximum for modular Hydraulic trailers in travel mode</p>
4.2.4	<p>Overall Width : 3 m maximum as specified under CMV Rule 93 (1C)</p>
	 <p style="text-align: center;">Figure 1 Schematic for height and length as example</p>

4.3	Rear Under run Protection: The requirements of rear under run protection is not applicable to modular Hydraulic trailers.	
4.4	Lateral Under run Protection: The requirements of lateral under run protection is not applicable to modular Hydraulic trailers.	
4.5	Use of beacon or blinking lamp on puller tractor:- The puller tractor shall be fitted with two beacon or blinking lamps, which are amber in color, on top of the cabin.”.	
5.0	TECHNICAL REQUIREMENTS: During type approval of Modular Hydraulic Trailer following requirements are to be complied with	
	CMV Rule or standard	Requirements to be complied with
5.1	Limited road trials Rule 95 D	Hydraulic Modular Trailer with GVW or max load to run for 100 km preferably on plain road with speed less than 10 km/hr.
5.2	Light Installation as per Rule 102 sub-rule (4), (i) <i>[As per AIS-008(Rev. 1)]</i>	Two electrical stop lamp required, it shall be red coloured and fitted on left and right side at rear of Hydraulic Trailer.
5.3	Light Installation as per Rule 102 sub rule (4), (ii) <i>[As per AIS-008(Rev. 1)]</i>	Stop lamp should light up on actuation of service brakes controls from puller tractor.
5.4	Light Installation as per Rule 102 sub rule (4), (iii) <i>[As per AIS-008(Rev. 1)]</i>	Two direction indicators of amber colour at rear shall be fitted , illumination- area-60 sq. cm
5.5	Retro reflective tape installation. Rule 104 D (1) AIS-090:2005	Reflective tape width min- 50 mm complying to AIS-090:2005 Two red reflective tapes at rear and front. Amber reflective tape on sides.
5.6	Reflex reflector installation. Rule 104 D (2) AIS-057:2005	Reflex reflector area min- 28.5 sq.cm complying to AIS-057:2005 Two red Reflex reflectors at rear and front on left hand side and right hand side. Amber Reflex reflectors on sides close to front end and rear end.
5.7	Trailer Identification plate As per Rule 122 (1B)	As per Annexure 1-A of this standard

6.0	APPROVAL OF SAFETY COMPONENTS: Safety components used for construction of Modular Hydraulic Trailer shall be in accordance with following requirements	
6.1	Tyres*	IS 15636:2005. Max load of trailer should be with tyre loading limits
6.2	Wheel rims	IS 9438:1980
6.3	Reflective tapes	Red and Amber should comply to AIS:090:2005
6.4	Reflex reflectors	Red and Amber should comply to AIS:057:2005
6.5	Rear Marking plate	AIS:089
6.7	T- Signs	IS:9942:1981
	<p>* Note: 1. For compliance to this rule, any equivalent national or international standards IS / AIS /UN Regulation/ Japan Automobile Tyre Manufacturers Association (JATMA)/ European Tyre and Rim Technical Organisation (ETRTO)/ The Tyre and Rim Association Inc. (TRA)/ Indian Tyre Technical Advisory Committee (ITT'AC), etc. may be referred.</p> <p>2. The tyre of modular hydraulic trailers shall have load carrying capacity as specified by the tyre manufacturer, however, the maximum load specified by the modular hydraulic trailers manufacturer shall not be greater than that permitted by the tyre manufacturer.</p>	
7.0	SERVICE BRAKES FOR MODULAR HYDRAULIC TRAILERS – CONSTRUCTIONAL AND FUNCTIONAL REQUIREMENTS	
7.1	Service brakes of modular hydraulic trailers shall comply with provisions specified in CMV Rule 97, Sub-rule (1)	
8.0	[ADDITIONAL REQUIREMENTS COMPARED TO GSR 212 (E)]	
8.1	[Draw bar Coupling: The draw bar and draw bar coupling shall comply with the requirements specified in [IS 12807 / AIS-091(Part 1)???] as amended from time to time.]	
8.2	[Draw Bar Eye: The draw bar eye shall meet the requirements of [IS 12807 / AIS-091 (Part 1)???] as amended from time to time].	
8.3	[EMC/EMI requirements: If electronic components are fitted, they shall comply with provisions of AIS-004 (Part 3).]	
8.4	[Maneuverability requirements: Tractor-Trailer combination shall comply with the maneuverability requirements, as laid down under clause 5.0 of IS 12222:2011 as amended from time to time. ?????]	




Figure-2 :

[Maneuverability figure mentioned here is yet to be finalized]

Vehicle Maneuverability


8.5	Lashing ring - MHT must be equipped with a series of lashing hooks on both sides across the length of trailer at a maximum gap of every 3 meters. Lashing hooks shall comply with provisions of [BS-EN-12640:2001 or suitable IS/ISO]
8.6	Parking Brake - MHT shall be equipped with a mechanical parking brake system which is to be used when trailer is in idle condition whether empty or loaded.
8.7	Hydraulic Oil Tank - MHT shall be equipped with a tank of minimum 100 litres capacity for storage of hydraulic oil and fitiments for connection with power pack and pipe line for hydraulic mechanism of the trailer.
9.0	TYPE APPROVAL OF TRAILERS
9.1	The modular hydraulic trailer manufacturers shall have their prototype model of trailer approved from any of the test agencies referred in Rule 126 of Central Motor Vehicle Rules, 1989.
9.2	The type approval shall be offered by the testing agencies after necessary compliance to the requirements stated in this standard.
10.0	TECHNICAL INFORMATION TO BE SUBMITTED BY MHT MANUFACTURER

10.1	The modular hydraulic trailer manufacturer shall submit the necessary technical details of the trailers to the test agencies as per Annexure-1 and as per provisions of this standard. While registration of MHT, Annexures 1A and 1B to be submitted to registering authority.
10.2	The modular hydraulic trailer manufacturer shall submit the details of Trailer Identification Number as per paragraph 5.7 of this standard. It should be punched at the readily accessible position on a part which is normally not likely to be replaced during use.
10.3	Other necessary details regarding compliance to the relevant Indian Standards for the safety critical components shall also be submitted to the testing agencies.
11.0	CHANGES IN TECHNICAL SPECIFICATIONS ALREADY TYPE APPROVED
11.1	Every modification pertaining to the information declared in accordance with clause 11 shall be intimated by the manufacturer to the certifying agency.
11.2	<p>If the changes are in parameters not related to the provisions, no further action need be taken.</p> <p>If the changes are in parameters related to the provisions, the Testing Agency shall then consider, whether,</p> <p>a) the model with the changed specifications still complies with provisions;</p> <p style="text-align: center;">or</p> <p>b) any further verification is required to establish compliance.</p> <p>For considering whether any further verification is required or not, guidelines given in respective standard shall be used.</p>
11.3	In case of 12.2 (b), verification for only those parameters which are affected by the modifications needs to be carried out
11.4	In case of fulfillment of criterion of clause 12.2 (a) or after results of further verification as per clause 12.2 (b) are successful, the approval of compliance shall be extended for the changes carried out.


ANNEXURE – 1
(See 10.1)

**TECHNICAL INFORMATION ON MODULAR HYDRAULIC TRAILERS TO
BE SUBMITTED BY THE TRAILER MANUFACTURER TO TESTING
AGENCY**


1.0	Details of Trailer manufacturer	
1.1	Name & registered address of the trailer manufacturer or importer	
1.2	Telephone No.	
1.3	Fax. No.	
1.4	E-mail address	
1.5	Contact person	
1.6	Address of the Plant(s) of manufacture - if different from 1.1 above	
2.0	General details of the trailer:	
2.1	Model name of the trailer	
2.1.1	Number of rows in a single module (max 8 rows only)	
2.2	Type & Brief Description of the MH trailer	
2.3	General arrangement drawing of MH trailer with dimensions mentioned in specs.	
2.4	GVW of the trailer, (kg)	
2.4.1	Loads, (kg) :	
2.4.2	Max Permissible weight of trailer, (kg)	
2.4.3	Un-laden weight of trailer, (kg)	
2.4.4	Compatible Prime-mover Puller Tractor Configurations - As per Rule 2 sub-rule (y) of CMVR, 1989	
2.5	Maximum Gross Combination Weight (GCW) of the tractor/puller and modular hydraulic trailer, (kg)	
2.5.1	Axles : (Make)	
2.5.2	Number of axles on each row and Description -	Row 1- Row 2- Row 3- Row 4- Row 5- Row 6- Row 7- Row 8-

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


2.6	Suspension - Make	
2.6.1	Suspension - Type and Description	
2.6.2	Hydraulic axle cylinder stroke	
2.6.3	Ride height	
2.6.4	Size Diameter of cylinder (in mm)	
2.6.5	Suspension configuration-Single/Tandem/Tridem	
3.0	Modular Hydraulic Trailer Dimensions, (mm)	
3.1	Length of module, (mm)	
3.2	Length with drawbar, (mm)	
3.3	Distance between front bolt-ear coupling and rear bolt ear coupling, (mm)	
3.4	Max Height with max suspension position (un-laden condition), (mm)	
3.5	Min Height with min suspension position (un-laden condition), (mm)	
3.6	Max Height of front bolt-ear coupling in un-laden condition, (mm)	
3.7	Max Height of rear bolt-ear coupling in un-laden condition, (mm)	
3.8	Width of module, (mm)	
3.9	Wheel Track of single axle, (mm)	
3.9.1	Front Body overhang, (mm)	
3.9.2	Rear Body overhang, (mm)	
3.9.3	Distance between center of two axles in one row (provide dimensional drawing), (mm)	
4.0	Colour of the trailer	
4.1	Draw bar pull make	
4.2	Draw bar dimensional drawing	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


5.0	Tyres	
5.1	Tyre make	
5.2	Size of tyre with speed and load rating.	
5.3	Number of tyres on each axle	
5.4	Number of tyres on in each row	
5.5	Tyre type (Radial/cross ply)	
5.6	Static rolling radius	
5.7	Dynamic rolling radius	
5.8	Inflation pressure – Unladen in kg/cm² or (kPa)	
5.8.1	Inflation pressure –laden in kg/cm² or kPa	
5.9	No. and arrangement of wheels	
5.9.1	1st row	
5.9.2	2nd row	
5.9.3	3rd row	
5.9.4	4th row	
5.9.5	5th row	
5.9.6	6th row	
5.9.7	7th row	
5.9.8	8th row	
6.0	Chassis Frame	
6.1	Type	
6.2	Drawing with dimensions	
6.3	Type of platform	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of

7.0	Brakes	
7.1	Type and Brief Description	
7.2	Service brakes	
7.2.1	Name of producer	
7.2.2	Type (Mechanical/hydraulic/air assisted/ vacuum assisted/others)	
7.2.3	Control system & braking wheel	
7.2.4	Schematic layout indicating method of split of brake system, location of valves, reservoirs etc.	
7.3	Anti-Lock braking system Provided (Yes/No)	
7.4	Schematic layout of the brake system	
7.5	Brake lining (or) Pad	
7.5.1	Nominal Dimensions, (mm) (Length x Width x thickness)	
7.5.2	Effective Braking area per axle (cm ²)	
7.5.3	Others (in case of other arrangement, give axle wise data)	
7.5.4	Material	
7.5.5	Make and Designation	
7.5.6	Whether asbestos or asbestos-free?	
7.6	Brake drum or disc	
7.6.1	Effective diameter, (mm)	
7.7	Nominal air pressure (P2 as per IS 11852-2001)	
7.7.1	Cut in air pressure	
7.7.2	Cut out air pressure	
7.7.3	Type of vacuum pump or air compressor	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


7.7.4	Type of pressure regulator	
7.7.5	No. of tanks	
7.7.6	Tank Capacity, lit.	
7.7.6.1	Tank 1	
7.7.6.2	Tank 2	
7.7.6.3	Tank 3	
7.7.6.4	Tank 4	
7.8	Brake Chamber	
7.8.1	Make and type	
7.8.2	Size, (mm)	
7.8.3	Internal diameter, (mm)	
7.8.4	Stroke, (mm)	
7.9	Slack adjuster –Automatic	
7.9.1	Make	
7.9.2	Lever length in (mm)	
7.10	Load sensing valve	
7.10.1	Make	
7.10.2	Model No.	
7.10.3	Set pressure, un-laden in kg/cm ²	
8.0	Axle Steering system	
8.1	Steering system make	
8.2	Steering system type and description	
8.3	Maximum steering angle in degrees in all heights of a single axle	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


9.0	Draw bar eye	
9.1	Size	
9.2	Drawings with dimensions	
9.3	Compliance to IS :12807 or AIS-091(Part 1) (Yes/ No)	
10.0	Towing devices, if any	
10.1	Type	
10.2	Name of manufacturer	
10.3	Capacity	
11.0	Coupling devices, if any	
11.1	Name of the manufacturer	
11.2	Identification mark	
12.0	Type of coupling device for electrical connections	
12.1	Type of coupling device for brake connections	
13.0	Safety Critical Components	
13.1	Wheel rim	
13.1.1	Size	
13.1.2	Name of manufacturer	
13.1.3	Identification mark	
13.1.4	Number of mounting bolts	
13.1.5	Material (Steel/Aluminum alloy etc.)	
13.1.6	Lashing ring	
13.1.7	Type of lashing ring and number of lashing rings	
13.1.8	Capacity of Lashing ring	
Manufacturer :	Document No :	Test Agency :
Signature		Signature
		Name
Name	Sheet No	Designation
Designation	Date	Date of Issue
		Page No of




14.10	Reflector :	
14.10.1	Rear reflector	
14.10.1.1	Make	
14.10.1.2	Type	
14.10.1.3	Identification: TAC No./BIS Licence No./E-Marking	
14.10.1.4	Number and colour of Lens	
14.10.1.5	Reflective Surface Area	
14.10.1.6	Shape(Square/Rectangular/Circular/Elliptical/Other)	
14.10.2	Side reflectors	
14.10.2.1	Make	
14.10.2.2	Type	
14.10.2.3	Identification: TAC No./BIS Licence No./E-Marking	
14.10.2.4	Number and colour of Lens	
14.10.2.5	Reflective Surface Area	
14.10.2.6	Shape(Square/Rectangular/Circular/Elliptical/Other)	
14.11	Reflective tape :	
14.11.1	Rear	
14.11.1.1	Make	
14.11.1.2	Type	
14.11.1.3	Identification: TAC No./BIS Licence No./E-Marking	
14.11.1.4	Width in (mm)	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


15.0	T-sign (as per IS 9942)	
15.1	Make	
15.2	Identification mark	
16.0	Rear Marking plate (as per AIS-089)	
16.1	Make	
16.2	Identification mark	
17.0	Electrical items	
17.1	Rear Fog Lamp :	
17.1.1	Make	
17.1.2	Type of lens (Glass / Plastic)	
17.1.3	Identification: TAC No./BIS Licence No./E-Marking	
17.1.4	Number and Colour of Lens	
17.2	Registration Plate lamp :	
17.2.1	Make	
17.2.2	Type of lens (Glass / Plastic)	
17.2.3	Identification: TAC No./BIS Licence No./E-Marking	
17.2.4	Number and colour of Lens	
17.3	Rear Position Lamp	
17.3.1	Make	
17.3.2	Type of lens (Glass / Plastic)	
17.3.3	Identification: TAC No./BIS Licence No./E-Marking	
17.3.4	Number and colour of Lens	
17.4	Rear Parking Lamp	
17.4.1	Make	
17.4.2	Type of lens (Glass / Plastic)	
17.4.3	Identification: TAC No./BIS Licence No./E-Marking	
17.4.4	Number and colour of Lens	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


17.5	Stop lamp (S1 / S2)	
17.5.1	Make	
17.5.2	Type of lens (Glass / Plastic)	
17.5.3	Identification: TAC No./BIS Licence No./E-Marking	
17.5.4	Number and colour of Lens	
17.6	Reversing lamp :	
17.6.1	Make	
17.6.2	Type of lens (Glass / Plastic)	
17.6.3	Identification: TAC No./BIS Licence No./E-Marking	
17.6.4	Number and colour of Lens	
17.7	Direction indicator Lamp :	
17.7.1	Rear	
17.7.1.1	Make	
17.7.1.2	Type of lens (Glass / Plastic)	
17.7.1.3	Identification: TAC No./BIS Licence No./E-Marking	
17.7.1.4	Number and colour of Lens	
17.7.2	Side	
17.7.2.1	Make	
17.7.2.2	Type of lens (Glass / Plastic)	
17.7.2.3	Identification: TAC No./BIS Licence No./E-Marking	
17.7.2.4	Number and colour of Lens	
17.8.3	Type of flasher	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


17.9	Hazard warning signal :	
17.9.1	Rear	
17.9.1.1	Make	
17.9.1.2	Type of lens (Glass / Plastic)	
17.9.1.3	Identification: TAC No./BIS Licence No./E-Marking	
17.9.1.4	Number and colour of Lens	
17.9.2	Side	
17.9.2.1	Make	
17.9.2.2	Type of lens (Glass / Plastic)	
17.9.2.3	Identification: TAC No./BIS Licence No./E-Marking	
17.9.2.4	Number and colour of Lens	
17.10	Side Marker lamps	
17.10.1	Make	
17.10.2	Identification: TAC No. / BIS License No. / E- Marking	
17.10.3	Number and Colour of Lens	
18.0	Any other details , please specify	
19.0	Automotive bulbs :	
19.1	Parking Lamp bulb – Rear	
19.1.1	Make	
19.1.2	Designation as per AIS-034	
19.1.3	Identification: TAC No./BIS Licence No./E-Marking	
19.2	Direction indicator lamp bulb -rear	
19.2.1	Make	
19.2.2	Designation as per AIS-034	
19.2.3	Identification: TAC No./BIS Licence No./E-Marking	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of

19.3	Direction indicator lamp bulb -side	
19.3.1	Make	
19.3.2	Designation as per AIS-034	
19.3.3	Identification: TAC No./BIS Licence No./E-Marking	
19.4	Rear Position Lamp (tail lamp)Bulb	
19.4.1	Make	
19.4.2	Designation as per AIS-034	
19.4.3	Identification: TAC No./BIS Licence No./E-Marking	
19.5	Stop lamp bulb	
19.5.1	Make	
19.5.2	Designation as per AIS-034	
19.5.3	Identification: TAC No./BIS Licence No./E-Marking	
19.6	Number plate lamp bulb	
19.6.1	Make	
19.6.2	Designation as per AIS-034	
19.6.3	Identification: TAC No./BIS Licence No./E-Marking	
19.7	End out Marker bulb	
19.7.1	Make	
19.7.2	Designation as per AIS-034	
19.7.3	Identification: TAC No./BIS Licence No./E-Marking	
19.8	Reversing lamp bulb	
19.8.1	Make	
19.8.2	Designation as per AIS-034	
19.8.3	Identification: TAC No./BIS Licence No./E-Marking	
19.9	Stop Lamp Bulb (S3)	
19.9.1	Make	
19.9.2	Designation as per AIS-034	
19.9.3	Identification: TAC No./BIS Licence No./E-Marking	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


19.10	Rear Fog Lamp Bulb	
19.10.1	Make	
19.10.2	Designation as per AIS-034	
19.10.3	Identification: TAC No./BIS Licence No./E-Marking	
19.11	Side Marker Lamp Bulb	
19.11.1	Make	
19.11.2	Designation as per AIS-034	
19.11.3	Identification: TAC No./BIS Licence No./E-Marking	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of


ANNEXURE – 1A
(See 10.1)

**BRIEF SPECIFICATIONS FOR MODULAR HYDRAULIC TRAILERS
TO BE SUBMITTED BY THE TRAILER MANUFACTURER TO THE
REGISTERING AUTHORITY**


1.0	Details of Trailer manufacturer			
1.1	Name & address of the trailer manufacturer or importer			
1.2	Telephone No.			
1.3	Fax. No.			
1.4	E-mail address			
1.5	Contact person			
1.6	Address of the Plant(s) of manufacture			
2.0	General details of the trailer:			
2.1	Model name of the trailer			
2.1.1	Number of rows (max 8 rows only) in a single module			
2.2	Type & Brief Description of the MH trailer			
2.3	General arrangement drawing of MH trailer with dimensions mentioned in specs.			
2.4	GVW of the trailer, (kg)			
2.4.1	Loads, (kg) :			
2.4.2	Max Permissible weight of trailer, (kg)			
2.4.3	Un-laden weight of trailer, (kg)			
2.4.4	Compatible Prime mover Puller Tractor Configurations - As per Rule 2 sub-rule (y) of CMVR, 1989			
2.5	Maximum Gross Combination Weight (GCW) of the tractor/puller and modular hydraulic trailer, (kg)			
2.5.1	Axles : (Make)			
2.5.2	Number of axles on each row and Description -	Row 1- Row 3- Row 5- Row 7-	Row 2- Row 4- Row 6- Row 8-	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of

3.0	Modular Hydraulic Trailer Dimensions, (mm)	
3.1	Length of module, (mm)	
3.2	Length with drawbar, (mm)	
3.3	Max Height with max suspension position (un-laden condition), (mm)	
3.4	Min Height with min suspension position (un-laden condition), (mm)	
3.5	Width of module, (mm)	
3.6	Wheel Track of single axle, (mm)	
3.6.1	Front Body overhang, (mm)	
3.6.2	Rear Body overhang, (mm)	
4.0	Colour of the trailer	
4.1	Draw bar pull make	
4.1.1	Make	
4.1.2	Model	
4.1.3	Length (in mm)	
5.0	Tyres	
5.1	Tyre make	
5.2	Size of tyre with speed and load rating.	
5.3	Inflation pressure – Unladen in kg/cm ² or (kPa)	
5.3.1	Inflation pressure –laden in kg/cm ² or kPa	
6.0	Brakes	
6.1	Type and Brief Description	
6.2	Service brakes	
6.2.1	Name of producer	
6.2.2	Type (Mechanical/hydraulic/air assisted/ vacuum assisted/others)	
6.3	Brake lining (or) Pad	
6.3.1	Nominal Dimensions, (mm) (Length x Width x thickness)	
6.3.2	Effective Braking area per axle (cm ²)	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of

7.0	Axle Steering system	
7.1	Steering system type and description	
8.0	Draw bar eye	
8.1	Size	
8.3	Compliance to IS :12807 or AIS-091(Part 1) (Yes/ No)	
9.0	Towing devices, if any (Provide details)	

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of

ANNEXURE 1- B


DETAILS OF LOCATION OF MODULAR HYDRAULIC TRAILER IDENTIFICATION NUMBER AND CODE FOR MONTH AND YEAR OF MANUFACTURE

Name of the Trailer Manufacturer & Address :			
Name of the basic model :			
Name of Variants, if any :			
Place of embossing or etching the trailer identification number details by drawing or pictures may be provided if necessary			
Position of the code for month of production in the Modular Hydraulic Trailer Identification Number			
Position of the code for year of production in the Modular Hydraulic Trailer Identification Number			
Height of the Modular Hydraulic Trailer Identification Number – Min. 7 (mm)			
Month	Code used	Year	Code used
January	A	2016	16
February	B	2017	17
March	C	2018	18
April	D	2019	19
May	E	2020	20
June	F	2021	21
July	G	2022	22
August	H	2023	23
September	J	2024	24
October	K	2025	25
November	L	2026	26
December	M	2027	27
	codes are examples manufacturer can use own letters		codes are examples manufacturer can use own letters

Below plate on trailer chassis needs to be permanently fixed.

In case of any wrong punching, the procedure for making the correction as indicated in AIS-065 shall be followed.

NAME OF THE MODULAR HYDRAULIC TRAILER MANUFACTURER	
Type Approval Number:	Trailer Identification Number
Model Name	No of rows in independent module
Date of Manufacturing Month and Year	Max permissible weight of module

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of

MODULAR HYDRAULIC TRAILER IDENTIFICATION NUMBER

MODULAR HYDRAULIC TRAILER IDENTIFICATION NUMBER																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Mfr Name			Trailer Abbreviation			Axles		No. of rows in Independent module	Overall Length	Month	Year		Serial Number			
EXAMPLE																
T	D	L	M	H	T	0	5	8	F	K	0	8	1	2	3	4

Manufacturers Name:

It is a three letter code, which can be assigned to respective trailer manufacturer and registered to BIS through ISO. (Or) the respective trailer manufacturer may assign as per his own choice.


For Overall Length (in mm):

Sr. No.	Overall Length of module (mm)	Code
1)	Upto 3000	A
2)	3000 -4500	B
3)	4500-6000	C
4)	6000-7500	D
5)	7500-9000	E
6)	9000-10500	F
7)	10500-12000	G
8)	12000-13500	H
9)	13500-15000	J
10)	15000-16500	K
11)	16500-18000	L
12)	18000-19000	M

For Month : A – January ; B – February ; C- March; D - April ; E- May ; F - June ; G – July ; H - August; J – September ; K – October ; L – November ; M – December.

ABBREVIATIONS:

2.1	Modular Hydraulic Trailer	MHT
-----	---------------------------	-----

Manufacturer :	Document No :	Test Agency :	Cert No :
Signature		Signature	
		Name	
Name	Sheet No	Designation	
Designation	Date	Date of Issue	Page No of

ANNEXURE - 2

**GUIDELINES FOR
REGISTRATION OF MODULAR HYDRAULIC TRAILERS (MHT)**

- a) Trailer manufacturer would submit trailer(s) for testing at an approved test agency (as notified under Rule 126 of CMVR). For Type Approval purpose, arrangement of puller tractor would have to be made by MHT manufacturer.
- b) Test agency will issue the type approval certificate to manufacturer, in accordance with procedure laid down in this standard.
- c) Thereafter, MHT manufacturer would submit notarized copies of the Compliance Certificate to the Registering Authorities of respective States, for registration purpose.
- d) Based on the above, said MHT(s) would be registered at respective States, for practical purposes.
- e) With the approval for compliance to this standard, by the test agencies as referred under Rule No. 126 of CMVR, no further approval from any other agency will be required.
- f) The activities involved in the approval and registration of MHT are as indicated in the flow chart below.

Flow Chart of Type approval and Registration for trailers

