



**भारतीय राष्ट्रीय राजमार्ग प्राधिकरण**  
 (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)  
**National Highways Authority of India**  
 (Ministry of Road Transport & Highways, Government of India)  
**क्षेत्रीय कार्यालय, मदुरै / Regional Office, Madurai**

नंबर 155/1सी1बी, दूसरी और तीसरी मंजिल, पांडिकोविल रिंग रोड, गुरु अस्पताल के पास, उत्तरगुडी, मदुरै-625 107  
 No.155/1C1B, 2<sup>nd</sup> & 3<sup>rd</sup> Floor, Pandikovil Ring Road, Near Guru Hospital, Uthangudi, Madurai - 625 107  
 दूरभाष / Tele : +91-452-258 8999 वेब / Website : [www.nhai.gov.in](http://www.nhai.gov.in) ई-मेल / E-mail : [romadurai@nhai.org](mailto:romadurai@nhai.org)



NHAI/15018/4.3/01/2026/RO Madurai/E-306606/ 216

13<sup>th</sup> February, 2026

**INVITATION OF PUBLIC COMMENTS**

**विषय: भाराराप्रा - क्षे.का. मदुरै- पकाई, कराइकुडी** - Permission required for laying of pipeline across at Km 137/550 in NH-226 (Manamadurai - Thanjavur Road) in the state of Tamil Nadu for total length of 44m by HDD method - Invitation of Public Comments -Reg.

**प्रसंग:** PD, Karaikudi Lr. No. NHAI/12034/33/2025-PIU KKDI/E-306606/108 dated 02.02.2026.

The Proposal is regarding Permission for laying of Water pipeline across at Km 137/550 in Manamadurai - Thanjavur Road (NH-226) in the State of Tamil Nadu by Executive Engineer, TWAD Board, RWS Division, Sivagangai which has been submitted to this office by the PD, PIU, Karaikudi vide Lr.No. NHAI/12034/33/2025-PIU KKDI/E-306606/108 dated 02.02.2026 and in accordance with Ministry's latest guidelines dated 22.11.2016.

2) The alignment proposed by Executive Engineer, TWAD Board, RWS Division, Sivagangai for laying of Water pipeline across at Km 137/550 in Manamadurai - Thanjavur Road (NH-226) is as detailed under:

Stretch (Km)	Length (m)	Dia. Of the pipe (m)	Available ROW (in m)		Distance of erection from C/L (in m)		Remarks
			RHS	LHS	RHS	LHS	
Across NH-226: Km 137/550	45	0.914		45		-	Laying of pipe line across by HDD Method at a minimum depth of 1.5 m from the top of the subgrade.

3) Executive Engineer, TWAD Board, RWS Division, Sivagangai has proposed for laying of Water pipeline across at Km 137/550 in Manamadurai - Thanjavur Road (NH-226) in the State of Tamil Nadu which is in conformity with Ministry's guidelines dated 22.11.2016.

*R  
13/02/2026*

## National Highways Authority of India

4) Executive Engineer, TWAD Board, RWS Division, Sivagangai has furnished an Undertaking to the effect that the applicant will shift the laid water pipeline in future within 90 days if required by NHAI at any time for expansion of the NH at their own cost without claiming any compensation from NHAI. Further, mentioned that Executive Engineer, TWAD Board, RWS Division, Sivagangai will also undertake not to damage any other utility, if damaged, will pay the losses either to NHAI or to the concerned agency.

5) As per the guidelines issued by the Ministry vide letter No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016 the proposal submitted by the applicant will be made available for public comments and the comments is invited within 30 days from the date of uploading.

In view of the above, comments of the public on the above proposal is invited to the below mentioned address:

Regional Officer,  
National Highways Authority of India,  
No.2nd & 3rd Floor, Vijay Krishna Plaza,  
No.1, Lake Area, Melur Main Road, Mattuthavani,  
Madurai - 625 007.

भवदीय

*A.N. Praveen Kumar* 13/02/2016  
ए.एन.प्रवीण कुमार | A.N.Praveen Kumar  
उप महाप्रबंधक(तक) | Dy.General Manager (Tech)  
क्षे.का. मदुरै | IRO-Madurai

संलग्न: As above

प्रतिलिपि:

1. The NIC, New Delhi - for uploading in the Ministry's website.
2. PD, Karaikudi- for information.

### List of Correspondences

Receipt No. / Issue No.	Subject	Type	Marked As	Attached On	Issued On	Pages	Remarks
1516540/2026/PIU - Karaikudi	Permission required for laying of pipeline across at km.137+550 in NH-226 (Manamadurai – Tanjore Road) – in the state of Tamil Nadu for total length of 44m by HDD method– Proposal submitted – Approval – Requested – Reg.	Receipt			03/02/2026 11:54 am	1-61	-



सत्यमेव जयते

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport &amp; Highways, Government of India)

उप महाप्रबंधक (तकनीकी) सह परियोजना निदेशक के कार्यालय  
परियोजना कार्यालयन इकाई - कारैकुडी

Office of the Deputy General Manager (Tech) & Project Director  
Project Implementation Unit - Karaikudi

नं. 1, दूसरी मंजिल, सुब्रमण्यपुरम तीसरी स्ट्रीट, कारैकुडी - 630 002  
No. 1, 2<sup>nd</sup> Floor, Subramaniapuram 3<sup>rd</sup> Street, Karaikudi - 630 002  
दूर / Tele : +91- 4565 230707 ई-मेल / E-mail : karaikudipi@gmail.com, karaikudi@nhai.org



12034/33/2025- PIU KKDI/E-306606 /108

2<sup>nd</sup> February 2026

To

The Regional Officer,  
National Highways Authority of India,  
Regional Office, Madurai.

Sir,

**Sub: NHAI - PIU, Karaikudi - Permission required for laying of pipeline across at km.137+550 in NH-226 (Manamadurai - Tanjore Road) - in the state of Tamil Nadu for total length of 44m by HDD method- Proposal submitted - Approval - Requested - Reg.**

**Ref:** 1. The Executive Engineer, TWAD Board, RWS Division, Sivagangai Lr.No.2001/F.Ramnad MVS - PKG II/JDO/2025, dated: 20.01.2026.  
2. RE, M/s. Bloom office letter Lr No.002/Bloom/RE/T-M/NH-36/2026/AM-25/1046, dt:27.01.2026.

---

The Executive Engineer, TWAD board, RWS Division, Sivagangai vide reference 1<sup>st</sup> cited has submitted the proposal for seeking permission for the laying of Pipe lines across the road at Km.137/550 of Thirumayam - Manamadurai section on NH-226 [New NH 36].

2. The same has been forwarded to the Supervision Consultant for their comments and recommendations of the Resident Engineer, M/s.Bloom Companies, Pudukkottai vide reference 2<sup>nd</sup> cited has verified and confirmed that the submitted proposal is found to be in order and recommended for according approval.

3. On scrutiny of the proposal, the following details are submitted:

- The Executive Engineer, TWAD board, RWS Division, Sivagangai has proposed the laying of a pipeline across the road at Km.137/550 of the Thirumayam - Manamadurai section on NH-226 [New NH 36] for a total length of 44m.
- The width of the existing ROW is 45 m.
- The strip plan showing the details of the proposed laying of the pipeline and the necessary checklist is furnished along with the proposal.

## National Highways Authority of India

- d) The Executive Engineer, TWAD board, RWS Division, Sivagangai has given an undertaking that they will relocate pipelines/utilities at their cost notwithstanding the permission granted within such time as stipulated by NHAI for future 4-laning or any other development.
- e) The Executive Engineer, TWAD board, RWS Division, Sivagangai has given an undertaking on non-judicial stamp paper that they will pay the fee/rent as mentioned in the MoRT&H Guidelines / Circular No.RW/NH-33044/29/ 2015/S&R (R) dated 22.11.2016 as and when asked by NHAI.
- f) The track rent and restoration charges to be collected from the agency are calculated as per the MoRT&H Guidelines / Circular No.RW/NH-33044/29/ 2015/S&R (R) dated 22.11.2016 and its amendments vide Circular No. NH-36094/01/2022-S&R(P&B) dated 17.04.2023.
- g) The cost of restoration charges for the laying of the pipeline is worked out as **Rs.1,00,000/- (Rupees One Lakh only)** for which the applicant is required to furnish the BG having validity upto one (1) year as per the Annexure-I.
- h) The track rent to be collected for laying of pipeline across the road is worked out for five years as **Rs.56,371/- (Rupees Fifty-Six Thousand Three Hundred and Seventy-One Only)** for which the applicant is required to be remitted in Bharatkosh Portal valid for upto Five (5) years period as per the Annexure-II.
- i) The statement showing the list of utility services already approved by the Competent Authority is enclosed as Annexure-III.
- j) Certificate by the undersigned is enclosed as Annexure-IV.
- k) The site will be restored to the original condition by the utility department itself.

4. In view of the above, it is requested that the necessary permission may please be granted to the Executive Engineer, TWAD board, RWS Division, Sivagangai, for laying of Pipe lines across the road at Km.137/550 of the Thirumayam - Manamadurai section on NH-226 [New NH 36] in the state of Tamil Nadu at an early date.

Yours faithfully,

Encl: 1 No. of Original Proposal with references.

*20/01/21  
02/02/26*  
Project Director,  
PIU, Karaikudi.

## National Highways Authority of India

ANNEXURE-I

Performance security against the restoration work for laying of pipelines across the road at Km.137/550 of the Thirumayam - Manamadurai section on NH-226 [New NH 36]

Sl. No.	Description	Length in mtrs.	
A.	Laying of Pipe lines across the road in one location		
	Km.137/550	=	1
	Cost of Restoration Charges @ Rs.1,00,000/- per Crossing (1 x 100000)	=	100000
Grant Total			100000
		Say Rs.1.00 Lakhs	



## National Highways Authority of India

ANNEXURE-IVCERTIFICATE OF THE PROJECT DIRECTORNAME OF THE WORK: -

Proposal for laying of pipeline across the road at Km.137/550 of Thirumayam - Manamadurai section on NH-226 [New NH 36].

*It is certified that,*

1. The proposal is found in order as per the Ministry Circular.
2. The proposal if implemented will not affect design stability & traffic safety.
3. The proposal if approved will be entered in the register for records of permission.
4. The proposal for crossing if implemented will not affect due to the widening of the road in near future. Further, the Executive Engineer, TWAD board, RWS Division, Sivagangai has given undertaking that they will relocate Pipe lines at their own cost notwithstanding the permission granted within such time as stipulated by NHAI for future development.

Kailash

**LICENSE FEES FOR PRIVATE UTILITY (OFC) (Rs/Sqm/Month)**  
**Utilized NH Land area X Prevailing Circle Rate of Land per Unit area X 1.5% per annum**

ANNEXURE-II

SL. NO	NAME OF VILLAGE	CHAINAGE IN KM		SIDE	LENGTH (L) (in mt)	DIA OF THE PIPE (D) (m)	UTILIZED NH LAND AREA (D x L) (sq.m)	PREVAILING CRICLE RATE OF LAND PER UNIT AREA (sq.m) (Rs)	LICENSE FEE (PRIVATE UTILITY) (Rs)
		FROM	TO						
i	Along the road								
Nil									
ii	Across the road								
1	Melavaniyangudi	137/550		BHS	44	0.914	40.22	3510	2117.58
<b>TOTAL</b>									
<b>License Fee for 5 years</b>									
<b>2117.58</b>									
<b>11937.00</b>									

**Minimum License Fee** **10000**

Add: 6% per annum for 2 year	600.0	10600
Add: 6% per annum for 3 year	636.0	11236
Add: 6% per annum for 4 year	674.2	11910
Add: 6% per annum for 5 year	714.6	12625

**Minimum License Fee for Public Utility for 5 years** **56371 /-**

*Telash*

## Maintaining Records of Right-of-Way Permission granted for laying of utilities

1/2/Name of State  
2/Name of Agency  
3/2026-PIU  
4/Name of State  
5/Name of Agency  
6/2026-PIU

: TAMIL NADU  
: NATIONAL HIGHWAYS AUTHORITY OF INDIA, PIU, KARAIKUDI  
: THIRUMAYAM - MANAMADURAI SECTION OF NH 226 (NEW NH 36)

Sl. No.	Location (chainage in km)	Left or Right side of NH (towards increasing chainage / km direction)	Section and reach	Kind of Service	Name of license and contact address	Date of signing agreement	Date of validity of agreement	Date of inspection of site	Date of last inspection of site	Any deviation from MoRT&H Standard norms	BG details	Remarks
1	Along the road from Km.134/430 to Km.134/550 (RHS) and Km.134/550 to Km.150/930 (LHS) and across the road at Km.124/700 & Km.134/550 and across the road crossing at Km.137/150 (LHS); Km.140/020 (LHS)	RHS & LHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	Executive Engineer, TWAD, Project Division, Sivagangai	18.02.2022	17.02.2027	-	-	BG No.0403422B G0000001	RO, Madurai approval letter No.NHAI/15018/4.4.3/2019/RO Madurai/E:96983/548, dt:18.02.2022.	
2	Along the road from Km.94/400 to Km.95/900 (RHS) [63mm dia]; and Km.105/200 to Km.110/000 (RHS) [140mm dia]; by open trench method and across the road at Km.94/400; Km.96/000; Km.97/300; Km.106/700; Km.109/400 & Km.110/000	RHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	Executive Engineer, TWAD, Project Division, Karaikudi	23.03.2022	22.03.2027	-	-	BG No.114621GLO 000322	RO, Madurai approval letter No.NHAI/15018/4.3.5/2019/RO Madurai/E:119950/841, dt:23.03.2022	date: 06.01.2026
3	Along the road 914mm dia pipe from Km.95/900 to Km.98/200 (RHS) by open trench method & across the road at Km.95/900 by trenchless method	RHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	Executive Engineer, TWAD, Project Division, Karaikudi	23.03.2022	22.03.2027	-	-	BG No.114621GLO 000522	RO, Madurai approval letter No.NHAI/15018/4.7.6/2019/RO Madurai/E:118232/842, dt:23.03.2022	date: 10.02.2026
4	Along the road 63mm dia HDPE pipe from Km.113/850 to Km.114/600 (LHS); 50mm dia HDPE pipe from Km.114/600 to Km.114/780 (LHS) by open trench method & across the road at Km.114/600 by trenchless method	LHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	Executive Engineer, TWAD, Project Division, Karaikudi	23.03.2022	22.03.2027	-	-	BG No.114621GLO 000722	RO, Madurai approval letter No.NHAI/15018/4.7.6/2019/RO Madurai/E:118232/843, dt:23.03.2022	date: 10.02.2026
5	Along the road from Km.148/380 to Km.152/600 (RHS); Km.152/600 to Km.153/330 (BHS); Km.153/330 to Km.153/480 (RHS) and across the road at Km.151/530; Km.153/020 & Km.153/330	RHS & LHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	Executive Engineer, TWAD, Project Division, Sivagangai	06.07.2022	05.07.2027	-	-	BG No.0403422B G0000034	RO, Madurai approval letter No.NHAI/15018/4.3.6/2019/RO Madurai/E:121577/1878, dt:07.07.2022	date: 10.04.2026
6	Along the road from Km.119/100 to Km.131/800 (LHS) & across @ Km.124/340 & Km.129/390	LHS	Thirumayam - Manamadurai section of NH 226	Optical Fibre Cable	The Authorized Signatory, M/s. Telesonic Networks Ltd., Chennai.	26.08.2022	25.08.2027	-	-	RO, Madurai approval letter No.NHAI/15018/3.4.9/2021/RO Madurai/E:129048/2107, dt:26.08.2022		

National Highways Authority of India

Location (chainage in km)	Left or Right side of NH (towards increasing chainage / km direction)	Section and reach	Kind of Service	Name of License and contact address	Date of signing agreement	Date of validity of agreement	Date of last inspection of site	Any deviation from MoRT&H Standard norms	BG details	Remarks
Along the road from Km.117/600 to Km.121/000 RHS & crossing at Km.117/550 & Km.120/950	RHS	Thirumayam - Manamadurai section of NH 226	Over Head Electrical Lines & Poles	Managing Director, M/s. Shri Dhanalakshmi Spinntex Pvt. Ltd., Coimbatore.					BG No.PBG-4/2022 date: 27.12.2024	RO, Madurai accorded in-principle approval in Lt.No.2360, dt:30.09.2022. Applicant submitted License Agreement on 29.05.2023 and the same was forwarded to RO, Madurai on 02.06.2023 for execution. RO sought BG confirmation & the same is awaited from applicant.
Along the road from Km.148/445 to Km.152/080 RHS & across at Km.152/080	RHS	Thirumayam - Manamadurai section of NH 226	Over Head Electrical Lines & Poles	The Authorized Signatory, M/s.First Energy TN 1 Pvt. Ltd., Chennai.					BG No.114621/GLO 000323 date: 03.05.2026	RO, Madurai accorded in-principle approval vide letter No.NHA/15018/3.3/01/2022/RO-Madurai/E-424/53/351, dt:04.03.2023. Applicant has to submit the License Agreement for execution.
8 Across the road at Km.100/600 & Km.102/280	BHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	Executive Engineer, TWAD, Project Division, Karaikudi	16.06.2023	15.06.2028			BG No.114621/GLO 000923 date: 29.09.2025	RO, Madurai accorded in-principle approval vide letter No.NHA/15018/4.3.10/2022/RO-Madurai/E-142067/116, dt:24.01.2023. Final approval issued on 16.06.2023.
9 Along the road from Km.133/700 to Km.134/400 (LHS) & across at 24 locations	LHS	Thirumayam - Manamadurai section of NH 226	Optical Fibre Cable	The General Manager (Projects-2), TANFINET, Chennai					BG No.0505623B 60001178 date: 09.08.2025	RO, Madurai accorded in-principle approval vide letter No.NHA/15018/3.3/05/2023/RO-Madurai/1047, dt:26.06.2023. Applicant has to submit the License Agreement for execution.
10 Along the road from Km.100/600 to Km.102/450 (LHS); Km.105/050 to Km.105/200 (LHS)	LHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	The Executive Engineer, TWAD Board, Project Division, Karaikudi					BG No.114621/GLO 000923 date: 29.09.2025	RO, Madurai accorded in-principle approval vide letter No.NHA/15018/4.3.15/2023/RO-Madurai/E-214663/1289, dt:25.07.2023. Applicant has to submit the License Agreement for execution.
11 Along the road from Km.148/400 to Km.152/000 (RHS) and across @ Km.152/000	RHS	Thirumayam - Manamadurai section of NH 226	Over Head Electrical Lines & Poles	The Authorized Signatory, M/s. Sree Jayamurugan Alloys Pvt. Ltd., Salem					BG No.031GT0223 2650001 date: 21.09.2026	RO, Madurai accorded in-principle approval vide letter No.NHA/15018/3.3/03/2022/RO-Madurai/E-198179/1311, dt:27.07.2023. Applicant has to submit the License Agreement for execution.
12 Along the road from Km.148/400 to Km.152/000 (RHS) and across @ Km.152/000										

Location (chainage in km)	Left or Right side of NH (towards increasing chainage / km direction)	Section and reach	Kind of Service	Name of License and contact address	Date of signing agreement	Date of validity of agreement	Date of last inspection of site	Any deviation from MORT&H Standard norms	BG details	Remarks
15 Along the road from Km.119/000 to Km.124/000; Km.125/130 to Km.126/800 (RHS); Km.119/150 to Km.119/800 (LHS) & across at 6 locations.	RHS & LHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	The Executive Engineer, TWAD Board, Project Division, Karaikudi	21.08.2023	20.08.2028	-	-	RO, Madurai approval letter No. NHA/15018/4.3/16/2023/RO- Madurai/E:170328/1496, dt:21.08.2023.	
16 Along the road from Km.129/580 to Km.131/800 & Km.134/450 to Km.135/000 (RHS); Km.129/500 to Km.134/450 (LHS); Km.129/580 to Km.129/630 (RHS); Km.129/500 to Km.129/530 (LHS); Km.131/850 to Km.131/950 (LHS) and across at 4 locations.	RHS & LHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	The Executive Engineer, TWAD Board, Project Division, Karaikudi	29.08.2023	28.08.2028	-	-	BG No.0403422B G0000001 date: 06.01.2026	RO, Madurai approval letter No. NHA/15018/4.3/05/2023/RO- Madurai/E:184506/1596, dt:29.08.2023.
17 Along the road from Km.141/970 to Km.143/630 & Km.145/480 (LHS); Km.141/970 to Km.142/400 (RHS) and across at 7 locations	RHS & LHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	The Executive Engineer, TWAD Board, Project Division, Karaikudi	-	-	-	-	BG No.11462/GLO 001423 date: 03.11.2025	RO, Madurai accorded in-principle letter No. NHA/15018/4.3/13/2023/RO- Madurai/E:184508/1602, dt:30.08.2023. Applicant has to submit the License Agreement for execution.
18 Along the Road from Km.98+280.00 to Km.102+280.00 (RHS)	RHS	Thirumayam - Manamadurai section of NH 226	Water Supply Pipeline	The Executive Engineer, TWAD Board, RWS Division, Sivagangai	-	-	-	-	BG No.0091824-B G0000036 date:	RO, Madurai accorded approval letter No. NHA/15018/3.3/03/2024/RO- Madurai/E:256106/1137, dt:07.08.2024.
19 Along the Road from Km.137+990.00 to Km.140+000.00 (RHS)	RHS	Thirumayam - Manamadurai section of NH 226	Over Head Electrical Lines & Poles	The Authorized Signatory, M/s. NM Green Energy Pvt. Ltd., Tirupur.	-	-	-	-	-	RO, Madurai accorded approval letter No. NHA/15018/3.3/03/2025/RO- Madurai/E:287661/1679, dt:17.09.2025.
20 Along the Road from Km.287+520.00 to Km.291+665.00 (LHS)	RHS	Thirumayam - Manamadurai section of NH 36	Over Head Electrical Lines & Poles	The Authorized Signatory, M/s. Krish Solar ventures Pvt. Ltd., Sivagangai.	-	-	-	-	-	



Lr.No. 002/Bloom/RE/T-M/NH-36/2026/AM-25/1046

Date: - 27.01.2026

To,

The Deputy General Manager (T) cum Project Director,  
National Highway Authority of India,  
Project Implementation Unit,  
Karaikudi.

Project: Consultancy Services for Supervision Consultants (SC) of Operations & Maintenance of (ii)  
From Km 77+200 to Km 154+929 on Tirumayam – Manamadurai Sections of NH 36 (Old  
NH-226) in the state of Tamil Nadu.

Sub: **Permission required for laying of pipeline across at km.137/550 in NH-226  
(Manamadurai – Tanjore Road) – in the state of Tamil Nadu for total length of 44m –  
Comments on the proposal – Report sought for-Reg.**

Ref: 1) 12034/33/2025-PIU-KKDI/74, dated: 20.01.2026.  
2) The EE, TWAD board, RWS Division, Sivagangai Lr.No. 2001/F.Ramnad MVS – PKG II /  
JDO/2025, Dated: 20.01.2026.

Dear Sir,

With reference to the above subject and cited letters, the site has been inspected regarding the seeking permission for laying of pipeline across at Km 137+550 for total length of 44m in Tirumayam to Manamadurai Highway Section of NH 226/36(New) has been verified and found in order. So, the permission shall be accorded to the TWAD board, with the following conditions,

- The work should be as per the submitted drawing, undertaking agreement and as per the MORTH Guidelines & Norms of Circular No. RW/NH-33044/29/2015, S& R (R), dated: 22.11.2016.
- Proper Sealing shall be provided at the end of MS encasing pipe & main pipe in the crossing portion to avoid ingress of water.
- Not to disturb the existing utilities, avenue plantation, boundary stones and road furniture and road, while laying the pipelines.
- Proper safety arrangement and necessary cautionary boards shall be made available during the time of laying the water pipelines.
- There shall not be any hindrance to the free flow of traffic while laying the pipelines.

This is for your kind information.

Thank You

Yours Sincerely,

*G. Arul Muthiah*  
G. Arul Muthiah

Highway Maintenance cum Resident Engineer  
NH-226/36(New),  
Pudukkottai.

Encl: Booklet as received.

NHAI-PIU, KARAIKUDI		
DATE	27/01/2026	PD
DY.No.	112	
DY.MG(T)		LAO
MGR(T)		STENO
AM(F)		OA
CO	1 2	IT-Exp
SE	1 2	FILE

Office Address: - Plot No 35, Ezhil Nagar, Pudukkottai - 622 005 Off E-mail Id: - [ir.thanjavur@gmail.com](mailto:ir.thanjavur@gmail.com). Ph - 04322 -223200  
Head Office Address: Unit No-122, 2nd Floor, Tower-A, Capital Business Park, Sohna Road, Sector-48, Gurugram-122018  
CINNo.: F04568 Website: [www.bloomeos.com](http://www.bloomeos.com) E-Mail: [info@bloom-india.com](mailto:info@bloom-india.com)

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

## उप महाप्रबंधक (तकनिकी) सह परियोजना निदेशक के कार्यालय परियोजना कार्यान्वयन इकाई - कारैकूड़ी

Office of the Deputy General Manager (Tech) & Project Director  
Project Implementation Unit - Karaikudi

नं. 1, दूसरी मंजिल, सुब्रमण्यपुरम तीसरी स्ट्रीट, कारैकुडी - 630 002

No. 1, 2<sup>nd</sup> Floor, Subramaniapuram 3<sup>rd</sup> Street, Karaikudi - 630 002

दूर / Tele : +91- 4565 230707 ई-मेल / E-mail : [karaikudipiu@gmail.com](mailto:karaikudipiu@gmail.com), [karaikudi@nhai.org](mailto:karaikudi@nhai.org)



12034/33/2025- PIU KKDI/74

20<sup>th</sup> January, 2026

सेवामें | To

The Resident Engineer,  
M/s. Bloom Companies, LLC JV with  
Chaitanya Projects Consultancy Pvt. Ltd in asso with  
JR Consultancy Service Pvt. Ltd.,  
Pudukkottai.

महोदय | Sir,

**विषय | Sub:** NHAI - PIU, Karaikudi - Permission required for laying of pipeline across at km.137/550 in NH-226 (Manamadurai - Tanjore Road) - in the state of Tamil Nadu for total length of 44m - Comments on the proposal - Report sought for - Reg..

**संदर्भ | Ref:** 1. The Executive Engineer, TWAD Board, RWS Division, Sivagangai Lr.No.2001/F.Ramnad MVS - PKG II/JDO/2025, dated: 20.01.2026.

Vide reference cited above, the Executive Engineer, TWAD board, RWS Division, Sivagangai, has submitted a proposal for seeking Permission for laying of pipeline across at km.137/550 in NH-226 (Manamadurai - Tanjore Road) - in the state of Tamil Nadu for total length of 44m and the same is enclosed herewith.

2. In this regard, it is requested to examine the above proposal in accordance with MoRT&H Guideline No.RW/NH-33044/29/2015-S&R-(R) dated:22.11.2016/its amendments/addendum, if any, and offer your comments/recommendations to this office for taking further necessary action.

Yours faithfully,

Encl: As above.

கெட்டி  
2011/5/6  
Project Director,  
PIU, Karaikudi.

**TAMILNADU WATER SUPPLY AND DRAINAGE BOARD**

From  
**Er. V.Jansirani, B.E,**  
 Executive Engineer,  
 TWAD Board,  
 RWS Division,  
 Sivagangai.

To  
 The Project Director,  
 National Highways Authority of India,  
 Karaikudi.

**Lr.No.2001/F. Rammad MVS Pack II / JDO / 2025 / dt.20.01.2026**

Sir,

**Sub:-** TWAD Board - RWS Division - Sivagangai - CWSS to 2 Municipalities, 5 Town Panchayats and 2306 rural habitations in 11 Panchayat Unions of Ramanathapuram District and Oddanchatram Municipality, Keeranur and Neikkarapatty Town Panchayats and 1422 Rural Habitations in 7 Unions of Dindigul District with river Cauvery as source (Construction Period : 18 months and paid Maintenance: 60 months) – PACKAGE – II – Permission required for laying of pipeline across at Km.137/550 in NH-226(Manamadurai – Tanjore Road) – Requested - Regarding.

**Ref:-** 1) GO MS No.176 / MAWS Dept / Dt.14.12.2022

\*\*\*\*\*

TWAD Board is implementing the Ramanathapuram Multi-Village Scheme (MVS) under the Jai Jeevan Mission program, which aims to provide sufficient protected water to the rural and urban population of water scarcity areas of Ramanathapuram District at their households. Ramanathapuram District faces drought conditions and to address this, water will be sourced from the River Cauvery near Nanjaipugalur Barrage, located 200 kilometers away, at an estimated cost of Rs.4187.84 Crores was administratively sanctioned as per the 1st Cited reference.

In this project, the alignment has been meticulously selected to facilitate gravity main of various sizes and classes from 600mm dia DI to 200 mm Dia DI pipes from Sivagangai to Thondi road (NH 230 new NH 85) for a length of 64.776 km which serves scarcity areas in the 590 habitations in Thiruvadanai and RS Mangalam Unions & RS mangalam TP, Thondi TP of Ramanathapuram District.

Hence, I humbly request that necessary permission may please be given to across the pipeline by HDD Method at Km.137/550 in the NH 226 (Manamadurai Tanjore Road) on priority basis as the work needs to be completed before December 2025 and put into the beneficial use of the public to fulfil the needs of the people in

Ramanathapuram District, where there is a high demand for drinking water since it is in an aspirational District.

In this regard, I submit the proposal and request that permission for laying of pipeline please be granted as soon as possible.

Encl: Booklets – 5 Nos

Executive Engineer, TWAD Board  
RWS Division, Sivagangai.

NHAI-PIU, KARAIKUDI		
DATE	20/01/2026	PD <i>AB</i>
DY.No.	89	
DY.MGR(T)	LAO	
MGR(T)	STENO	
AM(F)	OA	
CO	1 2	IT-Exp
SE	1 2 <input checked="" type="checkbox"/>	FILE

*20/01/26*

**PROPOSAL FOR LAYING OF WATER PIPE LINE IN NH-226 (MANAMADURAI -  
TANJORE SECTION) ACROSS THE ROAD AT KM.137/550 BY OPEN TRENCH &  
HDD METHOD.**

**SUBMITTED TO**



**THE PROJECT DIRECTOR**

**NATIONAL HIGHWAYS AUTHORITY OF INDIA**

**KARAIKUDI**

**APPLICANT**

**THE EXECUTIVE ENGINEER**

**TAMILNADU WATER SUPPLY AND DRINAGE BOARD**

**RWS DIVISION, SIVAGANGAI**

**TAMILNADU STATE**

From,

Date:

EXECUTIVE ENGINEER,  
Tamilnadu Water Supply And Drainage Board,  
RWS Division,  
Sivangangai.

To,

The Project Director,  
NHAI - PIU,  
Karaikudi.

Sir,

Sub: Laying of Water Pipe line in NH-226 ( Manamadurai - Tanjore Section) Across the road at Km.137/550 by Open Trench & HDD method of NH-226 ( Manamadurai - Tanjore Section) - Proposal Submitted - Approval Requested - Reg.

\*\*\*\*\*


I Submit here with the proposal for installation of Water Pipe line Across the road at Km.137/550 by Open Trench & HDD method of NH-226 ( Manamadurai - Tanjore Section).

In this connection it is proposed to install the Water Pipeline across the road, detailed drawing and check list also enclosed.

I request that necessary permission may please be issued, so as to enable to install the Water Pipeline across the road NH 226 and the restoration charges may be intimated to the above address for making payment.


Thanking You Sir,

Yours Faithfully,

  
EXECUTIVE ENGINEER,  
Tamilnadu Water Supply And Drainage Board  
(Authorized signatory)

**Restoration Charges to be collected for Laying of underground Water pipeline  
Across the road at Km.137/550 in the state of TamilNadu, National Highways.**

Cost of Restoration Charges Across the Road @Rs. 1,00,000/- (1No x Rs.1,00,000/-) per crossing	Rs.1,00,000/-
<b>Total Restoration Charges</b>	<b>Rs.1,00,000</b>

  
 EXECUTIVE ENGINEER  
 TWAD Board, RWS Division  
 Sivagangal.

## LICENSE FEES FOR PUBLIC UTILITY

[ (Utilized NH Land area X prevailing Circle Rate of Land per unit area) X (1.5%) ]  
ANNEXURE - II

Sl.No.	NAME OF VILLAGE	CHAINAGE IN KM		SIDE	LENGTH (L)	DIA OF THE PIPE (D)(m)	UTILIZED NH LAND AREA (D*L) (sq.m)	PREVAILING CIRCLE RATE OF LAND PER UNIT AREA (sq.m) (Rs)	LICENSE FEE ( PRIVATE UTILITY) (Rs)
		FROM	TO						
	Across The Road								
1	Melavaniyangudi	137.550		Across	44	0.914	40.22	3510	2117.37
<b>Total</b>					<b>44</b>		<b>40.216</b>		<b>2117.37</b>
<b>Total</b>									
<b>Total License fee = Rs.2117.37/- Annum &lt; 10,000/- Say = Rs.10,000/-</b>									
License for Public Utility for 1 Year									₹ 10,000.00
License for Public Utility for 2 Year									₹ 10,600.00
License for Public Utility for 3 Year									₹ 11,236.00
License for Public Utility for 4 Year									₹ 11,910.16
License for Public Utility for 5 Year									₹ 12,624.77
<b>Total License fee for Public Utility for 5 Year</b>									<b>₹ 56,370.93</b>

EXECUTIVE ENGINEER  
TWAD Board, RWS Division  
Sivagangal.

11/17/25, 11:50 AM

Inspector General of Registration - Tamil Nadu


Resize Text - + Reset

Screen Reader



பதிவுத்துறை  
REGISTRATION DEPARTMENT

TIRUHANTHIRAM TIRUVALLALAI ARACHA PERUVATHA



For Complaints and  
Clarifications, please  
contact:

9498452110 /

9498452120 /

9498452130

(Monday to Friday 10 AM  
to 5.45 PM, excluding  
Government holidays)

For queries related to  
software, please  
contact:

1800 102 5174

(Monday to Friday 8 AM to  
8 PM, Saturday 10 AM to 5  
PM excluding Government  
holidays)

**The information provided Online is updated and no physical visit is required for the Services provided Online.**

Home    About us    Registration    E-Services    Circulars    Guideline Value    Sitemap    Help

More

## GUIDELINE VALUE & PROPERTY VALUATION

Guideline Value relating to 2.19 lakhs streets and over 4.46 Crores Survey Numbers/Subdivision numbers are available on this site for query.

For Property Valuation, Click on the Street Name from the Street List, where the property is located.

**From: 1-7-2024   To: Current Date [To know your Zone and District Click Here](#)**

View Guideline value for:

Street  Survey Number  Composite Value

Select Criteria :

Category Wise  Survey Number Wise

Zone:\*

Sub Registrar Office:\*

Ramanathapuram

Sivagangai Joint II

Registration Village:\*

Land Category\*

MELAVANIYANKUDI (SIVAGANG/

Residential Class I Type - I

Search

Reset

## Search Criteria :

<b>Zone:</b>	RAMANATHAPURAM	<b>Sub Registrar Office:</b>	SIVAGANGAI JOINT II
<b>Guideline Village:</b>	MELAVANIYANKUDI (SIVAGANGAI TOWN LIMIT)	<b>Revenue Village:</b>	SIVAGANGAI [URBAN]
<b>Revenue District:</b>	SIVAGANGAI	<b>Revenue Taluka:</b>	SIVAGANGAI

**Below Search results are as on 17-Nov-2025 11:49 AM**

120 items found, displaying 1 to 10.

[First/Prev] 1, 2, 3, 4, 5, 6, 7, 8 [Next/Last]

Sr.No.	Survey/Subdivision No.	Guideline Value (₹) (British Value)	Guideline Value (₹) (Metric Value)	Land Classification	Effective Start Date	G.O.Download
1	<u>113/1</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
2	<u>113/3</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
3	<u>114/1</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
4	<u>114/3</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
5	<u>133/1</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
6	<u>134/1</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
7	<u>134/4</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
8	<u>75/3</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
9	<u>80/1</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-
10	<u>80/10</u>	326/ Square Feet	3510/ Square Metre	Residential Class I Type - I	01-Jul-2024	-

Go Back To Main Menu

## CHECK-LIST

Guidelines for Project Directors for processing the proposal for Water Pipe Line in the land along the road and across National Highways vested with NHAI.

### **Relevant Circulars**

- 1) Ministry Circular No. NH-41 (58)/68 dated 31.1.1969
- 2) Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976
- 3) Ministry Circular No. RW/NH-III/P/66/76 dated 11.5.1982
- 4) Ministry Circular No. RW/NH-11037/1/86-DOI (ii) dated 28.7.1993
- 5) Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995
- 6) Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999
- 7) Ministry Circular No. RW/NH-34066/7/2003 5&R (B) dated 17.9.2003
- 8) Ministry Circular No. RW/NH-33044/27/2005-S&R (R) dated 06.08.2013
- 9) Ministry Circular No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016

### **Check list for getting approval for laying of Water Pipe Line on NH land**

S.No.	Item	Information / Status	Remarks
1	General information		
1.1	Name and Address of the Applicant / Agency	THE EXECUTIVE ENGINEER, Tamilnadu Water Supply And Drainage Board, RWS Division, Sivagangai.	
1.2	National Highway Number	NH226	
1.3	State	TAMIL NADU	
1.4	Location	Manamadurai to Tanjore Section	
1.5	(Chainage in km)	Cossing @ Km.137/550	
1.6	Length in Meters	44 metres	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage/ km direction	45.00 metres	
	(b) Right side from center line towards increasing chainage/ km direction	45.00 metres	
1.8	Proposal to lay underground Water pipe line.		
	(a) Left side from center line towards increasing chainage/ km direction		
	(b) Right side from center line towards increasing chainage/ km direction		
1.9	Proposal to acquire land		
	(a) Left side from center line		
	(b) Right side from center line		
1.1	Whether proposal is in the same side where land is not to be acquired		
	If not then where to lay the Pipe		
1.11	Details of already laid services, if any, along the proposed route	Nil	
1.12	Number of lanes (2/4/6/8 lanes) existing	2 Lane	

20  
KHALASH LOHIYA  
Project Director

EXECUTIVE ENGINEER  
TWSB Board RWS Division  
Sivagangai.

S.No.	Item	Information / Status	Remarks
1.13	Proposed Number of lanes (2 lane with paved shoulders/4/6/8 lanes)	2 Lane	
1.14	Service road existing or not If yes then which side	No	
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.15	Proposed Service road	-	
	(a) Left side from center line	-	
	(b) Right side from center line	-	
1.16	Whether proposal to lay Water Pipe line is after the service road or between the service road and main carriageway	Extreme Edge of ROW	
1.17	<p>The permission for laying of Water Pipe line shall be considered for approval /rejection based on the Ministry Circulars mentioned as above.</p> <p>(a) Carrying of sewage/gas pipelines on highway bridges shall not be permitted as Fumes/gases pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of water.</p> <p>(b) Carrying of water pipe lines on bridges shall also be discouraged. However, if the water supply authorities seem to have no other viable alternative and approach the highway authority well in time before the design of the bridge is finalized, they may be permitted to carry the pipeline on independent superstructure, supported on extended portions of piers and abutments in such a manner that in the final arrangement enough free spade around the superstructure of the bridge remains available for inspection and repairs, etc</p> <p>(c) Cost of required extension of the substructure as well as that of the Supporting superstructure shall be borne by the agency-in-charge of the utilities. of the Ministry's Project Chief Engineers only.</p> <p>(d) Services are not being allowed Indiscriminately on the parapet/any part of the bridges, Safety of the bridges has to be kept in view while permitting various services along bridge. Approvals are to be accorded in this regard with the concurrence of the Ministry's Project Chief Engineers only.</p>	<p>Considered for approval based on the Ministries circular</p> <p>Yes</p>	
1.18	<p><b>If crossings of the road involved</b></p> <p>If Yes, it shall be either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the line</p>	Yes	
	(a) Existing drainage structures shall not be allowed to carry the lines.		
	(b) Is it on a line normal to NH	Yes	

  
**EXECUTIVE ENGINEER**  
 TWAD Board, RWS Division  
 Sivagangal.

  
**KAILASH LOHIYA**  
 Project Director  
 National Highways Authority of India  
**PIU - KARAIKUDI**

S.No.	Item	Information / Status	Remarks
	(c) Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter. What is the distance from the existing structures	45.00	
	(d) The casing pipe (or conduit pipe in the case of pipe line) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.	Mild Steel Pipe	
	(e) Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Yes	
	(f) The casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills.	Yes	
	(g) The top of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts.	Yes	
	(h) Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type.	Yes	
	(i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Yes	
2	Document / Drawings enclosed with the proposal	Yes	
2.1	<p>Cross section showing the size of trench for open trenching method (Is it normal size of 1.2m deep X 0.3m wide)</p> <p>(i) Should not be greater than 60 Cm wider than the outer diameter of the pipe</p> <p>(ii) located as close to the extreme edge of the right-of-way as possible but not less than 15 meter from the centre-lines of the nearest carriageway</p> <p>(iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges</p> <p>(iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.</p>	<p>Yes</p> <p>Yes</p> <p>Yes</p>	
2.2	Cross section showing the size of pit and location of pipe for HDD method	Yes	
2.3	Strip plan/ Route Plan showing Water Supply pipe line, Chainage, width of ROW, distance of proposed, pipe line from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes	
2.4	Methodology for laying of showing Water Supply pipe line.	Yes (HDD method)	

KASH LOHIA  
22  
Project Director

EXECUTIVE ENGINEER

TNAU Board of Engineers  
Chennai

Chennai

National Highways Authority of India

PIU-KARAIKUDI

S.No.	Item	Information / Status	Remarks
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Yes	
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Yes	
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be excavated and replaced by selected material.	Yes	
	(c) The backfill shall be completed in two stages (i) side fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Yes	
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Yes	
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.		
	(f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.	Yes	
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line	Yes	
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes	
2.4.3	Laying of Water Pipe Line through CD works and method of laying	No	
3	Draft License Agreement signed by two witnesses	Yes, enclosed with proposal	
4	Performance Bank Guarantee in favour of NHAI has to be obtained Rs100/- per running meter (parallel to NH) and Rs1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris/loose earth.	To be obtained	
4.1	Performance BG as per above is to be obtained.	To be obtained	
4.2	Confirmation of BG has been obtained as per NHAI guidelines	To be obtained at the time of execution of agreement	

KAILASH LOHIYA

Project Director

EXECUTIVE ENGINEER

Tamil Nadu Board, RWS Division, National Highways Authority of India

Sivagangai.

23

Project Director

File No. PROJ-26017(201/2/2026)-PIU Karaikudi (Computer No. 306606)

Generated from eOffice by A N PRAVEEN KUMAR, DEPUTY GENERAL MANAGER (RO MADURAI) ANP, DEPUTY GENERAL MANAGER RO MADURAI, RO Madurai on 13/02/2026 01:23 pm

S.No.	Item	Information / Status	Remarks
5	Affidavit Undertaking from the Applicant for	Yes	
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Yes	
5.2	Renewal of Bank Guarantee	Yes	
5.3	Confirming all standard condition of NHAI's guideline	Yes	
5.4	Shifting of Water pipe line as and when required by NHAI at their own cost	Yes	
5.5	Shifting due to 6 lanning with paved shoulder / widening of NH	Yes	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes	
5.7	Traffic movement during laying of Water pipe line to be managed by the applicant	Yes	
5.8	If any claim is raised by the Concessionalre then the same has to be paid by the applicant	Yes	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the showing Water pipe line located in the National highway right-of-ways.	Yes	
5.10	Expenditure, if any, Incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Water pipe line will be borne by the agency owning the line.	Yes	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Yes	
5.12	Certificate from the applicant in the following format  (i) Laying of Water pipe line will not have any deleterious effects on any of the bridge components and roadway safety for traffic. (ii) for 4-lanning with paved shoulder "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future Four-lanning or any other development."	Yes	
6	Who will sign the agreement on behalf of of Water pipe line agency	THE EXECUTIVE ENGINEER, Tamilnadu Water Supply And Drainage Board, RWS Division, Sivagangai.	

  
**EXECUTIVE ENGINEER**  
 TWAD Board,RWS Division  
 Sivagangai.


  
**KAILASH LOHIYA**  
 Project Director  
 National Highways Authority of India  
 PIU - KARAIKUDI

S.No.	Item	Information / Status	Remarks
7	<b>Certificate from the Project Director</b>		
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. Ministry Circular No. NH-41 (58)/68 dated 31.1.1969, Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976, Ministry Circular No. RW/NH-III/P/66/76 dated 11.5.1982, Ministry Circular No. RW/NH-11037/1/86-DOI (ii) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995, and Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003, Ministry Circular No. RW/NH-33044/27/2015-S&R (R) dated 06.18.2013 and Ministry Circular No. RW/NH-33044/29/2015-S&R 22.11.2016. (R) dated 22.11.2016.	Yes	
7.2	Certificate from PD in the following format (i) "It is certified that any other location of the Water pipe line would be extremely difficult and unreasonable costly and the installation of Water pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc". (ii) for 4-lanning (a) Where feasibility is available "I do certify that there will be no hindrance to proposed Four laning based on the feasibility report considering proposed structures at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed Four -laning".	Yes Yes Sufficient ROW is available	
8	If NH section proposed to be taken up by NHAI on BOT basis a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of [Madurai - Ramanathapuram Section] Across the road @ Km.96/630 of NH-226 on Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same."	NA	
9	Who will supervise the work of laying of Water pipe line	Consultants and relevant field officers of NHAI	
10	Who will ensure that the defects in road portion after laying of Water pipe line are corrected and if not corrected then what action will be taken.	BG will enhanced. Claim amount will be determined according to the nature and seriousness of damages.	
11	Who will pay the claims for damages T done/disruption in working of Concessionaire if asked by the Concessionaire.	The applicant should pay claims.	

EXECUTIVE ENGINEER  
TWAQ Board, RWS Division  
Sivagangai.


KAILASH LOHIYA  
Project Director  
National Highways Authority of India  
NH-100-KARAIKUDI

S.No.	Item	Information / Status	Remarks
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).	Yes	
13	If any previous approval is accorded for laying of underground Water pipe line then Photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed	Yes	


**EXECUTIVE ENGINEER**  
**TWAD Board, RWS Division**  
**Sivagangai.**

*Kailash*

Project Director  
NHAI-PIU-Karaikudi.



தமிழ்நாடு தமில்நாடு TAMILNADU

Rs 100  
12.01.2026

FB 757946

Executive Engineer Twad Board  
RWS - Division  
Sivagangai

ச.கந்தரபாண்டியன், எம்.ஏ..  
உபிம எண்: 3719/ஆ1/95  
நூல் முத்திருத்தால் விற்பனையால்  
சிகிச்சைக் குழுமம்.

AGREEMENT REGARDING GRANTING OF RIGHT OF WAY PERMISSIONS FOR  
LAYING UTILITY SERVICES ON NATIONAL HIGHWAYS

Agreement to laying of Water Pipe Line Across the road at Km.137/550 for a total length of 44m in NH226 (Manamadurai to Tanjore Section) in the state of TamilNadu, National Highways, Karaikudi.

This Agreement made this \_\_\_\_\_ day of \_\_\_\_\_ (month) \_\_\_\_\_ of (year) between \_\_\_\_\_ acting in his executive capacity through \_\_\_\_\_ (hereinafter referred to as the "Authority" which expression shall unless excluded by or repugnant to the context include his successors in office and assigns) on the one part, an **The Executive Engineer, Tamilnadu Water Supply And Drainage Board, Rural Water Supply Division, Sivagangai** (here in after called the "Licensee") which expression shall unless excluded by repugnant to the context, include his successors / administrator assignees on the second part.

EXECUTIVE ENGINEER  
TwAD Board, RWS Division  
Sivagangai.

Whereas the Authority is responsible, inter-alia, for development and maintenance of lands Across the road at Km.137/550 in NH226 (Manamadurai to Tanjore Section) in the state of TamilNadu, National Highways, Karaikudi.

Whereas the Licensee Proposes to lay Telecom cable / OFC cable/electrical cable Line / Pipe line / ducts etc., referred to as utility services in subsequent paras.

Whereas the Licensee has applied to the Authority for permission to lay utility services Across the road at Km.137/550 in NH226 (Manamadurai to Tanjore Section) in the state of TamilNadu, National Highways, Karaikudi.

And whereas the Authority has agreed to grant such permission for way leave on the NH Row as per terms and conditions hereinafter mentioned.

Now this agreement witnesseth that in consideration of the conditions hereinafter contained and on the part of the Licensee to be observed and performed, the Authority hereby grants to the Licensee permissions to lay utility services as per the approved drawing attached hereto subject to the following conditions, namely:

1. Row permissions are only enabling in nature. The purpose of extending the way leave facility on the National Highway. Row is not for enhancing the scope of activity of a utility service provider, either by content or by intent. Further, enforceability of the permission so granted shall be restricted only to the extent of provisions / scope of activities defined in the license agreement & for the purpose for which it is granted.
2. No Licensee shall claim exclusive right on the Row and any subsequent user will be permitted to use the Row, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled, Decision of the Authority in relation to fulfilment of technical requirements shall be final and Binding on all concerned parties. In case any disruption / damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging, finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment material, construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility industrial infrastructure facilities.
4. The Licensee shall pay license fees @ Rs./sq m/month to the Authority. The Licensee fee shall become payable from the date of handing over of Row land to the Licensee, for laying of utilities/electrical cables lines/conduits/pipelines for infrastructure/ service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.
5. Fee shall have to be paid in advance for the period for which permission is granted for entering into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @15% per annum compounded annually.

6. Present policy of the MoRT&H is to provide a 2.00 m a wide utility corridor on either side of the extreme edge of Row. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.

7. The Utility services shall be laid at the edge of the RoW. In case of restricted width of Row, which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side furniture etc: the utility services shall be laid beyond the toe line of the embankments and clear of the drain.

8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed. In case, this is not feasible, the utility services may be carried outside the railings/ parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the authority shall be payable by the Licensee.

9. In exceptional cases, where Row is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.

10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level. However any structure above ground shall be aesthetically provided for landscaped with required safety measures as directed by the concerned Authority.

11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing/conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the specifications of the Ministry.

12. Existing drainage structures shall not be allowed to carry the lines across.

13. The top of the electrical cable line containing the utility services to cross the road shall be at least 11m top of the existing road level whichever is lower. A typical sketch showing the clearances is given in Attachment-1.

14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.

  
**EXECUTIVE ENGINEER**  
**TWAD Board, RWS Division**  
**Sivagangai.**

15. The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.

16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30cm. but not more than 60cms wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority.

i. Bedding shall be to a depth not less than 30cm. it shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.

ii. The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.

iii. The side fill shall consist of granular material laid in 15cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that has been removed. Consolidation by saturation or ponding will not be permitted.

iv. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the highway Authority.

17. The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way.

18. All required restoration work subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the authority as per predetermined time schedule and quality standards.

19. Prior to commencement of any work on the ground, a performance Bank guarantee @Rs. Per route metre /Rs per sq m with a validity of one year initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority its designated agency as a security against improper restoration of ground in terms of filling / unsatisfactory compaction damages caused to other underground installations utility services & interference, interruption, disruption, or failure caused thereof any services etc. in case of licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

  
**EXECUTIVE ENGINEER**  
**TWAD Board, RWS Division**  
**Sivagangai.**

20. In case, the Performance Bank guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the work contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority/its designated agency for any damage sustained by them by reason of the exercise of the RoW facility.

21. The Licensee shall shift the utility services within 90 days (or as specified by the respective authority) from the date of issue of the notice by the concerned authority to shift/relocate the utility services, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk.

22. The Licensee shall be responsible to ascertain from the respective agency in co-ordination with Authority, regarding the location of other utilities/underground installations/facilities etc. The Licensee shall ensure the safety and security of already existing underground installations / utilities / facilities etc. before commencement of the excavation /using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing underground installations/utilities/facilities etc.

23. The Licensee shall be solely responsible liable for full compensation/indemnification of concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them / claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in co-ordination with Authority shall also have a right make good such damages/recover the claims by forfeiture of Bank Guarantee.

24. If the licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.

25. Grant of Licensee is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorised representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

  
 EXECUTIVE ENGINEER  
 TWAD Board, RWS Division  
 Sivagangal.

26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches, for fresh or maintenance/repair works. A separate performance Bank guarantee for maintenance/repair works shall have to be furnished by the Licensee.

27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work that day, filling should be completed to the satisfaction of the concerned agency designated by the Authority.

28. The Licensee shall indemnify the concerned agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.

29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest 15% per annum compounded annually.

30. The permission shall be valid only for it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.

31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in co-ordination with the Authority.

32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway/and/property. Other than what is herein expressly granted. No use of NH RoW will be permitted for any purpose other than that specified in the Agreement.

33. During the subsistence of this Agreement, the utility services located in highway land/property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.

34. The Licensee shall bear the Stamp Duty charged on this Agreement.

35. Three copies of 'as laid drawings' of utilities (hard and soft copies) with geo-tagged photographs and geo-tagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.

36. The Licensee shall allow free access to the Site at all times to the authorised representatives of Authority to inspect the Project Facilities and to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.

37. The Utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co-ordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellations nor shall it be absolved from any liability already incurred.

38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of:


- a. Operation, repair and maintenance guidelines given by the manufacturers.
- b. The requirements of Law.
- c. The physical conditions at the Site, and
- d. The safety of operating personnel and human beings.

39. The Licensee shall have to provide safety measures like barricading, danger lighting and other necessary caution boards while executing the work.

40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee.

41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be bought back to the original condition failing which the Licensee will lose the right to remove the utility services. However before taking up the work of removal of utility services the Licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the RoW.

42. Any disputes in interpretation of the terms and condition of this agreement or their implementation shall be referred to the redress mechanism prevailing in the ministry and the decision of the redress mechanism shall be final and binding on all.

  
**EXECUTIVE ENGINEER**  
**TWAD Board, RWS Division**  
**Sivagangai.**

43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in Mutual agreement with the respective project concessionaires. MoRT&H/NHAI/implementing authorities for the project shall not be liable to the concessionaire in any way in this regard.

This agreement has been made in duplicate, each on a stamp paper, each Party to this Agreement has retained one stamped copy each.

IN WITNESS WHEREOF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN.

SIGNED SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY.

BY SHRI \_\_\_\_\_  
(Signature, name & address with stamp)

SIGNED ON BEHALF OF THE EXECUTIVE ENGINEER, TAMILNADU WATER SUPPLY AND DRAINAGE BOARD, RURAL WATER SUPPLY DIVISION, SIVAGANGAI.  
(LICENSEE)

BY SHRI \_\_\_\_\_  
(Signature, name & address with stamp)  
**EXECUTIVE ENGINEER**  
**TWAD Board, RWS Division**  
**Sivagangai.**

HOLDER OF GENERAL POWER OF ATTORNEY DATED \_\_\_\_\_ EXECUTED IN ACCORDANCE WITH THE RESOLUTION NO. \_\_\_\_\_ DATED \_\_\_\_\_ PASSED BY THE BOARD OF DIRECTORS IN THE MEETING HELD ON \_\_\_\_\_ PRESENCE OF (WITNESSES)

1 *Jan* *CR. MUGESHWARAN*  
*Assistant Engineer*  
*TWAD BOARD*  
*Project Sub dn (RCWSS)*  
*Thiruvadanai.*

2 *Bindu CB. BRINDA DEVI*  
*Assistant Executive Engineer (Tech)*  
*TWAD Board, SR cum PM Circle,*  
*Sivagangai - 630 561.*



காரிம்நாடு தமில்நாடு TAMILNADU <sup>Rs.100</sup> 01.01.2026  
 Executive Engineer TWAD Board  
 RWS Division  
 Sivagangai.

FB 757948

ச.கந்தரபாண்டியன்.எம்.ஏ..  
 உ.மு.எண்: 3719/ஏ,1/95  
 நகர் முத்திவருந்துவில் விருப்புவளையாளர்  
 விவகாரக்கு தமிழ்நாடு.

Annexure-V

#### UNDERTAKING

We, Tamilnadu Water Supply And Drainage Board, Rural Water Supply Division, Sivagangai, Laying of Water Pipe Line Across the road at Km.137/550 in NH226 (Manamadurai to Tanjore Section) in the state of TamilNadu, National Highways, Ramanathapuram.

We here by undertake the Standard Conditions of NHAI Guidelines:

**1. Not to Damage to Other Utility, if damaged then to pay the losses either to NHAI or to the concerned agency:** Regarding the location of other electrical cable line, underground installation/utilities etc, Tamilnadu Water Supply And Drainage Board shall be responsible to ascertain from the respective agency in coordination with NHAI. Tamilnadu Water Supply And Drainage Board shall ensure the safety and security of already existing cables/underground installation/utilities facilities etc. before commencement of the excavation.

EXECUTIVE ENGINEER  
 TWAD Board, RWS Division  
 Sivagangai.

**2. Renewal of Bank Guarantee:** Tamilnadu Water Supply And Drainage Board shall furnish a Bank Guarantee @ Rs100/- per running meter to the NHAI, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for Laying of water pipe lineby proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to Tamilnadu Water Supply And Drainage Board for clearing debris/loose earth. In case the work contemplated herewith is not completed to the satisfaction of the NHAI, which has granted the permission, within a period of 11 months from the date of issue of the bank guarantee Tamilnadu Water Supply And Drainage Board shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. In case of Tamilnadu Water Supply And Drainage Board failing to discharge the obligation of making good the excavated trench, the NHAI shall have a right to make good the damages caused by excavation, at the cost of Tamilnadu Water Supply And Drainage Board and recover the amount by invoking the bank guarantee furnished by Tamilnadu Water Supply And Drainage Board.

### **3. Confirming all standard conditions of NHAI:**

- (i) The period of validity of Way permission shall be co-terminus with the validity of licensee given by the Ministry of Communications / DoT.
- (ii) The Laying of Water pipe line shall be laid at the edge of the right of way within 2m utility corridors.
- (iii) The licensee has to cross the NH In case any damage is caused to the road pavement in this process, Tamilnadu Water Supply And Drainage Board will be required to restore the same to the original condition at his own cost.
- (iv) No trenching will be done on link road, boring method will be used in link road and Water pipe line will be laid at the extreme edge of the road in the non-BT surface only.
- (v) The licensee shall inform/give a notice to the NHAI, Govt. of India or its authorized agency at least 15 days in advance with route details prior to digging trenches for fresh or maintenance/repair work. A separate work plan and a separate performance Bank Guarantee @ Rs100/- per meter length for maintenance/ repair work shall have to be furnished by Tamilnadu Water Supply And Drainage Board.
- (vi) Each day, the extent of Water pipe lineshould be strictly regulated so that pipe are laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the NHAI.
- (vii) The Licensee shall indemnify the concerned agency in co-ordination with NHAI, against all damages and claims, if any, due to the laying of Water pipe line.

  
**EXECUTIVE ENGINEER**  
**TWAD Board/RWS Division**  
**Sivagangai.**

(viii) The NHAI has a right to terminate the permission or to extend the period of agreement. In case the Tamilnadu Water Supply And Drainage Board wants shifting, repairs or alteration to Water pipe line, he will have to furnish a separate bank guarantee.

(ix) The Licensee shall not without prior permission in writing from the NHAI Govt. of India or its authorized agency undertake any work of shifting, repairs or alterations to the said Water pipe line.

(x) The permission granted shall not in any way be deemed to convey to Tamilnadu Water Supply And Drainage Board any ownership right or any interest in route/road/highway/ land/ property, other than what is herein expressly granted.

(xi) During the subsistence of this agreement, the laying of Water pipe line located in highway land/property shall be deemed to have been constructed and continued only by the consent and permission of the NHAI so that the right of Tamilnadu Water Supply And Drainage Board to the use thereof shall not become absolute and indefeasible by laps of time.

(xii) Tamilnadu Water Supply And Drainage Board shall bear the stamp duty charged for the agreement.

(xiii) The Water pipe line shall not be brought in to use by Tamilnadu Water Supply And Drainage Board unless a completion certificate to the effect that the laying of Water pipe line has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfactions of the concerned agency in co-ordination with the owner has been obtained.

(xiv) Not with standing anything NHAI contained herein this agreement may be cancelled at any time by the for breach of any condition of the same and the Tamilnadu Water Supply And Drainage Board shall neither be entitled to any compensation for any loss caused to it by such cancellation nor shall it be absolved from any liability already incurred.

(xv) The licensee shall have to provide barricading, danger lighting and other necessary caution boards while executing the work and during maintenance. If NHAI is required to do some emergent work Tamilnadu Water Supply And Drainage Board will provide an observer within 24 hours. NHAI will not be responsible for any damage of any kind by what so ever means natural or otherwise.

(xvi) The enforceability of the Right-of Way permission granted here in shall be restricted to the extent of provisions/scope of service contained/defined in the license agreement of the License with Department and for the purpose for which it is granted. Either by content or by intent, the purpose extending this Right-of Way facility is not to enhance the scope of Tamilnadu Water Supply And Drainage Board.

  
**EXECUTIVE ENGINEER**  
**TWBD Board, RWS Division**  
**Sivagangal.**

**4. Shifting of Water pipe line as and when required by NHAI:** Tamilnadu Water Supply And Drainage Board shall shift the Water pipe line within 90 days (or as specified by the respective agency/owner) from the date of issue of the notice by the NHAI, Govt. of India to shift/relocate the water pipe line, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridges and restore the road/land to its original condition at his own cost and risk

**5. Shifting due to 4 lining / widening of NH:** After the termination/expiry of the agreement, Tamilnadu Water Supply And Drainage Board shall remove the water pipe line within 90 days and the site shall be brought back to the original condition failing which the Tamilnadu Water Supply And Drainage Board will lose the right to remove the water pipe line. However, before taking up the work of removal of water pipe line the Tamilnadu Water Supply And Drainage Board shall furnish a bank guarantee to the owner for a period of one year for an amount assessed by the owner for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the right of way.

**6. Traffic movement during laying of Water pipe line to be managed by the applicant:** If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Tamilnadu Water Supply And Drainage Board.


**7. If any claim is raised by the concessionaire then the same has to be paid by the applicant:** Tamilnadu Water Supply And Drainage Board shall be solely responsible/ liable for full compensation/indemnification of concerned agency/aggrieved owner for any direct, indirect or consequential damage caused to them/claims or replacement sought for, at the cost and risk of Tamilnadu Water Supply And Drainage Board. The concerned agency in co-ordination with NHAI shall also have a right to make good such damages/recover the claims by way of invoking of Bank Guarantee furnished by Tamilnadu Water Supply And Drainage Board. If Tamilnadu Water Supply And Drainage Board fails to comply with the condition 5 and 6 above to the satisfaction of the NHAI, the same shall be got executed by the NHAI at the risk and cost of the Tamilnadu Water Supply And Drainage Board.


**8. We, Tamilnadu Water Supply And Drainage Board, Rural Water Supply Division, Sivagangai,** hereby do undertake to furnish a Performance Bank Guarantee @100/- per meter for a period of one year initially (extendable if required till satisfactory completion of work) as a security against improper restoration of ground in terms of filling/unsatisfactory compaction/damages caused to other underground installation utility services & interference interruption, disruption of failure caused thereof to any services etc. In case, Tamilnadu Water Supply And Drainage Board. Failing to discharge the obligation of making good the damages caused due to erection, the NHAI shall have a right to make good the damages caused due to erection at the cost of the Tamilnadu Water Supply And Drainage Board. And recover the amount by invoking the Bank Guarantee. In case the work contemplated is not completed to the satisfaction of NHAI, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, Tamilnadu Water Supply And Drainage Board. Shall either furnish a fresh guarantee or extend the guarantee for a further period of one year.

  
**EXECUTIVE ENGINEER**  
**TWAD Board RWS Division**  
**Sivagangai**

9. Not to damage to other utility, if damaged, then to pay the losses either to NHAI or to the concerned agency.
10. In case the work contemplated is not completed to the satisfaction of NHAI, which has granted the permission within a period of 11months from the date of issue of the Bank Guarantees, Tamilnadu Water Supply And Drainage Board shall either furnish a fresh guarantee or extend the guarantee for a further period of one year.
11. We will relocate Pipe lines/Utilities at our own cost, notwithstanding the permission granted within such time as will be stipulated by NHAI "for future Four-laining or any other development."
12. We, Tamilnadu Water Supply And Drainage Board, Rural Water Supply Division, Sivagangai, Tamilnadu State, hereby undertake that "The existing avenue plantation is not affect due to the present proposed water pipe line Across the road at Km.137/550 in NH226 (Manamadurai to Tanjore Section) in the state of TamilNadu, National Highways, Karaikudi.".
13. We, Tamilnadu Water Supply And Drainage Board, Rural Water Supply Division, Sivaganga, hereby undertake that the pay the fee /rent as mentioned in the Ministry's Guidelines Lr. No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016 as and when asked by NHAI.
14. Lr. No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016 as and when asked by NHAI. Reference Circular issued by Ministry of Road Transport & Highways, GOI, Circular No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016. Where in, the last paragraph that "The Highway Administration Rules 2004 will be modified accordingly. This circular will come in to effect from the date of notification of the modified Highway Administration Rule" So we hereby give our constant to abide by the content of this circular from the date of its notification by MORTH, GOI and agree to pay the ground rent any other charges applicable for the section as applied by us.

Yours Faithfully,

  
 Executive Engineer  
 Tamilnadu Water Supply And Drainage Board(Authorized Signatory)



**KAILASH LOHIYA**  
Project Director  
Highways Authority of  
Uttaranchal  
Dhanbad, Jharkhand


  
A.   
Assistant Engineer  
Sivagangai  
RWS Suhard

Wade  
Assistant Executive Engineer  
TWAD Board, RWS Sub Panel  
Sivaganqai

EXECUTIVE ENGINEER  
TWAD Board, RWS Division  
Silvagangal.

- PROPOSED WATER PIPE LINE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- CENTER LINE OF ROAD
- BOUNDARY (ROW)
- BRIDGE / CULVERT


<p><b>ROUTE TO MANA MADURAI SECTION ( NH - 226 )</b></p> <p>Km: 137/000 TO Km: 138/000</p>	<p><b>NOTES:</b></p> <ol style="list-style-type: none"> <li>1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED</li> <li>2. SECTION LENGTH - 0.380Km</li> <li>3. SCALE - NTS</li> </ol>
<p><b>THE EXECUTIVE ENGINEER TAMIL NADU WATER SUPPLY AND DRAINAGE BOARD RWS DIVISION, SIVAGANGAI.</b></p>	



TOP OF SUBGRADE—

  
 Assistant Engineer  
 TWAD Board, RWS Sub Division  
 Sivagangai

1500 MM



  
 Assistant Executive Engineer  
 TWAD Board, RWS Sub Division.  
 Sivagangai

  
 EXECUTIVE ENGINEER  
 TWAD Board, RWS Division  
 Sivagangai.

(Km: 137/550)

  
 KAILASH LOHIYA  
 Project Director  
 National Highways Authority of India  
 PIU - KARAIKUDI

APPLICANT:  
 PIU - KARAIKUDI

INSTALLATION OF MS CASING PIPE FOR  
 CROSSING THE ROAD TRENCH LESS (HDD METHOD)

TITLE:

THE EXECUTIVE ENGINEER  
 TAMIL NADU WATER SUPPLY AND DRAINAGE BOARD  
 RWS DIVISION, SIVAGANGAI.



**GOVERNMENT OF INDIA  
MINISTRY OF ROAD TRANSPORT & HIGHWAYS  
AN ISO 9001:2008 CERTIFIED MINISTRY**

**S&R(R) ZONE**

**IAHE Campus,  
A-5, Sector-62,  
Noida-201301.**

**F. No. RW/NH-33044/29/2015/S&R(R)**

**Dated: 22<sup>nd</sup> November, 2016**

**To,**

1. The Chief Secretaries of all the State Governments/ UTs
2. The Principal Secretaries/ Secretaries of all States/ UTs Public Works Department dealing with National Highways, other centrally sponsored schemes.
3. All Engineers-in-Chief and Chief Engineers of Public Works Department of States/ UTs dealing with National Highways, other centrally sponsored schemes.
4. The Director General (Border Roads), Seema Sadak Bhawan, Ring Road, New Delhi-110 010.
5. The Chairman, National Highways Authority of India, G-5 & 6, Sector-10, Dwarka, New Delhi-110 075.
6. The Managing Director, NHIDCL, PTI Building, New Delhi-110001

**Subject: Accommodation of Public and Industrial Utility Services along and across National Highways – Policy guidelines regarding.**

Sir,

The Government has realized that development of infrastructure across the Country on a sustainable and integrated manner continues to be an imperative for improving the state of economy, enhancing quality of life of the citizens and ensuring equitable development throughout the country.

Land being among the most precious of natural resources available, optimum utilization of land shall play a critical role in integrated development of infrastructure. One of the ways to effect such optimum utilization is leveraging land within National Highway (NH) Right of Way (ROW) for laying utility services. This may be achieved through granting permissions for laying utility services along and /or across the ROW. However, environment and safety of the road users are the prime factors in deciding permission for utility services. Permission may be denied, if it is not feasible to ensure safety and environment through requisite safeguards. The Administration of ROW, has been defined in the National Highway Land and traffic Control Act 2002 and relevant Rules 2004.

Keeping in view the need for consistency and clarity, in supersession of all the instructions contained in the earlier previous circulars on the subject, following guidelines shall apply for accommodation of Utility Services along and across National Highways.

**2. Laying of Utility Services along the National Highways:**

- 2.1 There shall be a provision for utility ducts for appropriate categories/combination of utilities in the construction of new/4-6 laning of National Highways. The ducts shall be located at appropriate location preferably as close to the extreme edge of ROW.
- 2.2 Utility services shall be laid in the utility ducts, if provided for the purpose.
- 2.3 In stretches where utility ducts have not been provided, the utility services shall be located, beyond the toe line of the embankment and drains, as close to the extreme edge of the RoW as possible. While granting permission, requirement of up-gradation also needs to be kept in view.

*Manoj Kumar*

2.4 It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level.

2.5 No utility service shall be laid over existing culverts and bridges except through the utility ducts where such provision exists. In case of absence of such provisions, the Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed.

2.6 In exceptional cases, where ROW is restricted the utility services can be allowed beneath the carriageway of service road, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct in such case shall not be less than one lane. In such cases, it also needs to be ensured that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee as per the agreement.

### **3. Laying of Utility Services across the National Highway:**

3.1 The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry.

3.2 Existing drainage structures shall not be allowed to carry the lines across.

3.3 The utility services shall cross the National Highway preferably on a line normal to it or as nearly so as practicable.

3.4 The casing/conduit pipe may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.

3.5 In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30 cm wider, (but not more than 60 cm wider), than the outer diameter of the utility pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority.

3.5.1 Bedding shall be to a depth not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.

3.5.2 The backfill shall be completed in two stages (i) Side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.

3.5.3 The side fill shall consist of granular material laid in 15 cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the modified Proctor's density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.

3.5.4 The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the Highway Authority.

3.6 When utilities are allowed overhead, the horizontal and vertical clearance in accordance with the IRC shall be maintained.

**4. Procedure for processing application for granting permission for use of highway land:** Any person who intends to obtain permission shall make an application online in the prescribed form to Highway Administration or an officer authorized by Highway Administration on his behalf. The application must mention details the various safety clearances from the respective authorities such as Directorate of Electricity, Chief Controller of Explosives, Petroleum and Explosives Safety Organization, Oil Industry Safety

.3:

Directorate, State/Central Pollution Control Board and any other statutory clearances as applicable, which must be obtained by the Applicant before applying to the Highway Administration.

The application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest). The permission for laying utility services is to be normally granted within 30 days from the day of closure of public objections and claims. If no communication is received from the Highway Administration within 30 days from the day of closure of public objections and claims, the permission shall be deemed to be granted. The initial permission would be valid for a maximum of 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged.

**5. Charges for granting licence for use of highway land:** For the purpose of license fee/lease rentals, the utilities have been divided into two categories; i) Public utilities and b) Industrial utilities as per the details given in **Annexure I**.

License Fee/lease rentals described below is for Industrial utilities. The license fee for Public utilities shall be 33% of the fee prescribed for Industrial utilities.

5.1 The following methodology shall be followed for license fees/lease rental determination for utility service lines other than localized infrastructure facilities like towers, repeaters and junction boxes).

**License Fees (Rs/sq m/ month) = (Utilized NH land area X prevailing Circle Rate of land per unit area) / (10 x 12) where,**

Utilized NH land area = Outer diameter/width of the concerned utility line X length

5.2 The following methodology shall be followed for license fees/lease rental determination for utility services such as towers/repeaters/ junction boxes etc.

**License Fees (Rs/sq m/ month) = (Utilized NH land area X prevailing Circle Rate of land per unit area) / (10 x 12) where,**

Utilized NH land area = Projection of utility on the ground including area of support system/tower

However, for public utilities, area below the support system/tower shall only be charged.

5.3 Fee shall have to be paid in advance for the period for which permission is granted. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.

5.4 A system to redress grievances and to consider relaxation from the guidelines, in exceptional cases, shall be notified separately and shall be effective from the date of notification.

6. All required restoration, maintenance work subsequent to laying of utility services shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. To process for the granting of permission and prior to signing of Lease agreement, a Performance Bank Guarantee for an amount based on per route metre with a validity of one year initially, in the prescribed format (extendable if required till satisfactory completion of work) shall have to be furnished by the utility service provider/ Licencee, as a security against improper restoration of ground in terms of

*Manoj Kumar*

14

filling/unsatisfactory compaction damages caused to other underground installations/utility services & interference, interruption, disruption or failure caused thereof to any services etc.; Utility services such as pipes etc (rate in per m)	
provided in the ducts already provided	Rs 50
<= 300 mm dia/width	Rs 100
> 300 mm dia/width but <=1000 mm	Rs 250
> 1000 mm	Rs 500
Utility services such as towers etc (rate in Rs per sq m)	Rs 100

In case the Licensee fails to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking.

Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority/ its designated agency for any damage sustained by them by reason of the exercise of the RoW facility.

7. The Authority shall enter into a License Agreement with the respective utility service provider in the format enclosed (**Appendix**) including any other conditions imposed by Highway Administration, to ensure safe and uninterrupted flow of traffic. Post signing of the agreement, the utility service provider shall be designated as 'Licensee' for the purpose of this project and will be authorized to install and operate utility services within the NH RoW. However, utility services shall be made operational by the Licensee only after a completion certificate to the effect is issued by the Highway Administration.

Encls: As above.

*Manoj Kumar*  
**(Manoj Kumar)**  
**Executive Engineer(NFSG) (S,R&T) (Roads)**  
**For Director General (Road Development) & SS**

Copy to:

1. All Technical Officers in the Ministry of Road Transport & Highways
2. All ROs and ELOs of the Ministry
3. The Secretary General, Indian Roads Congress
4. The Director, IAHE
5. Technical circular file of S&R (R) Section
6. NIC-for uploading on Ministry's website under "What's new"

Copy for kind information to:

7. PS to Hon'ble Minister (RTH&S)
8. PS to Hon'ble MOS (RTH&S)
9. Sr. PPS to Secretary (RT&H)
10. PPS to DG (RD) & SS
11. PPS to SS&FA
12. PS to ADG-I/ ADG-II
13. PS to JS (T)/ JS (H)/ JS (LA&C)/ JS (EIC)

\*\*\*\*

**Annexure I****Public Utility provider and Industrial infrastructure****A. Public Utility Provider**

**A Public Utility Provider** in context of this Guideline shall mean any organization that provides and maintains the infrastructure for a public service like electricity, gas, water supply, telecom cables and sewage disposal subject to applicable regulation.

**B. Eligible activities for Industrial Units or 'Industrial Infrastructure'**

**Industrial Infrastructure** in context of this Guideline shall mean any physical infrastructure that is required to facilitate industrial operations and is constructed, operated and maintained along/across Right of Way of National Highways. Such infrastructure shall include the following:

- a. Underground & above ground pipelines including provisions for booster pumping facilities, maintenance bays and other required support infrastructure for transport of legally permitted materials for industrial usage by a business entity having valid license for industrial operations.
- b. Conveyor Belts including provisions for maintenance bays and other required support infrastructure for transport of legally permitted materials, by a business entity having valid license for industrial operations.
- c. Power cables/wires etc. meant for industrial usage by a business entity having valid license for industrial operations.
- d. Any other such associated industrial infrastructure facility.

**Government of India**  
**Ministry of Road Transport and Highways**  
(Highway Administration Cell)

Transport Bhavan, I, Parliament Street, New Delhi — 110 001

**No. NH-36094/01/2022-S&R(P&B) (E-208825)**

**Dated: 24<sup>th</sup> April, 2023**

To

1. The Chief Secretaries of all the State Governments/UTs
2. The Principal Secretaries/ Secretaries of all States/ UTS Public Works Department dealing with National Highways, other centrally sponsored schemes.
3. All Engineers-in-Chief and Chief Engineers of Public Works Department of States/ UTs dealing with National Highways, other Centrally Sponsored Schemes.
4. The Director General (Border Roads), Seema Sadak Bhawan, Ring Road, New Delhi 110 010.
5. The Chairman, National Highways Authority of India, G-5 & 6, Sector-10, Dwarka, New Delhi-110 075.
6. The Managing Director, NHIDCL, PTI Building, New Delhi-110001
7. ROs, ELOs and PIUs of the MoRTH.

**Subject- Accommodation of Public and Industrial Utility Services along and across National Highways- Policy guidelines; Clarifications regarding.**

Sir,

In supersession of policy circular No. **NH-36094/01/2022-S&R(P&B)** dated **17<sup>th</sup> April, 2023**, the following amendments are issued herewith with reference to Ministry's policy circular no **RW/NH-33044/29/2015-S&R(R)** dated **22.11.2016** regarding permission for laying of utilities in NH ROW with immediate effect:

<b>Clause</b>	<b>Existing provision</b>	<b>Amendments</b>
<b>3.1</b>	The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry.	The utility services shall normally be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry. Alternatively, for crossing of NH by pipelines for petroleum products, Horizontal Directional Drilling (HDD) method may be used


		without casing/ conduit pipe following the safety precautions and Codes as given in Annexure II.
5.	<p><b>Charges for granting licence for use of highway land:</b> For the purpose of license fee/lease rentals, the utilities have been divided into two categories; i) Public utilities and b) Industrial utilities as per the details given in Annexure I.</p> <p>License Fee/lease rentals described below is for Industrial utilities. The license fee for Public utilities shall be 33% of the fee prescribed for Industrial utilities.</p>	<p><b>Charges for granting licence for use of highway land:</b> For the purpose of license fee/lease rentals, the utilities have been divided into two categories; i) Public utilities and b) Industrial utilities as per the details given in Annexure I.</p>
5.1	<p>The following methodology shall be followed for license fees/lease rental determination for utility service lines other than localized infrastructure facilities like towers, repeaters and junction boxes).</p> <p><b>License Fees (Rs/sq m/ month) =</b> <b>(Utilized NH land area X Prevailing Circle Rate of land per unit area) / (10 X 12) where,</b></p> <p>Utilized NH land area = Outer diameter/width of the concerned utility line X length</p>	<p>License Fee for Industrial Utilities shall be equal to utilized NH land area X Prevailing Circle Rate of land per unit area X 10% per annum.</p> <p>Utilized NH land area shall include projection of utility on ground including area of support system / tower.</p> <p>License fee for total term of license (up to maximum of 5 years) shall be deposited in advance.</p>
5.2	<p>The following methodology shall be followed for license fees/lease rental determination for utility services such as towers/repeaters junction boxes etc.</p> <p><b>License Fees (Rs/sq m/ month) =</b> <b>(Utilized NH land area X Prevailing Circle Rate of land per unit area) / (10 X 12) where,</b></p>	<p>License Fee for public utility shall be equal to utilized NH land area X Prevailing Circle Rate of land per unit area X 1.5% per annum, subject to minimum of Rs. 10,000/-, with 6% annual increment.</p> <p>Utilized NH land area shall include area of support system / tower but not include projection of utility on ground.</p>

	Utilized NH land area = Projection of utility on the ground including area of support system/tower. However, for public utilities, area below the support system/tower shall only be charged.	There shall be no license fee for OFC cables crossing the NH through HDD method. License fee for total term of license (up to maximum of 5 years) shall be deposited in advance.
--	---	--

2. The other provisions of policy circular No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 and amendments to guidelines issued vide circular No. RW/NH-33044/29/2015-S&R (R) dated 29th July, 2022 shall continue to be applicable in the subject matter.

3. This issues with the approval of competent authority.

Yours faithfully


  
(Rakesh Prakash Singh)  
Superintending Engineer (HA)

Copy to:

1. AS/ JS/CEs in MoRTH
2. Director, IAHE
3. The Secretary General, Indian Roads Congress
4. Technical circular file of S&R(P&B) Section and Road Safety Engineering Cell
5. NIC-for uploading on Ministry's website under "What's new"

Copy for information to:

1. PS to Hon'ble Minister (RT&H)/ PS to Hon'ble MOS (RT&H)
2. Sr. PPS to Secretary (RT&H)/ Sr. PPS to AS(H)/ Sr. PPS to AS&FA
3. Sr. PPS to DG (RD) & SS/ Sr. PPS / PPS /PS to ADG-I/II/III/IV

  
(Rakesh Prakash Singh)  
Superintending Engineer (HA)


## Annexure II

**A. Codes/ publications for guidance on design of Horizontal Directional Drilling crossing for Petroleum Pipelines**

- Oil Industry Safety Directorate Code: IOSD Code-141.
- American Gas Association PR-227-9424 "Installation of Pipelines by Horizontal Directional Drilling an Engineering Design Guide".
- American Society of Civil Engineering Practice No.89 – "Pipeline Crossings Handbook".
- Directional Crossing Contractors Association publications "Guidelines for a Successful Directional Crossing Bid Package", "Directional Crossing Survey Standards" and "Guidelines for Successful Mid-Sized Directional Drilling Projects."

**B. Safety precautions and plan to be submitted along with the proposal for HDD crossings:**

- Before taking up the HDD work, area to be scanned by suitable methods like GPR to locate all underground utilities. Accordingly, crossing plan and profile drawings to be developed showing all pipelines, utilities, cables and structures that cross the drill path, are parallel to and within 30m of the drill path and that are within 30m of the drilling operation, including mud pits and bore pits.
- Damage prevention plan to reduce or avoid the likelihood of damage to adjacent underground facilities, including pipelines, utilities, cables and other subsurface structures considering the accuracy of the method in locating existing structures and in tracking the position of the pilot string during drilling. Consideration should be given to having an auxiliary location system to include manual excavation to ensure that the drilling bit or reamer is following the projected path and does not encroach upon crossing or parallel lines. The damage prevention plan should include provision for sending notification to all affected parties.
- Safety plan to include contingency plans in the event the drilling string impacts subsurface facilities and identify facilities and resources to be utilized in the event of an emergency or any personnel injuries. The safety plan shall be reviewed on site with all construction personnel prior to the commencement of drilling operations.
- Plan for containment and disposal of drilling fluids, if used.
- Hydrostatic test plan that should consider pretesting of the fabricating string(s) prior to installing the crossing.
- Testing plan be agreed upon the measures like Cathodic protection, periodic inspection be outlined and Supplementary extra thickness of pipe be ensured to compensate for corrosion.
- Pipeline laying agencies to submit annual certificates of inspection after laying.



## Application Details [20260112/1/7/28348/20313]

<b>Highway</b>	NH226 [NH226]
<b>Name of Highway Authority</b>	NHAI Dwarka New delhi
<b>Highway Administration Address</b>	Karaikudi Karaikudi
<b>Whether the Fuel Station is part of Rest-area complex</b>	No
<b>Name of Applicant/Oil Company</b>	K.KARUPPIAH Address: EXECUTIVE ENGINEER TWAD BOARD RWS DIVISION NEW INTEGRATED OFFICE BULIDING OPP TO KV SCHOOL SIVAGANGAI 630561, SIVAGANGAI (TAMIL NADU), PIN: 630561 Phn: 6379775869 Email: eerwssvg@gmail.com
<b>Application Category</b>	Public Utility
<b>Utility</b>	Water
<b>State</b>	TAMIL NADU
<b>Type</b>	New
<b>Remarks</b>	Laying of Water Pipe line in NH-226 ( Manamadurai - Tanjore Section) Across the road at Km.137/550 by HDD method
<b>Submitted On</b>	12 Jan 2026 11:49:10

Details		
<b>1. Length in Meters *</b>		29
<b>2. Width of available ROW</b>		
<b>I. Left side from center line towards increasing chainage OR km direction *</b>		15
<b>II. Right side from center line towards increasing chainage OR km direction *</b>		15
<b>3. Proposal to lay the utility</b>		
<b>I. Left side from center line towards increasing chainage OR km direction *</b>		14.5
<b>II. Right side from center line towards increasing chainage OR km direction *</b>		14.5
<b>4. Proposal to acquire the land</b>		
<b>I. Left side from center line *</b>		14.5
<b>II. Right side from center line *</b>		14.5
<b>5. Whether proposal is in the same side where land is not to be acquired *</b>		No
<b>If not then where to lay the cable *</b>		NA
<b>6. Details of already laid services if any along the proposed route *</b>		NA
<b>7. Number of Existing lanes *</b>		4 Lane
<b>8. Proposed number of lanes *</b>		4 Lane
<b>9. Service road Exists *</b>		No

<b>10. Proposed Service road</b>		
<b>Left side from center line</b>		0
<b>Right side from center line</b>		0
<b>11. Whether proposal to lay cable is after the service road or between the service road and main carriageway *</b>		N/A
<b>12. Whether carrying OFC Cable has been proposed on highway /bridges, If yes then mention the methodology proposed for the same *</b>		NA
<b>13. Is crossing of the road involved? If Yes, is shall be either encased in pipes or through structure of conduits specially built for the purpose at the expense of the agency owing the line *</b>		YES
<b>I. Whether the existing drainage structures are allowed to carry utility pipeline. *</b>		NA
<b>II. Is it on a line normal to NH? *</b>		Yes
<b>III. What is the distance of crossing the utility pipelines from the existing structure? Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 mtrs. *</b>		29.00

<p><b>IV. The casing pipe (or conduit pipe in the case of electric cable) line carrying the utility line shall be of steel, cast iron or reinforced concrete and have adequate strength and be large enough to permit ready withdrawal of carrier pipe/cable Mention type of casting. *</b></p>		YES
<p><b>V. Ends of the casing/conduit pipe shall be sealed from outside, so that it does not act as a drainage path *</b></p>		YES
<p><b>VI. The casing/conduit pipe should be as minimum extend from drain in cuts toe of slope in fills. *</b></p>		YES
<p><b>VII. The installation of Casing pipe shall be as per attachment-1 of Ministry's Guidelines dated 22.11.2016 *</b></p>		YES
<p><b>VIII. Mention the methodology proposed for crossing of road for the proposed sewerage / gas pipeline crossing shall be boring method (HDD) (Trenchless Technology) specially where the existing road pavement is of cement concrete of dense bituminous concrete type. *</b></p>		YES (Open Trench & HDD) Method
<b>14. Whether the proposal satisfies the following:</b>		

<p><b>I. Where the ROW is more than 45 M then the duct cable shall be laid at the edge of right of way within the utility corridor of 2 M width, duly keeping in view the future widening. *</b></p>		NA
<p><b>II. Where land is yet to be acquired for 4 laning and the position of new carriageway has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2 M width, on that side of existing carriageway where extra land is not proposed to be acquired for 4 laning. *</b></p>		NA
<p><b>III. Where the widening plan for 4 laning is not yet decided and available ROW is around 30 M or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5 M to 2m of utility corridor at the edge of existing ROW, duly keeping in view the possible widening plans. *</b></p>		NA
<p><b>IV. Where ROW is restricted and adequate only to accommodate the carriageway, central verge, shoulders and drains (e.g. Highways in cutting through hilly/rolling terrain), the cable shall be laid clear of the drain. *</b></p>		NA

V. Where land strip for utility corridor can't be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/ducts, the permission may be refused. *	NA
15. Document/Drawings enclosed with the proposal *	Yes
I. Cross section showing the size of trench for open trenching method (is it normal size of 1.2m (min.) deep x 0.3 wide) *	YES
II. Cross section showing the size of pit and location of cable for HDD method *	YES
III. Strip plan/ Route plan showing the OFC, Chainage width of ROW, distance of proposed, cable from the edge of ROW, important milestone, intersections, cross drainage works etc. *	YES
IV. Methodology of laying of the Utility Pipeline/OFC *	YES HDD Method
V. Open trenching method (may be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type) If yes what is the Methodology of refilling of trench *	YES

<p><b>(a) The trench width should be at least 30 cms but not more than 60 cms wider than the outer diameter of the pipe *</b></p>		YES
<p><b>(b) For filling of the trench, bedding shall be to a depth of not less than 30 cms. It shall consist of granular material, free of lumps, clods, cobbles and graded to yield firm surface without sudden change in the bearing value, unsuitable soil and rock edges should be excavated and replaced by selected material *</b></p>		YES
<p><b>(c) The backfill shall be completed in two stages, i) Side fill to the level of the top of the pipe and ii) Overfill to the bottom of the road crust *</b></p>		YES
<p><b>(d) The side fill shall consist of granular material laid in 15 cms, layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the proctor density. Overfill shall be compacted to the same density as the material that has been removed. *</b></p>		YES

(e) The road crust shall be built to the same strength as existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. *	YES
(f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. *	YES
(g) If required, a diversion shall be constructed at the expense of agency owing the utility line. *	YES
<b>VI. Horizontal Directional Drilling (HDD) Method *</b>	YES
<b>VII. Laying OFC through CD Works and Method of laying (Whether to be hung outside parapet). *</b>	NA
<b>16. Draft license Agreement signed by two witnesses. *</b>	Yes, Enclosed with Proposal
<b>i. The license fee estimate as per Ministry's guidelines issued vide circular no. RW/NH/33044/29/2015/S&amp;R dated 22.11.2016. *</b>	Yes, Enclosed with Proposal
<b>17. Whether Performance Bank Guarantee is as per Ministry's guidelines issued vide circular no. RW/NH/33044/29/2015/S&amp;R, dated 22.11.2016. *</b>	No
<b>i. Confirmation of BG has been obtained as per MoRTH guidelines *</b>	No
<b>18. Affidavit/Undertaking from the Applicant for following is to be furnished</b>	

<b>a) Undertaking not to Damage to other utility, if damage then to pay the losses either to NHAI or the concerned agency. *</b>	Yes
<b>b) Undertaking Renewal of Bank Guarantee as and when asked by MoRTH. *</b>	Yes
<b>c) Undertaking Confirming all standard condition of Ministry's guidelines. *</b>	Yes
<b>d) Undertaking for indemnity against all damages and claims *</b>	Yes
<b>e) Undertaking for management of traffic movement during laying of utility line without hampering the traffic *</b>	Yes
<b>f) Undertaking that if any claim is raised by the concessionaire/ contractor then the same has to be paid by the applicant. *</b>	Yes
<b>g) Undertaking that prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alteration to the utility located in the National Highway Right of Ways. *</b>	Yes

<p><b>h) Undertaking that expenditure is any incurred by NHAI for repairing any damage cause to the NH by laying, maintenance of shifting of the utility line will be borne by the applicant agency owing the line. *</b></p>		Yes
<p><b>i) Undertaking that text of the license deal is as per verbatim of format issued by MoRTH vide circular no. RW/NH/33044/29/2015/S&amp;R dated 22.11.2016 *</b></p>		Yes
<p><b>j) Undertaking for shifting of utility as and when asked by MoRTH/ NHAI. *</b></p>		Yes
<p><b>k) Certificate from the applicant in the following format</b></p>		
<p><b>l) We do undertake that I/we will relocate service road/approach road/utilities at my/our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six laning or/any other development</b></p>		
<p><b>19. Who will sign the agreement on behalf of Applicant agency? Power of Attorney to sign the agreement is available or not. *</b></p>		Executive Engineer, TWAD Board, RWS Division, Sivagangai.
<p><b>20. The Power of Attorney is in favour of authorized signatory? *</b></p>		Yes

Locations						
Sno	State	District	Highway /Stretch	Start Point	End Point	View
1	TAMIL NADU	SIVAGANGAI	NH226 [NH226] (0.00-154.93) From Km: 0 To Km: 138	Chainage Point: 137.5 Lat: 9.842 Lng: 78.473	Chainage Point: 137.6 Lat: 9.843 Lng: 78.475	View

Documents				
Sno	Stage	Document	Mandatory	Action
1	Under Submission	Layout and Drawings	Yes	View
2	Under Submission	Any Other Supporting Document	No	--
3	Under Submission	Any Document to indicate commercial activities are allowed on the land.	No	--
4	Under Submission	Safety Clearance from Directorate of Electricity	No	--
5	Under Submission	Safety Clearance from Chief Controller of Explosives	No	--
6	Under Submission	Safety Clearance from Petroleum and Explosives Safety Organisation	No	--
7	Under Submission	Safety Clearance from Oil Industry Safety Directorate	No	--
8	Under Submission	Safety Clearance from State/Central Pollution Control Board	No	--
9	Under Submission	Any Other Statutory Clearance as applicable	No	--

## Applicable Fee Details

Sno	Fee Head	Stage	Fee	Amount	Status
1	Utility Fees	Under Submission	Processing Charges	10000.00	