

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(MInIstry of Road Transport and Highways, Government of India) क्षेत्रीय कार्यालय—पश्चिम उ०प्र०, लखनऊ Regional Office - West UP, Lucknow.

3/248, विशाल खण्ड, गोमती नगर, लखनऊ—226010 (उ.प्र.) 3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291, टेलीफैक्स / Fax : 0522-4950680 ई—मेल / E-mail : rowestup@nhai.org, rowestup@gmail.com



Date: 25.07.2022

19001/1/RO-W-UP/M-M/NH-709AD/Pkg-3/NOC/1487

Invitation of Public Comments

Sub: Request for the permission for laying of underground gas pipeline (8" Dia of steel Pipe and 125 mm dia MDPE gas pipeline) by HDD/Trenching method of M/s Indraprastha Gas Ltd. from design ch.97+450 to design ch.104+450(LHS) and crossing at design ch.102+950 of the National Highway. The total section length for ROW applied is 7.0 km and crossing length is 45.0m on along Muzaffarnagar - Miranpur Road, National Highway, New NH-709AD (Old SH-12A), in the State of Uttar Pradesh.

The Authorized Signatory M/s Indraprastha Gas Ltd. has submitted the proposal for granting permission for laying of underground gas pipeline (8" Dia of steel Pipe and 125 mm dia MDPE gas pipeline) by HDD/Trenching method of M/s Indraprastha Gas Ltd. from design ch.97+450 to design ch.104+450(LHS) and crossing at design ch.102+950 of the National Highway. The total section length for ROW applied is 7.0 km and crossing length is 45.0m on along Muzaffarnagar - Miranpur Road, National Highway, New NH-709AD (Old SH-12A), in the State of Uttar Pradesh.

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/ 2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The Chief General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow-226 010

This is issues with the approval of RO-West (UP).

Encl: As above.

(Roopak Jain) Manager (T) For RO-West, UP

Copy to:

1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.

2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.

3. The Authorized Signatory, M/s Indraprastha Gas Ltd., New Delhi for information.

4. The PD, PIU-Baghpat for information.



CHECK LIST

Guidelines for Accommodation of Public and Industrial Utility Services along and across National Highways.

Ministry's circular No.RW/NH-33044/29/2015/S&R® dated 22.11.2016.

Check list for getting approval for laying of cables on NH land

S. No.	Item	Information/ Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant	M/s INDRAPRASTHA GAS LIMITED "IGL Bhawan, Plot No.4, Community Centre, R.K. Puram, Sector-9, New Delhi- 110022"	
1.2	National Highway Number	Muzzafar Nagar - Miranpur Road, New NH-709AD (OLD SH- 12A)	
1.3	State .	Uttar Pradesh	
1.4	Location	Design CH. 97+450 to Design CH. 104+450 and Crossing at Design CH. 102+950.	
1.5	(Chainage in Km)	Design CH. 97+450 to Design CH. 104+450 and Crossing at Design CH. 102+950.	
1.6	Length in Meters	7.0KM. & 45.0m	
1.7	Width of available KOW	Design CII. 97+450 to Design CH. 103+500 - 45m & Design CH. 103+500 to	
	() Letteride from contantling towards increasing	Design CH. 104+450 = 60m Design CII. 97+450 to	
	(a) Left side from center line towards increasing Chainage/ km direction	Design CH. 103+500 = 22.50m & Design CH. 103+500 to Design CH. 104+450 = 30m	
	(b) Right side from center line towards increasing Chainage/km direction	Design CH. 97+450 to Design CH. 103+500 = 22.50m & Design CH. 103+500 to Design CH. 104+450 = 30m	
1.8	Proposal to lay underground Gas Pipe Line	Along the Carriageway & across at Ch.102+950.	
	(a) Left side from center line towards increasing Chainage/km direction	Design CH. 97+450 to Design CH. 103+500 = 22.50m & Design CH. 103+500 to Design CH. 104+450	

Roulis

RACHIN KANSAL D.G.M.

I.G.L. Muzaffarnagar



Project Director National Highway Authority of India PIU-Baghpat

	(b) Right side from center line towards increasing Chainage/ km direction	N/A	
1.0	Proposal to acquire land	N/A	
1.9	(a) Left side from center line		
	(b) Right side from center line		
1.0	Whether proposal is in the same side where land is not	Yes, As Per Drawing	
.10	whether proposal is in the same side where land is not	Attached	
	to be acquired	Within available ROW	
	If not then where to lay underground Gas Pipe Line	N/A	
.11	Details of already laid services, if any, along the	14/71	
	proposed route.	2 Lanes (Existing)	
.12	Number of lanes (2/4/6/8 lanes) existing	Proposed 4 lane with	
.13	Proposed Number of lanes (2 lane with paved	paved shoulder	
	shoulders / 4/6/8 lanes)	No No	
.14	Service road existing or not	INO	
	If yes then which side		
	(a) Left side from center line		
	(b) right side from center line		
.15	Proposed Service Road	Yes	
	(a) Left side from center line	Yes	
	(b) Right side from center line	Yes	
1.16	Whether proposal of lay underground Gas Pipe Line is	After the main	
1.10	after the service road or between the service road and	carriageway	
	main carriageway		
17	The permission for laying underground Gas Pipe Line	For Approval	15.00
1.17	shall be considered for approval/rejection	- FI	
	(i) Where the ROW is more than 45 m then the duct	ROW is	
	cable shall be laid at the edge of right of way within	Design CH. 97+450 to	
	cable shall be laid at the edge of right of way within	Design CH. 103+500	
	the utility corridor of 2m width, duly keeping in view	= 45m	
	the future widening	&	
		Design CH. 103+500 to	
		Design CH. 104+450	
		= 60m	
	(ii) Where land is yet to be acquired for 4 laning and	No	
	the position of new carriageway has been decided then		
	the cable shall be laid at the edge of right of way		
	within the utility corridor of 2m width, on that side of		
	existing carriageway where extra land is not proposed		
	to be acquired for 4 – laning		
7.7.	(iii) Where the widening plan for 4 – laning is not yet	N/A	
	decided and available ROW is around 30m or less, a		
	judicious decision would need to be taken for		
	permitting the laying of cable/ duct. This could be		
	within 1.5m to 2m of utility corridor at the edge of		
	existing ROW, duly keeping in view the possible		
	widening plans.		
-	(iv) Where ROW is restricted and adequate only to	N/A	
	accommodate the carriageway, central verge,		
	shoulders and drain (e.g., highways in cutting through	1	
	billy/relling terrain) the cable shall be laid clear of		
	hilly/ rolling terrain), the cable shall be laid clear of		
	the drain.	N/A	
	(v) Where land strip for utility corridor cannot be		
	conveniently ear-marked (available ROW restricted to		
	the toe of the embankment) for laying of cable/ ducts,		-

RACHIN KANSAL Mit D.G.M.

I.G.L. Muzaffarnagar

June 1



Project Director
National Highway Authority of India
PIU-Baghpat



	the permission may be refused.	G: 1 A 1:
.18	No. of applicants on the same stretch	Single Applicant
.19	Whether the case of multiple licenses	No
.20	If so, furnish a joint implementation programmer to lay their respective ducts within stipulated time frame.	N/A
1.21	If crossings of the road involved. If yes it shall only be through trench – less technology	Yes, through HDD
2	Documents/ drawing enclosed with the proposal.	Yes
2.1	Cross-section showing the size of trench for open trenching method.	Yes, Drawings are enclosed
2.2	Cross section showing the size of pit and location of Gas Pipe Line for HDD method.	Shown in drawing
2.3	Strip plan/ Route Plan showing the gas Pipe Line, Chainage, width of ROW, distance of proposed cable from the edge of ROW, important mile stone, intersection, cross drainages works etc.	Shown in drawing
2.4	Methodology for laying of underground Natural Gas Pipe Line.	Enclosed
2.4.1	Laying of underground Natural Gas Pipe Line along the National Highway through Open trenching method. or trench less method.	Through HDD trenching Method
2.4.2	Horlzontal Direction Drilling (IIDD) Method for crossing of National Highway.	Yes, through HDD/ trenchless Method
2.4.3	Laying of underground Natural Gas Pipe Line through CD works and method of laying (whether to be hung outside parapet).	N/A
3.	Draft License Agreement signed by two witnesses	Yes
4	Performance Bank Guarantee	
4.1	Confirmation of BG has been obtained as per NHAI guidelines	BG Shall be submitted as per NHAI/ MORTH Guidelines
5	Affidavit / Undertaking from the Applicant for	
5.1	Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Yes Enclosed
5.2	Renewal of Bank Guarantee	Yes
5.3	Confirming all standards condition of NHAI guidelines.	Yes Enclosed
5.4	Shifting of PNG/OFC/ Cables as and when required by NHAI	Yes Enclosed
5.5	Shifting due to 6 Lanning / widening of NH	Yes Enclosed
5.6	Indemnity against all damages and claims clause (xxiv).	Yes Enclosed
5.7	Traffic movement during laying of PNG/OFC/ Cables to be managed by the applicant.	Yes Enclosed
5.8	If any claim is raised by the concessionaires, then the same has to be paid by the applicant.	Yes Enclosed
5.9	Certificate for 6 – laning from the applicant in the following format:	Yes Enclosed
	"We do undertake that I will relocate service road/ approach road/ utilities at my own cost	

RACHIN KANSAL OF the Condition of the Co



(33)

	talle. The first of the companies of the		
	notwithstanding the permission granted within such		
	time as will be stipulated by NHAI" for future six -		
	laning or any other development."		
6	Power of Attorney in favour of authorized signatory	Yes Enclosed	
7	Copy of DOT license	N/A	
8	Certificate from the Project Director		
8.1	Certificate for confirming of all standard condition issued vide Ministry Circular No.RW/NH-33044/17/2000/S&R dated 29.09.200 and NHAI guidelines issued vide No. NHAI/OEC/2k/Vol II dated: 07.11.2000 and Ministry Circular No. RW/NH33044/27/2000 S&R dated: 21.03.2006.	Yes Enclosed	
8.2	Certificate for 4 – laning from PD in the following format.		
	(a) Where feasibility is available "I do certify that there will be no hindrance to Proposed 4-laning based on the feasibility report considering proposed structures at the said location".	Yes Enclosed	
9	The agreement fee of Rs. 20,10,535.263/- shall be charged	Yes Enclosed	
10 .	If NH section proposed to be taken up by NHAI on BOT basis a clause in para 17 to be inserted in the	N/A	
	agreement "The permitted the right to lay cable/ duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of section from km		
11	Who will supervise the work of laying of PNG/OFC/cable	M/s INDRAPRASTIIA GAS LIMITED.	
12	Who will ensure that the defects in road portion after laying of PNG/OFC/ Cable are corrected and if not corrected then what action will be taken	M/s INDRAPRASTHA GAS LIMITED.	
13	Who will pay the claims for damages done/ disruption in working of Concessionaire if asked by the Concessionaire	M/s INDRAPRASTHA GAS LIMITED.	
14	If any previous approval is accorded for laying of cable, then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular No. RW/NH-33044/29/2015/S&R® dated 22.11.2016 as referred in Para 4 above is	No	
	enclosed or not.		

Authorized Signatory
(M/s. INDRAPRASTHA GAS LIMITED)

لسا



RACHIN KANSAL D.G.M. I.G.L. Muzaffarnagar

