



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

क्षेत्रीय कार्यालय-पश्चिम उ०प्र०, लखनऊ Regional Office - West UP, Lucknow.

3/248, विशाल खण्ड, गोमती नगर, लखनऊ-226010 (उ.प्र.)

3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291, टेलीफैक्स / Fax : 0522-4950680

ई-मेल / E-mail : rowestup@nhai.org, rowestup@gmail.com

19001/1/RO-W-UP/NH-34/4"Dia-UG/15.600/1179

Dated: 28.01.2022

### Invitation of Public Comments

**Sub:** Permission for laying 4" Dia Steel Pipeline across NH-119 (New NH-34) (Meerut-Nazibabad Road) at Ch. 15.600 km. development CGD Network in Meerut District in the State of Uttar Pradesh.

The Dy. General Manager (CGD) M/s GAIL Gas Limited, Meerut has submitted the proposal for the permission for laying 4" Dia Steel Pipeline across NH-119 (New NH-34) (Meerut-Nazibabad Road) at Ch. 15.600 km. development CGD Network in Meerut District in the State of Uttar Pradesh.

2. From the submitted proposal, it is seen that the Laying/Crossing of underground Gas Pipeline is proposed 4" Dia at Ch. 15.600 (Between km. 15.500 to km. 15.700) (Length = 60m) on NH-119 (New NH-34) of Meerut-Nazibabad Road. The Left as well as Right side from centre line towards increasing Chainage/km direction is 30-30m. Laying/Crossing work will be carried out through Horizontal Directional Drilling (HDD) method. The existing NH is 4-Lane divide carriageway.

3. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The Regional Officer,  
National Highways Authority of India  
Regional Office, UP-West, Lucknow  
3/248, Vishal Khand, Gomti Nagar  
Lucknow-226 010

This issues with the approval of RO-UP (West), Lucknow.

**Encl:** As above.

*(Signature)*  
(N.P. Singh)  
DGM (T)

For RO-UP (West)

#### Copy to:


1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.
2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.
3. The Dy. General Manager (CGD) M/s GAIL Gas Limited, Meerut for information.
4. The PD, PIU-Meerut for information.



## CHECK – LIST

### Check list for getting approval for laying of Gas pipeline on NH Land

Sr. No.	Item	Information / Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant / Agency	GAIL Gas Limited C-67/5, First Floor, Jagriti Vihar, In front of LLRM, Medical College Garh Road, Meerut - 250004, U.P.	
1.2	National Highway Number	NH-34	
1.3	State	Uttar Pradesh	
1.4	Location	Meerut	
1.5	(Chainage in km)	<b>Across the Road:</b> Across at Ch: 15.600km (Between km Stone 15.500 to 15.700 km)	
1.6	Length in Meters	<b>Across the Road:</b> Across on Ch: 15.600 km Between km Stone 15.500 to 1.700 km (Length = 60 m)	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage / km direction	Between km Stone 15.030 km and 15.600 km (30 m)	
	(b) Right side from center line towards increasing chainage / km direction	Between km Stone 15.030 km and 15.600 km (30 m)	
1.8	Proposal to lay underground Gas pipeline		
	(a) Left side from center line towards increasing chainage / km direction	Yes	
	(b) Right side from center line towards increasing chainage / km direction		
1.9	Proposal to acquire Land	N/A	
	(a) Left side from center line		
	(b) Right side from center line		
1.10	Whether proposal is in the same side where land is not to be acquired	N/A	
	If not then where to lay the cable		
1.11	Details of already laid services, if any, along the proposed route	N/A	
1.12	Number of lanes (2 / 4 / 6 / 8 lanes) existing	4 Lane	
1.13	Proposed Number of lanes (2 lane with paved shoulders / 4 / 6 / 8 lanes)		
1.14	Service Road existing or not	No	
	If yes then which side		
	(a) Left side from center line		

  
 July 5, 2022



	(b) Right side from center line		
1.15	Proposed Service Road	Yes	
	(a) Left side from center line	Yes	
	(b) Right side from center line	Yes	
1.16	Whether proposal to lay Gas pipeline is after the service road or between the service road and main carriageway	N/A	
1.17	The permission for laying of Gas pipeline shall be considered for approval / rejection based on the Ministry Circulars mentioned as above.	Yes	
	(a) Carrying of sewage / Gas pipelines on highway bridges shall not be permitted as Fumes / Gas pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of Gas.	For Natural Gas pipeline	
	(b) Carrying of Gas pipelines on bridges shall not be discouraged. However, if the Gas authorities seem to have no other viable alternative and approach the highway authority well in time before the design of the bridge is finalized, they may be permitted to carry the pipeline on independent superstructure, supported on extended portions of piers and abutments in such a manner that in the final arrangement enough free space around the superstructure of the bridge remains available for inspection and repairs etc.	N/A	
	(c) Cost of required extension of the substructure as well as that of the supporting superstructure shall be borne by the agency-in-charge of the utilities.	N/A	
	(d) Services are not being allowed indiscriminately on the parapet / any part of the bridges, Safety of the bridges has to be kept in view while permitting various services along bridge. Approvals are to be accorded in this regard with the concurrence of the Ministry's Project Chief Engineers only.	N/A	
1.18	If crossings of the road involved If Yes, it shall be either encased in pipes or	Yes	



	through structure or conduits specially built for that purpose at the expenses of the agency owning the line		
	(a) Existing drainage structures shall not be allowed to carry the lines.	Agree	
	(b) The utility services shall cross the National Highway preferably on a line normal to it or as nearly show as practicable. GAIL Gas Limited shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry.	Yes	
	(c) The casing pipe may be installed under the route embankment either by boring or digging a trench. Installation by boring method shall prefer.	Yes	
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe / cable.	Yes	
	(e) Ends of the casing / conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Yes	
	(f) The casing / conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills.	Yes	
	(g) The top of the casing / conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 meter below the drain inverts.	Yes	
	(h) Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense	Yes	



	bituminous concrete type.		
	(i) The casing / conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a Gas way along it.	Yes	
2	Document / Drawings enclosed with the proposal	Enclosed	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2-meter-deep X 0.6 meter wide)  (i) Should not be greater than 60 cm wider than the outer diameter of the pipe (ii) Located as close to the extreme edge of the right-of-way as possible but the utility services shall cross the National Highway preferably on a line normal to it or as nearly so as practicable. (iii) The casing pipe shall be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred. (iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	Enclosed	
2.2	Cross section showing the size of pit and location of cable for HDD method	Enclosed	
2.3	Strip plan / Route plan showing Gas pipeline, Chainage, width of ROW, distance of proposed cable from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	
2.4	Methodology for laying of Gas pipeline	Enclosed	
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Agree	
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Agree	
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and	Agree	

  
 July 5, 2022



	cobbles and graded to yield a firm surface without sudden change in the bearing value.		
	Unsuitable soil and rock edged should be excavated and replaced by selected material.	Agreed	
	(c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed	
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Agreed	
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Agreed	
	(f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours.	Agreed	
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line	Agreed	
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes	
2.4.3	Laying of Gas pipeline through CD works and method of laying		
	(a) The utility services shall cross the National Highway preferably on a line normal to it for as nearly so as practicable and subject to all other stipulations contained in this Ministry's guidelines issued with letter No. RW / NH-33044 / 29 / 2015 / S&R (R) – Dtd. 22 <sup>nd</sup> November, 2016	Yes	
3	Draft License Agreement signed by two witnesses	Enclosed	
4	Performance Bank Guarantee in favour of NHAI has to be obtained @ Rs..... per running meter (parallel to NH) and Rs ..... per crossing of NH, for a	Value of such PBG to be informed by NHAI. Will be obtained and submitted to NHAI accordingly.	



	period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables / ducts by proper filling and compaction, clearing debris / loose earth produced due to execution of trenching at least 50 meters away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris / loose earth.		
4.1	Performance BG as per above is to be obtained.	Yes	
4.2	Confirmation of BG has been obtained as per NHAI guidelines	No	
5	Affidavit / Undertaking from the Applicant for		
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Enclosed	
5.2	Renewal of Bank Guarantee	Enclosed	
5.3	Confirming all standard condition of NHAI guideline	Enclosed	
5.4	Shifting of Gas Pipeline as and when required by NHAI at their own cost	Enclosed	
5.5	Shifting due to 6 laning / widening of NH	Enclosed	
5.6	Indemnity against all damages and claims clause (xxiv)	Enclosed	
5.7	Traffic movement during laying of Gas pipeline to be managed by the applicant	Enclosed	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	Enclosed	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs or alterations to the showing Gas Pipeline located in the National Highway right-of-ways.	Enclosed	
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas Pipeline will be borne by the agency owning the line.	Enclosed	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency	Enclosed	

  
 July 5, 2022



	owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.		
5.12	Certificate from the applicant in the following format	Enclosed	
	(i) Laying of Gas Pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic.		
	(ii) for 6 – laning “We do undertake that I will relocate service road / approach road / utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI” for future Six – laning or any other development.”		
6	Who will sign the agreement on behalf of Gas Pipeline agency Power of attorney to sign agreement available or not	Ankur (Dy. General Manager, CGD) GAIL Gas Limited.	
7	Certificate from the Project Director		
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. – NH-41(58) / 68 dated – 31.01.1969, Ministry Circular No. – NH-III / P / 66 / 76 dated – 18 / 19.11.1976, Ministry Circular No. – NH-RW / NH-III / P / 66 / 76 dated – 11.5.1982, Ministry Circular No. – RW / NH-11037 / 1 / 86 – DOI (ii) dated – 28.7.1993, Ministry Circular No. – RW / NH-11037 / 1 / 86 / DOI dated – 19.1.1995, Ministry Circular No. – RW / NH-34066 / 2 / 95 S&R dated – 25.10.1999, Ministry Circular No. – RW / NH-34066 / 7 / 2003 S&R (B) dated – 17.9.2003 and RW / NH-33044 / 29 / 2015 / S&R(R) – Dated 22 <sup>nd</sup> November, 2016	Yes	
7.2	Certificate from PD in the following format	Yes	
	(i) “It is certified that any other location of the Gas Pipeline would be extremely difficult and unreasonable costly and the installation of Gas Pipeline within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing		



