Government of India

Ministry of Road Transport & Highways (Chief Engineer - Regional Office, Lucknow)

N.H. Bhawan, Biotech Chowk, Lucknow Ring Road, Vikas Nagar, Lucknow - 226 022 Ph.: (0522) - 2967112, 2738226 (Tele-Fax)

Dated: 15.09.2022

Invitation of public comments

Sub.: Proposal for NOC permission for laying of water supply pipeline crossing & along with NH-135C from km.59.470 to km.75.022, km.76.00 to km.82.530, km.84.780 to km.91.028 & km.94.486 to km.104.840 by open trench & trenchless HDD method in District -Mirzapur in the state of Uttar Pradesh - Reg.

The Executive Engineer, UP Jal Nigam, Mirzapur has submitted the proposal for laying & crossing underground water supply pipeline to Executive Engineer, NH Division, PWD, Mirzapur for consideration in three portions on NH-135C:

- The underground water supply pipeline is being laying through open trench & crossing through trenchless HDD method in km.59.470 to km.75.022 (Total length of 15552 meters) along with NH-135C.
- The underground water supply pipeline is being laying through open trench & crossing through trenchless HDD method in km.76.00 to km.82.530 & km.84.780 to km.91.028 (Total length of 12778 meters) along with NH-135C.
- The underground water supply pipeline is being laying through open trench & crossing through trenchless HDD method in km.59.470 to km.75.022 (Total length of 10354 meters) along with NH-135C.
- As per the guidelines, issued by the Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- In view of the above, comments of the public on the above application is invited to the 4. below mentioned address:

The Chief Engineer-Regional Officer, Ministry of Road Transport & Highways, N.H. Bhawan, Biotech Chowk, Lucknow Ring Road, Vikas Nagar, Lucknow - 226 022.

Yours faithfully,

Encl.: As above.

(Mohd. Zaid) Assistant Executive Engineer for Chief Engineer - Regional Officer

Copy to:

NIC, New Delhi - for uploading on the Ministry's website. (i)

The Chief Engineer (NH), Public Works Department, Government of Uttar Pradesh, (ii) Nirman Bhavan, 96, M. G. Marg, Lucknow - 226 001.

The Executive Engineer, NH Division, PWD, Mirzapur. (iii)

> (Mohd. Zaid) Assistant Executive Engineer for Chief Engineer - Regional Officer

CHECK LIST

Guidelines for Executive Engineer for processing the proposal of crossing /laying optical fiber/ HT cables/ Water supply pipe line etc. by private parties in the land along National Highway with NH Division, PWD.

Relevant circulars

Ministry Circular No. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016.

Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) Dated 06.08.2013

Check-list for getting approval for laying water pipe line on NH land

S.	Item	Information/Status Remarks
No.	A	
1.	General Information	-
1.1	Name and Address of the	Office of the Executive
	applicant/Agency	Engineer, Abhav Khand,
		U.P. Jal Nigam, Mirzapur.
1.2	National Highway Number	NH-135C
1.3	State	Uttar Pradesh
1.4	Location	District- Mirzapur
1.5	(Chainges in KM)	Km.59.470 to Km.75.022
1.0	(Straining or many)	(15552m) & crossing by
		HDD method Km.59.739,
		Km.60.866, Km.61.022,
		Km.61.222, Km.61.297,
		Km.61.323, Km.61.906,
	,	Km.62.212, Km.62.446,
		Km.62.782, Km.63.746,
		Km.64.330, Km.65.095,
		Km.65.397, Km.65.563,
		Km.66.327, Km.66.558,
		Km.67.056, Km.67.582,
		Km.68.507, Km.68.885,
	,	Km.69.888, Km.70.574,
		Km.72.046, Km.72.431,
		Km.73.605 & Km.74.664
1.6	Langth in Meters	Shown in drawing
1.6	Width of available ROW	
1.7.	(a) Left side from centre line	7.50m
	towards increasing chainage/km	
	direction	· .
	direction	

सहायक अभियन्ता रा० मा० खण्ड, लो० नि० वि० मीरजापुर अधिशासी अभियन्ता रा० मा० खण्ड, लो० नि० वि० मीरजाग्ण

	(b) Right side from centre line	7.50m
	towards increasing chainage/km	
	direction	
1.8	Proposal to lay the water pipe line	
	(a) Left side from centre line	NA
	towards increasing chainage/km	
	direction	75 022
	(b) Right side from centre line	Km.59.470 to Km.75.022
	towards increasing chainage/km	(15552m)
	direction	
1.9	Proposal to acquire land	
	(a) Left side from centre line.	Not required
	(b) Right side from centre line.	Not required
1.10	Whether proposal is in the same	Not required
	side where land is not to be	
	acquired	" - L - DOW
	If not then where to lay the cable	Within available ROW
1.11	Details of already laid services, if	No
	any, along the proposed route	
1.12	Number of lanes (2/4/6/8 lanes)	2-lanes
	existing	
1.13	Proposed Number of lanes (2 lanes	4-lanes
	with paved shoulder/4/6/8 lanes)	
1.14	Service road existing or not	
	If yes then which side	Dana not eviet
	(a) Left side from centre line.	Does not exist. Does not exist.
	(b) Right side from centre line.	Does not exist.
1.15	Proposed Service Road	Net proposed
	(a) Left side from centre line.	Not proposed Not proposed
	(b) Right side from centre line.	Extreme edge of RoW
1.16	Whether proposal to lay cable is	Extreme edge of Nov
	after the service road or between	
	THE SELVICE LONG THE	
	carriageway The permission for laying OFC / HT	For approval
1.17	cables/ water supply pipe line shall	1 of approval
	be considered for approval/rejection	
	(i) Where the ROW is more than	Extreme edge of RoW
	45m then the duct cable shall be	
	laid at the edge of right of way	
	within the utility corridor of 2m width,	
	duly keeping in view the future	
	widening	
	(ii) Where land is yet to be acquired	Not required
	for 4-laning and the position of new	

अधिशारी अभियन्ता रा० मा० खण्ड, लो० नि० वि० भीरजापुर

> अधिशासी अभियन्ता अभाव खण्ड, उ० प्र० जल निगम भीरजापुर

	carriageway has been decided then		
	the cable shall be laid at the edge of		
	right of way within the utility corridor		
	of 2m width, on that side of existing		
	carriageway where extra land is not		
	proposed to be acquired for 4-		
	laning.		
	(iii) Where the widening plan for 4-	2-laning has been	
	laning is not yet decided and	completed.	
	available ROW is around 30m or		
	less, a judicious decision would		
	need to be taken for permitting the		
	laying of cable/duct. This could be		
	within 1.5m to 2 m of utility corridor		
	at the edge of existing ROW, duly		
	keeping in view the possible		
	widening plans.	7.70140	
	(iv) Where ROW is restricted and	Plain terrain (Edge of ROW)	
	adequate only to accommodate the		
	carriageway, central verge,		
	shoulders and drains (e.g.		
	Highways in currying through hilly,		
	rolling terrain) the cable shall be laid		
	clear of the drain.		
	(v) Where land strip for utility	available	
	corridor cannot be conveniently		
	earmarked (available ROW		
	restricted to the toe of the		
	embankment) for laying of		
	cable/ducts, the permission may be		
	refused.	Single applicant	
1.18	Number of applicants of the same	Single applicant	
	stretch. Whether the case of multiple	Single	
1.19	VVIIotrior	Onigio	
4.00	licenses.	No	
1.20	If so furnish a joint implement programmer to lay their respective		
	ducts within stipulated time frame.		
1.21	If crossing of the road involved	Yes, it shall only be through	
1.21	If yes, it shall only be through trench	HDD method	
	less technology		
2.	Document/drawing enclosed with		
۷.	the proposal		
2.1	Cross section showing the size of	Shown in drawing	
	trench for open trenching method (
			_

अधिशासी अभियन्ता राष्ट्रमा० खण्ड, लो० नि० वि० भीरजापुर

	Is it normal size of 1.20m deep x0.5m wide)	
2.2	Cross section showing the size of pit location of pipe line for HDD method	NA
2.3	Strip plan / Route Plan showing the OFC/ pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc.	Shown in drawing
2.4	Mythology of laying of pipe line	enclosed
2.4.1	Open trenching method. If, yes, methodology of refilling of trench.	Trench less
2.4.2	Horizontal Directional Drilling (HDD) method	Yes, through HDD
2.4.3	Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet)	NA
3.	Draft license agreement signed by two witnesses	Yes
4.	Performance Bank Guarantee	
5.	Affidavit/ Undertaking/ from the	
5.1	Applicant for Not to Damage to other utility, if damaged then to pay the losses either to NH PWD or to the	Yes, enclosed
	concerned agency. Renewal of Bank Guarantee.	NA
5.2	Confirmation all standard condition of NH PWD guidelines.	Yes, enclosed
5.4	Shifting of water pipe line as and	
5.5	Shifting due to 6-laning / widening of	
5.6	Indemnity against all damages and	Yes, enclosed
5.7	Traffic movement during laying of water pipe line to be managed by the applicant	
5.8	If any claim is raised by the Concessionaries then the same has to be paid by the applicant.	
5.9	Certificate for 6-laning from the applicant in following format. "We do undertake that I will relocate	Yes, enclosed

अधिशासी अभियन्ता राष्ट्रमा खण्ड, लो० नि० वि० मीरजापुर

	service road/approach road/utilities		
	at my own cost notwithstanding the		
	permission granted within such time		
	as will be stipulated by NH PWD for		
	future six-laning or any other		
	development."		
6.	Affidavit /Power of Attorney in favor	Affidavit enclosed	
0.	of authorized signatory.	/ Industrial Constitution	
7.	Copy of DOT license	No, water pipe line	State Govt. project
8.	Certificate from the Executive Engineer	Yes, enclosed	
8.1	Certificate from confirming of all	Yes	
	standard condition issued vide		
	Ministry Circular No. RW/NH-		
	33044/27/2005/S&R(R)(Pt.) dated		
	7/8/2013 & dated 22.11.2016		
8.2	Certificate for 4-laning from PD in	Already 4-lane	
	the following format		
	(a) Where feasibility is available "I	NA	
	do certify that there will be no		
	hindrance to proposed 4-laning		
	hase on the feasibility report		
	considering proposed structure at		
	the said location.		
	(b) In case feasibility report is not	NA.	
	available "I do certify that sufficient	NA	
	ROW is available at site for		
	accommodate proposed 6-laning".	Department will pay fee after	
9	As per guidelines license fee shall	issuing demand note	
	ho charged	NA	
10	If NH section proposed to be taken	INC	
	I'M VIH DIVID ON BOI Dasis -a		
	alausa in para 17 to be inserted in		
	the agreement The permitted		
	Highway on which Licensee has		
	been granted the right of way to the		
	concessionaire under the		
	and define of I section I on		
	I/m to kmOI NII IVI		
	No on Build, Operate and		
	Transfer Basis]		
		1	

अधिशासी अभियन्ता रा॰ मा॰ खण्ड, लो॰ नि॰ वि॰

11	Who will supervise the work of laying of water pipe line	Office of the Executive Engineer, Abhav Khand, U.P. Jal Nigam, Mirzapur.
12	Who will ensure that the defects in road portion after lay of water pipe line are corrected and if not corrected then what action will be taken.	Office of the Executive Engineer, Abhav Khand,
13	Who will pay the claims for damages' done/disruption in working of concessionaire if asked by the Concessionaire.	Engineer, Abhav Khand,
14	A Certificate from EE that he will enter the proposed permission in the register of records of the permissions in the prescribed performa (copy enclosed) issued vide Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016	Yes
15	If any previous approval is accorded for after lay of water pipe line then photocopy if register of records of permissions accorded as maintained by EE (as per Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016) as referred in para 13 above is enclosed or not.	NA

सहायक अभियन्ता

रा० मा० खण्ड, लो० त्रि० ति०

मीरजापुर (

अधिशासी अभियन्ता

राष्ट्र मा० खण्ड, लो० नि० वि०

. ७, राज् मीरजापर

CHECK LIST

Guidelines for Executive Engineer for processing the proposal of crossing /laying optical fiber/ HT cables/ Water supply pipe line etc. by private parties in the land along National Highway with NH Division, PWD.

Relevant circulars

Ministry Circular No. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016. Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) Dated 06.08.2013

Check-list for getting approval for laying water pipe line on NH land

S.	ltem	Information/Status	Remarks
No.			IXCIIIAIRS
1.	General Information		
1.1	Name and Address of the	Office of the Executive	
	applicant/Agency	Engineer, Abhav Khand,	
		U.P. Jal Nigam, Mirzapur.	
1.2	National Highway Number	NH-135C	
1.3	State	Uttar Pradesh	
1.4	Location	District- Mirzapur	
1.5	(Chainges in KM)	Km.76.000 to Km.82.530	
		(6530m) & Km.84.780 to	
-		Km.91.028 (6248m) &	
		crossing by HDD method	
		Km.76.500, Km.82.280,	
		Km.85.280, Km.86.280,	
		Km.86.780, Km.88.528,	
		Km.89.028, Km.89.528 &	
		Km.90.028	
1.6	Length in Meters	Shown in drawing	
1.7.	Width of available ROW		
	(a) Left side from centre line	7.50m	
	towards increasing chainage/km		
	direction		
	(b) Right side from centre line	7.50m	
	towards increasing chainage/km		
	direction		
1.8	Proposal to lay the water pipe line		
	(a) Left side from centre line	Km.76.500 to Km.82.530	
	towards increasing chainage/km		
	direction	Km.91.028 (6248m)	

अधिशासी **अभियन्ता** रा० मा० खण्ड, लो० नि० वि० मीरजापुर सहायक अभियन्ता राष्ट्रमा० खण्ड, लो० नि० ति० भीरजापुर

	(b) Right side from centre line towards increasing chainage/km direction	Km.76.000 to Km.76.500 (500m)
1.9	Proposal to acquire land	
	(a) Left side from centre line.	Not required
	(b) Right side from centre line.	Not required
1.10	Whether proposal is in the same	Not required
	side where land is not to be acquired	Notrequieu
	If not then where to lay the cable	Within available ROW
1.11	Details of already laid services, if	No
	any, along the proposed route	
1.12	Number of lanes (2/4/6/8 lanes) existing	2-lanes
1.13	Proposed Number of lanes (2 lanes with paved shoulder/4/6/8 lanes)	4-lanes
1.14	Service road existing or not	
	If yes then which side	
	(a) Left side from centre line.	Does not exist.
	(b) Right side from centre line.	Does not exist.
1.15	Proposed Service Road	
	(a) Left side from centre line.	Not proposed
	(b) Right side from centre line.	Not proposed
1.16	Whether proposal to lay cable is after the service road or between the service road and main carriageway	Extreme edge of RoW
1.17	The permission for laying OFC / HT cables/ water supply pipe line shall be considered for approval/rejection	For approval
	(i) Where the ROW is more than 45m then the duct cable shall be laid at the edge of right of way within the utility corridor of 2m width, duly keeping in view the future widening.	
	(ii) Where land is yet to be acquired for 4-laning and the position of new carriageway has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2m width, on that side of existing carriageway where extra land is not proposed to be acquired for 4-laning.	

अधिशासी अभियन्ता राज माज खण्ड, लोज निज विज मार्ग मीरजापुर

	(m) 140	
	(iii) Where the widening plan for 4-laning is not yet decided and available ROW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5m to 2 m of utility corridor at the edge of existing ROW, duly keeping in view the possible widening plans.	completed.
	(iv) Where ROW is restricted and adequate only to accommodate the carriageway, central verge, shoulders and drains (e.g. Highways in currying through hilly, rolling terrain) the cable shall be laid clear of the drain.	
	(v) Where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/ducts, the permission may be refused.	available
1.18	Number of applicants of the same stretch.	Single applicant
1.19	Whether the case of multiple licenses.	Single
1.20	If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame.	No
1.21	If crossing of the road involved If yes, it shall only be through trench less technology	Yes, it shall only be through HDD method
2.	Document/drawing enclosed with the proposal.	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.20m deep x0.5m wide)	Shown in drawing
2.2	Cross section showing the size of pit location of pipe line for HDD method	NA
2.3	Strip plan / Route Plan showing the OFC/ pipe line, chainage, width of ROW, important mile stone,	Shown in drawing

अधिशासी अभियन्ता राठ मा० खण्ड, लो० नि० वि० भीरजापुर

	intersections, cross drainage works	
	etc.	
2.4	Mythology of laying of pipe line	enclosed
2.4.1	Open trenching method. If, yes,	Trench less
2.7.1	methodology of refilling of trench.	
2.4.2	Horizontal Directional Drilling (HDD)	Yes, through HDD
2.4.2	method	
2.4.3	Laying OFC/ HT cable through CD	NA
2.4.3	works and method of laying	
	(Whether to be hung outside	
	parapet)	
-	Draft license agreement signed by	Yes
3.	two witnesses	
-	Performance Bank Guarantee	
4.	Affidavit/ Undertaking/ from the	
5.	Alicant for	
	Not to Damage to other utility, if	Yes, enclosed
5.1	damaged then to pay the losses	
	either to NH PWD or to the	
	concerned agency. Renewal of Bank Guarantee.	NA
5.2	Confirmation all standard condition	Yes, enclosed
5.3	of NH PWD guidelines.	
	Shifting of water pipe line as and	Yes, enclosed
5.4		
- F - F	Shifting due to 6-laning / widening of	Yes, enclosed
5.5	AILI	-
5.6	Indemnity against all damages and	Yes, enclosed
5.0		
5.7	Traffic movement during laying of	Yes, enclosed
5.7	water pipe line to be managed by	
	the applicant	1. Jacob
5.8	us are alaim is raised by the	Yes, enclosed
5.6	Concessionaries then the same has	
	I the second by the applicant.	V
5.9	Cortificate for 6-laning iron the	Yes, enclosed
5.9	I and in following follows	
	WAY TO UNDOMAKE THAT I WILL TOUCKE	
	anning road/anningen road/utilities	
	of my own cost notwithstatiuity the	
	permission granted WITHIN Such time	
	as will be stinulated by NH PVVD IOI	
	future six-laning or any other	
	4 "	
6.	Affidavit /Power of Attorney in favor	Allidavit eliciosed
<u> </u>		

अधिशासी अभियन्ता स्टब्स्या खण्ड, लो० नि० वि० भीरजाउर

	of authorized signatory.		
7.	Copy of DOT license	No, water pipe line	State Govt. project
8.	Certificate from the Executive Engineer	Yes, enclosed	
8.1	Certificate from confirming of all standard condition issued vide Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) dated 7/8/2013 & dated 22.11.2016	Yes	
8.2	Certificate for 4-laning from PD in the following format	-	
	(a) Where feasibility is available "I do certify that there will be no hindrance to proposed 4-laning base on the feasibility report considering proposed structure at the said location.	NA	
	(b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodate proposed 6-laning".	NA	
9	As per guidelines license fee shall be charged.	Department will pay fee after issuing demand note	
10	If NH section proposed to be taken up NH PWD on BOT basis –a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of way to the concessionaire under the concession agreement for uogradation of [Section From Kmto kmof NH PWD No on Build, Operate and Transfer Basis]	NA	
11	Who will supervise the work of laying of water pipe line	Engineer, Abhav Khand, U.P. Jal Nigam, Mirzapur.	
12	Who will ensure that the defects in road portion after lay of water pipe line are corrected and if not corrected then what action will be taken.	Office of the Executive Engineer, Abhav Khand, U.P. Jal Nigam, Mirzapur.	

अधिशासी अभियन्ता राठ माठ् खण्ड, लोठ नि० वि० मीरजापुर

आधशासी अभियन्ता अभाव खण्ड, उ० प्र० जल निगम मीरजापुर

13	Who will pay the claims for damages' done/disruption in working of concessionaire if asked by the Concessionaire.	Engineer, Abhav Khand, U.P. Jal Nigam, Mirzapur.
14	A Certificate from EE that he will enter the proposed permission in the register of records of the permissions in the prescribed performa (copy enclosed) issued vide Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016	Yes
15	If any previous approval is accorded for after lay of water pipe line then photocopy if register of records of permissions accorded as maintained by EE (as per Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016) as referred in para 13 above is enclosed or not.	NA

सहायक अभियन्ता रा० मा० खण्ड, लो० नि० वि०

.. भीरजापुर अधिशासी अभियन्ता रा० मा० खण्ड, लो० नि० वि० भीरजापुर्

CHECK LIST

Guidelines for Executive Engineer for processing the proposal of crossing /laying optical fiber/ HT cables/ Water supply pipe line etc. by private parties in the land along National Highway with NH Division, PWD.

Relevant circulars

Ministry Circular No. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016.

Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) Dated 06.08.2013

Check-list for getting approval for laying water pipe line on NH land

S. No.	ltem	Information/Status	Remarks
1.	General Information		
1.1	Name and Address of the	Office of the Executive	
	applicant/Agency	Engineer, Abhav Khand,	
		U.P. Jal Nigam, Mirzapur.	
1.2	National Highway Number	NH-135C	
1.3	State	Uttar Pradesh	
1.4	Location	District- Mirzapur	
1.5	(Chainges in KM)	Km.94.486 to Km.104.840	
		(10354m) & crossing by	
1		HDD method Km.94.689,	
		Km.95.805, Km.96.501 &	
		Km.102.397	
1.6	Length in Meters	Shown in drawing	
1.7.	Width of available ROW	7.50	
	(a) Left side from centre line	7.50m	
	towards increasing chainage/km		
	direction	7.50	
	(b) Right side from centre line	7.50m	
	towards increasing chainage/km direction		
1.8	Proposal to lay the water pipe line		
1.0	(a) Left side from centre line	Km.94.486 to Km.104.840	
	towards increasing chainage/km	(10354m) & crossing by	
	direction	HDD method Km.94.689,	
		Km.95.805, Km.96.501 &	
		Km.102.397	
	(b) Right side from centre line	NA	
	towards increasing chainage/km		
	direction		

सहायक अभियन्ता रा० मा० खण्ड, लो० नि० वि० मीरजापुर

अधिशासी अभियन्ता रा॰ मा॰ खण्ड, लो॰ नि॰ विः मीरजापुर

स्विप-रिहंड अधिशासी अभियन्ता अभाव खण्ड, उ० प्र० जल निगम मीरजापुर

1.9	Proposal to acquire land	
1.0	(a) Left side from centre line.	NI-4
	(b) Right side from centre line.	Not required
1.10		Not required
1.10	Whether proposal is in the same side where land is not to be	Not required
	acquired	Mark to the Books
4 4 4	If not then where to lay the cable	Within available ROW
1.11	Details of already laid services, if	No
4.40	any, along the proposed route	2 lanes
1.12	Number of lanes (2/4/6/8 lanes)	2-lanes
4.40	existing	Alamas
1.13	Proposed Number of lanes (2 lanes	4-lanes
4.44	with paved shoulder/4/6/8 lanes)	
1.14	Service road existing or not	
	If yes then which side	Dana mataviat
	(a) Left side from centre line.	Does not exist.
	(b) Right side from centre line.	Does not exist.
1.15	Proposed Service Road	
	(a) Left side from centre line.	Not proposed
	(b) Right side from centre line.	Not proposed
1.16	Whether proposal to lay cable is	Extreme edge of RoW
	after the service road or between	
	the service road and main	
	carriageway	
1.17	The permission for laying OFC / HT	For approval
	cables/ water supply pipe line shall	
	be considered for approval/rejection	
	(i) Where the ROW is more than	Extreme edge of RoW
	45m then the duct cable shall be	
	laid at the edge of right of way	
	within the utility corridor of 2m width,	
	duly keeping in view the future	
	widening.	
	(ii) Where land is yet to be acquired	Not required
	for 4-laning and the position of new	
	carriageway has been decided then	
	the cable shall be laid at the edge of	
	right of way within the utility corridor	
	of 2m width, on that side of existing	
	carriageway where extra land is not	
	proposed to be acquired for 4-	
	laning.	

अधिशासी अभियन्ता रा० मा० खण्ड, लो० नि० विं७ मी मीरजापुर

3	(iii) Where the widening plan for 4-laning is not yet decided and available ROW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5m to 2 m of utility corridor at the edge of existing ROW, duly keeping in view the possible widening plans.	2-laning has been completed.
	(iv) Where ROW is restricted and adequate only to accommodate the carriageway, central verge, shoulders and drains (e.g. Highways in currying through hilly, rolling terrain) the cable shall be laid clear of the drain.	Plain terrain (Edge of ROW)
	(v) Where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/ducts, the permission may be refused.	available
1.18	Number of applicants of the same stretch.	Single applicant
1.19	Whether the case of multiple licenses.	
1.20	If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame.	
1.21	If yes, it shall only be through trench less technology	
2.	Document/drawing enclosed with the proposal.	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.20m deep x0.5m wide)	
2.2	location of pipe line for HDD method	
2.3	Strip plan / Route Plan showing the OFC/ pipe line, chainage, width of ROW, important mile stone,	Shown in drawing

अधिशासी अभियन्ता रा० मा० खण्ड, लो० नि० वि० भीभं मीरजापुर

	intersections, cross drainage works	
2.4	Muthology of laying of pine line	enclosed
2.4	Mythology of laying of pipe line	
2.4.1	Open trenching method. If, yes, methodology of refilling of trench.	Trench less
2.4.2	Horizontal Directional Drilling (HDD)	Yes, through HDD
2.7.2	method	, oc, an eagarne
2.4.3	Laying OFC/ HT cable through CD	NA
	works and method of laying	
	(Whether to be hung outside	
	parapet)	
3.	Draft license agreement signed by	Yes
	two witnesses	
4.	Performance Bank Guarantee	
5.	Affidavit/ Undertaking/ from the	
	Applicant for	Yes, enclosed
5.1	Not to Damage to other utility, if	res, enclosed
	damaged then to pay the losses either to NH PWD or to the	
	concerned agency.	
5.2	Renewal of Bank Guarantee.	NA
5.3	Confirmation all standard condition	Yes, enclosed
3.5	of NH PWD guidelines.	,
5.4	Shifting of water pipe line as and	Yes, enclosed
	when required by NH PWD.	
5.5	Shifting due to 6-laning / widening of	Yes, enclosed
	NH.	Vac analogod
5.6	Indemnity against all damages and	Yes, enclosed
5.7	claims clause (xxiv) Traffic movement during laying of	Yes, enclosed
5.7	water pipe line to be managed by	100, 0110.000
	the applicant	
5.8	If any claim is raised by the	Yes, enclosed
	Concessionaries then the same has	
	to be paid by the applicant.	
5.9	Certificate for 6-laning from the	Yes, enclosed
	applicant in following format.	
	"We do undertake that I will relocate	
	service road/approach road/utilities	
	at my own cost notwithstanding the	
	permission granted within such time	
	as will be stipulated by NH PWD for future six-laning or any other	
	future six-laning or any other development."	
6.		Affidavit enclosed
	, and the state of	7 illiad tit Ollolood

अधिशासी अभियन्ता राठ माठ खण्ड, लोठ निठ विठ मीरजापुर

	of authorized signatory.		
7.	Copy of DOT license	No, water pipe line	State Govt. project
8.	Engineer	Yes, enclosed	
8.1	Certificate from confirming of all standard condition issued vide Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) dated 7/8/2013 & dated 22.11.2016		
8.2	Certificate for 4-laning from PD in the following format		
	(a) Where feasibility is available "I do certify that there will be no hindrance to proposed 4-laning base on the feasibility report considering proposed structure at the said location.	NA	
	(b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodate proposed 6-laning".	NA	
9	As per guidelines license fee shall be charged.	Department will pay fee after issuing demand note	
10	If NH section proposed to be taken up NH PWD on BOT basis —a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of way to the concessionaire under the concession agreement for uogradation of [Section From Kmto kmof NH PWD No on Build, Operate and Transfer Basis]	NA	
11	Who will supervise the work of laying of water pipe line	U.P. Jal Nigam, Mirzapur.	
12	Who will ensure that the defects in road portion after lay of water pipe line are corrected and if not corrected then what action will be taken.	Office of the Executive Engineer, Abhav Khand, U.P. Jal Nigam, Mirzapur.	

अधिशारते अभियुक्ता रा० मा० खण्ड, लो० नि० वि० मीरजापुर

13	Who will pay the claims for damages' done/disruption in working of concessionaire if asked by the Concessionaire.	Engineer, Abhav Khand, U.P. Jal Nigam, Mirzapur.
14	A Certificate from EE that he will enter the proposed permission in the register of records of the permissions in the prescribed performa (copy enclosed) issued vide Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016	Yes
15	If any previous approval is accorded for after lay of water pipe line then photocopy if register of records of permissions accorded as maintained by EE (as per Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016) as referred in para 13 above is enclosed or not.	NA

W.

सहायक अभियन्ता रा० मा० खण्ड, लो० नि० वि० मीरजापुर अधिशासी अभियन्ता रा० मा० खण्ड, लो० नि० वि० मीरजापुर