



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेत्रीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलसानी नगर,
रानीगरीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VJA/NH-65/V-N/NOC/2026/ 440

Dt.16.02.2026

To

The Sr. Technical Director,
NIC, Transport Bhawan,
New Delhi- 110001.

Sub: Application from M/s. Bhagyanagar Gas Ltd., for ROW permission for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.269+450 to Km.269+880 (LHS), from Km.269+880 to Km.270+000 (RHS) and Crossing at Km.269+880 for a total length of 576m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh - Public comments - Reg.

Sir,

Please find enclosed herewith a proposal submitted by M/s. Bhagyanagar Gas Ltd., Sr. Manager for providing and laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.269+450 to Km.269+880 (LHS), from Km.269+880 to Km.270+000 (RHS) and Crossing at Km.269+880 for a total length of 576m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh.

2. As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the application along with the recommendations of PD, PIU-Vijayawada & notice inviting public comments are enclosed herewith with a request to host the same in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest), for taking further necessary action.

Yours faithfully,

(R.K. Singh, IES)

CGM (Tech.) &Regional Officer

Encl: As above

Copy to:

- (i) PD, PIU - Vijayawada
- (ii) Sr. Manager, M/s. Bhagyanagar Gas Ltd.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेत्रीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलसानी नगर,

रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office: D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHA/RO-VJA/PIU-VJA/NH-65/V-N/NOC/2026/441

Dt.16.02.2026

INVITATION OF PUBLIC COMMENTS

Sub: Application from M/s. Bhagyanagar Gas Ltd., for ROW permission for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.269+450 to Km.269+880 (LHS), from Km.269+880 to Km.270+000 (RHS) and Crossing at Km.269+880 for a total length of 576m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh - Public comments - Reg.

The Project Director, PIU - Vijayawada, submitted a proposal of M/s. Bhagyanagar Gas Ltd., Sr. Manager for providing and laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.269+450 to Km.269+880 (LHS), from Km.269+880 to Km.270+000 (RHS) and Crossing at Km.269+880 for a total length of 576m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh.

As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the Highway Administration will put out the application in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address.

Regional Officer - Vijayawada,
National Highways Authority of India,
Regional Office, Dr. No.41-29-45A, R. S. No.373/2A
Near Kodandaramayam, Chalasani Nagar,
Ranigarthota, Krishnalanka, Vijayawada - 520 013.
Email: rovijayawada@nhai.org

(R.K. Singh, IES)
CGM (Tech.) & Regional Officer



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन ईकाई

Project Implementation Unit



डी.नं. 54-20/3-22, प्लॉट नंबर 69, पहली मंजिल गुरुद्वार रोड, गुरुनानक नगर, विजयवाड़ा पिन - 520008.

D.no. 54-20/3-22, Plot no 69, 1st floor Gurudwar Road, Gurunanak Nagar, Vijayawada. PIN - 520008

दूरभाष / Phone: 0866-2543496, ई-मेल / E-mail : vij@nhai.org , nhaipiuvij@gmail.com

Ref: 11070/Bhagyanagar Gas/PIU/V/NHAI/2025/1770

Dt: 06.02.2026

To

The CGM(T) & Regional Officer,
National Highways Authority of India
Regional Office, Door No.41-29-45A,
R.S.No.373/2A,Near Kodandaramalayam
Chalasani Nagar, Ranigarhithota, Krishnalanka
Vijayawada - 520 013

Sub: NHAI, PIU, Vijayawada - Application from M/s. Bhagyanagar Gas Ltd., for ROW permission for Laying of Natural Gas Pipelines of 4" steel & 125mm dia Medium Density Polyethylene (MDPE) from Km. 269.000 to Km. 269.450 on LHS of Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh - Request for Provisional Approval- Reg.

Ref: 1. Morth Online Application No.20250916/1/12/35824/18881 Dt:25.09.2025
2. M/s. Bhagyanagar Gas Ltd Lr No. BGL/VJA-GA/2025-26/NH-65/AB002 dated 04.12.2025
3. NHAI, PIU-Vijayawada Lr. No. 11070/Bhagyanagar Gas/PIU/V/NHAI/ 2025/1544 dated 09.12.2025
4. IE Theme Engineering Services Pvt. Ltd. Lr. No. TES/TL/NH-65/PIU/N-V/25-26/106 dated 12.01.2026

Sir,

It is to submit that M/s Bhagyanagar Gas Ltd, Vijayawada, vide reference 1st & 2nd cited has requested to issue permission for laying of Natural Gas Pipelines of 4" steel & 125mm dia MDPE from Km. 269.000 to Km. 269.450 on LHS of Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh.

2. In this connection, PIU vide reference 3rd cited forwarded the proposal to Independent Engineer M/s. Theme Engineering Services Pvt. Ltd., to examine the proposal with reference to the norms of MoRT&H Guidelines vide MoRT&H Circular No. RW/NH/33044/29/2015/S&R(R), dated 22.11.2016 and MoRT&H Circular No. RW-36094/01/2022-S&R (P&B), dated 24.04.2023 and in reply SC vide reference 4th cited informed that they have conducted the joint inspection along with the applicant and Concessionaire and has verified the subject cited proposal and it has observed that the Checklist, Drawings, Undertakings, Draft Agreement are found in order and recommended for approval of the Competent Authority. The Comments / Recommendations of the Independent Engineer and proposal of PIU Vijayawada are as under:

- i. M/s. Bhagyanagar Gas Ltd, Vijayawada has proposed to laying of Natural Gas Pipelines of 4" steel & 125mm dia MDPE from Km. 269.000 to Km. 269.450 on LHS of Nandigama-Vijayawada Section of NH-65.
- ii. The width of RoW varies from 26m to 32m from Km. 269.000 to Km. 269.450.

Page 1 of 6

- iii. The applicant is proposed for laying of Natural Gas Pipelines on extreme edge of ROW on LHS.
- iv. HDD Method is proposed for laying of Natural Gas Pipelines from Km. Km. 269.000 to Km. 269.450
- v. License Deed has been submitted by M/s. Bhagyanagar Gas Ltd in the prescribed format.
- vi. Construction Methodology for laying of pipelines by HDD method is enclosed which is found to be in order.
- vii. Cross section showing the size of Pipe for HDD method and site plan showing the laying of pipeline location is enclosed.
- viii. Strip plan / Route plan for laying of Pipelines, Chainage, distance of proposal pipeline for laying of pipeline, are enclosed.
- ix. Checklist in accordance to MoRT&H Guidelines is enclosed for laying of Pipelines on NH land and the same is found in order.
- x. Necessary undertakings required in accordance to MoRT&H Guidelines are also submitted by M/s Bhagyanagar Gas Ltd.
- xi. Certificate in accordance to MoRT&H Guidelines issued by the Project Director is also enclosed.
- xii. The proposal submitted by M/s Bhagyanagar Gas Ltd is in conformity with as per MoRT&H guidelines vide Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.
- xiii. As per the MOU between HPCL & NHAI vide NHAI Policy Circular No. 14.28 dated 17.01.2026, NHAI shall not levy any charges from HPCL, and its agencies for laying of new gas/petroleum pipeline(s) along or across National Highway in National Highway Land. Accordingly, the applicant is requested for waive of license fee.
- xiv. Requisite Performance Bank Guarantee @ Rs.100/- per route meter as per MoRT&H guidelines dated 22.11.2016 will be obtained from the applicant, upon approval of the above proposal.

In view of the above, the proposal of M/s Bhagyanagar Gas Ltd, laying of Natural Gas Pipeline of 4" steel & 125mm dia MDPE from Km. 269.000 to Km. 269.450 on LHS of Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh is herewith recommended for the approval of the competent Authority.

Encl : As above.

Yours faithfully,

 (M. Vidyasagar)
 DGM (Tech.) & Project Director
 NHAI, PIU-Vijayawada

INSPECTION REPORT

Sub: Proposal for Laying of Natural Gas Pipelines of 4" steel & 125mm dia MDPE from Km. 269.000 to Km. 269.450 on LHS of Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh by M/s Bhagyanagar Gas Ltd, Vijayawada.

The site under above subject was inspected by Dy. Manager (Tech) and details are certified as below:

- i) The width of RoW varies from 26m to 32m from Km. 269.000 to Km. 269.450.
- ii) The applicant is proposed for laying MDPE Natural Gas Pipeline on extreme edge of ROW on LHS.
- iii) The Proposed Pits for HDD method (Horizontal Directional Drilling method) are falling within National Highway ROW.
- iv) The Proposed Medium Density Polyethylene (MDPE) pipeline gas connection is purely domestic purpose and not for providing petroleum retail outlets.
- v) The Proposed Medium Density Polyethylene (MDPE) pipeline will not disturb the Existing Crust of National Highway at the above said locations (Except Pit locations) as the pipe will be laid at a depth of 1.5m below ground level.


(M. Vidyasagar)
DGM (Tech.) & Project Director
PIU-Vijayawada
6/2/26

DOCUMENTS ACCOMPANYING THE PROPOSAL

Name of Work: Proposal for Laying of Natural Gas Pipelines of 4" steel & 125mm dia MDPE from Km. 269.000 to Km. 269.450 on LHS of Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh by M/s Bhagyanagar Gas Ltd, Vijayawada.

- i) Checklist in accordance to MoRT&H Guidelines is enclosed for laying of Pipelines on NH land.
- ii) Draft Agreement regarding granting of ROW permissions for laying Natural Gas Pipelines of 4" steel & 125mm dia MDPE.
- iii) Undertaking for not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.
- iv) Strip plan / Route plan for laying of Natural Gas Pipeline of 4" steel & 125mm dia MDPE from Km. 269.000 to Km. 269.450 (LHS).
- v) Construction Methodology of Natural Gas Pipeline of 4" steel & 125mm dia MDPE laying.
- vi) JV document of HPCL & Bhagyanagar Gas Ltd.
- vii) MOU between HPCL & NHAI
- viii) Certificate from the Project Director.


(M. Vidyasagar) 61/2
DGM (Tech.) & Project Director
PIU-Vijayawada

CERTIFICATE

1. It is certified that all Standard Conditions specified in the proposal from M/s Bhagyanagar Gas Ltd for permission for laying of Natural Gas Pipeline of 4" steel & 125mm dia MDPE from Km. 269.000 to Km. 269.450 on LHS of Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh is in conformity as per MoRT&H guidelines vide Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.
2. It is to certify that upon receipt of approval for the above proposal, the same will be entered in the Register of Records of the Permissions in the prescribed proforma.


(M. Vidyasagar) 
DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada