



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेत्रीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलसानी नगर,

रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairova@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VJA/NH-65/V-N/NOC/2026/444

Dt.16.02.2026

To

The Sr. Technical Director,
NIC, Transport Bhawan,
New Delhi- 110001.

Sub: Application from M/s. Bhagyanagar Gas Ltd., for ROW permission for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.259+200 to Km.259+300 (LHS), from Km.259+300 to Km.267+450 (RHS) and Crossing at Km.259+300 & at Km.267+450 for a total length of 8369m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh - Public comments - Reg.

Sir,

Please find enclosed herewith a proposal submitted by M/s. Bhagyanagar Gas Ltd., Sr. Manager for providing and laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.259+200 to Km.259+300 (LHS), from Km.259+300 to Km.267+450 (RHS) and Crossing at Km.259+300 & at Km.267+450 for a total length of 8369m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh.

2. As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the application along with the recommendations of PD, PIU-Vijayawada & notice inviting public comments are enclosed herewith with a request to host the same in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest), for taking further necessary action.

Yours faithfully,

(R.K. Singh, IES)
CGM (Tech.) & Regional Officer

Encl: As above

Copy to:

- (i) PD, PIU - Vijayawada
- (ii) Sr. Manager, M/s. Bhagyanagar Gas Ltd.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेत्रीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलसानी नगर,

रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VJA/NH-65/V-N/NOC/2026/ 445

Dt.16.02.2026

INVITATION OF PUBLIC COMMENTS

Sub: Application from M/s. Bhagyanagar Gas Ltd., for ROW permission for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.259+200 to Km.259+300 (LHS), from Km.259+300 to Km.267+450 (RHS) and Crossing at Km.259+300 & at Km.267+450 for a total length of 8369m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh - Public comments - Reg.

The Project Director, PIU - Vijayawada, submitted a proposal of M/s. Bhagyanagar Gas Ltd., Sr. Manager for providing and laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km.259+200 to Km.259+300 (LHS), from Km.259+300 to Km.267+450 (RHS) and Crossing at Km.259+300 & at Km.267+450 for a total length of 8369m on Nandigama-Vijayawada Section of NH-65 in the State of Andhra Pradesh.

As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the Highway Administration will put out the application in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address.

Regional Officer - Vijayawada,
National Highways Authority of India,
Regional Office, Dr. No.41-29-45A, R. S. No.373/2A
Near Kodandaramalayam, Chalasani Nagar,
Ranigarithota, Krishnalanka, Vijayawada - 520 013.
Email: rovijayawada@nhai.org


(R.K. Singh, IES)
CGM (Tech.) & Regional Officer



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन ईकाई

Project Implementation Unit



डी.नं. 54-20/3-22, प्लॉट नंबर 69, पहली मंजिल गुरुद्वारा रोड, गुरुनानक नगर, विजयवाड़ा पिन - 520008.

D.no. 54-20/3-22, Plot no 69, 1st floor Gurudwara Road, Gurunanak Nagar, Vijayawada. PIN - 520008

दूरभाष / Phone: 0866-2543496, ई-मेल / E-mail : vij@nhai.org , nhaipiuvij@gmail.com

Ref: 11070/Bhagyanagar Gas/PIU/V/NHAI/2025/1771

Dt: 06.02.2026

To

The CGM(T) & Regional Officer,
National Highways Authority of India
Regional Office, Door No.41-29-45A,
R.S.No.373/2A,Near Kodandaramalayam
Chalasani Nagar, Ranigarithota, Krishnalanka
Vijayawada - 520 013

Sub: NHAI, PIU, Vijayawada - Application from M/s. Bhagyanagar Gas Ltd., for ROW permission for Laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh - Request for Provisional Approval- Reg.

- Ref: 1. Morth Online Application No.20250218/1/12/35824/14560 Dt:28.04.2025 received to this office by hand on 09.10.2025
2. M/s. Bhagyanagar Gas Ltd Lr No. BGL/VJA-GA/2025-26/NH-65/006 Dt. 25.10.2025.
- 3 M/s. Bhagyanagar Gas Ltd Lr No. BGL/NHAI/08 dated 29.11.2025
4. NHAI, PIU-Vijayawada Lr. No. 11070/Bhagyanagar Gäs/PIÜ/V/NHAI/ 2025/1358 dated 01.11.2025
5. IE Theme Engineering Services Pvt. Ltd. Lr. No. TES/TL/NH-65/PIU/N-V/25-26/90 dated 27.11.2025
6. NHAI, PIU-Vijayawada Lr. No. 11070/Bhagyanagar Gas/PIU/V/NHAI/2025/1529 dated 04.12.2025
7. M/s. Bhagyanagar Gas Ltd Lr No. BGL/VJA-GA/2025-26/NH-65/007 dated 12.12.2025
8. M/s. Theme Engineering Services Pvt. Ltd., Lr. No. TES/TL/NOC/PIU/NH-65/STPL/25-26/105 dated 10.01.2026

Sir,

It is to submit that M/s Bhagyanagar Gas Ltd, Vijayawada, vide reference 1st & 2nd cited has requested to issue permission for Laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh.

2. In this connection, Upon request from PIU vide letter ref 4th cited, the IE vide reference letter 5th cited conducted site inspection and reviewed the subject cited proposal as per the norms of MoRT&H vide Circular No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & NH-36094/01/2022-S&R (P&B) (E-208825) dated 24.04.2023 and subsequent amendments, and raised certain observations and in turn PIU vide reference letter 6th cited communicated the same to the Bhagyanagar Gas Ltd., Vijayawada for compliance and requested to submit revised proposal accordingly.

Page 1 of 7

3. Subsequently, The Bhagyanagar Gas Ltd., Vijayawada vide reference 7th cited submitted the revised proposal and again the PIU forwarded the revised proposal to the IE for further verification and submission of recommendations/comments.

4. Accordingly, the IE, M/s. Theme Engineering Services Pvt. Ltd., vide reference letter 8th cited, informed that they have verified the revised proposal and observed the applicant has complied with all the observations communicated. It was further informed that the Checklist, Drawings, Undertakings, Draft Agreement are found in order and recommended for approval of Competent Authority to accord permission for Laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh. The Comments / Recommendations of the Independent Engineer and proposing Authority NHAI, PIU Vijayawada are as under:

- i. M/s. Bhagyanagar Gas Ltd, Vijayawada has proposed to lay Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh.
- ii. The width of RoW varies from 38m to 60m from Km. 259.200 to Km. 267.450.
- iii. The applicant is proposed for laying Natural Gas Pipelines on extreme edge of ROW.
- iv. HDD/open cut Method is proposed for laying of Natural Gas Pipelines from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450
- v. License Deed has been submitted by M/s. Bhagyanagar Gas Ltd in the prescribed format.
- vi. Construction Methodology for laying of Natural gas pipeline by HDD/Open cut method is enclosed which is found to be in order.
- vii. Cross section showing the size of 150mm CS pipeline & 125mm MDPE pipeline for HDD/Open Cut method and site plan showing the laying of pipelines location is enclosed.
- viii. Strip plan / Route plan for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE Pipeline, Chainage, distance of proposal pipeline for laying of pipeline, are enclosed.
- ix. Checklist in accordance to MoRT&H Guidelines is enclosed for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline on NH land and the same is found in order.
- x. Necessary undertakings required in accordance to MoRT&H Guidelines are also submitted by M/s Bhagyanagar Gas Ltd.
- xi. Certificate in accordance to MoRT&H Guidelines issued by the Project Director is also enclosed.

- xii. The proposal submitted by M/s Bhagyanagar Gas Ltd is in conformity with as per MoRT&H guidelines vide Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.
- xiii. As per the MOU between HPCL & NHAI vide NHAI Policy Circular No. 14.28 dated 17.01.2026, NHAI shall not levy any charges from HPCL, and its agencies for laying of new gas/petroleum pipeline(s) along or across National Highway in National Highway Land. Accordingly, the applicant is requested for waive of license fee.
- xiv. Requisite Performance Bank Guarantee @ Rs.100/- per route meter as per MoRT&H guidelines dated 22.11.2016 will be obtained from the applicant, upon approval of the above proposal.

In view of the above, the proposal of M/s Bhagyanagar Gas Ltd, for Laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh is herewith recommended for the approval of the competent Authority.

Yours faithfully,

Encl : As above.


(M. Vidyasagar) *6/2/16*
DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada

INSPECTION REPORT

Sub: Proposal for Laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh by M/s Bhagyanagar Gas Ltd, Vijayawada.

The site under above subject was inspected by Dy. Manager (Tech) and details are certified as below:

- i) The width of RoW varies from 38m to 60m from Km. 259.200 to Km. 267.450.
- ii) The applicant is proposed for laying Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline on extreme edge of ROW.
- iii) The Proposed Pits for HDD method (Horizontal Directional Drilling method) are not falling under National Highway ROW.
- iv) The Proposed Natural Gas Pipeline is purely domestic purpose and not for providing petroleum retail outlets.
- v) The Proposed Natural Gas pipelines will not disturb the Existing Crust of National Highway at the above said locations (except Pit locations) as the pipe will be laid at a depth of 1.5m below ground level.


(M. Vidyasagar) 6/2/14
DGM (Tech.) & Project Director
PIU-Vijayawada

DOCUMENTS ACCOMPANYING THE PROPOSAL

Name of Work: Proposal for Laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh by M/s Bhagyanagar Gas Ltd, Vijayawada.

- i) Checklist in accordance to MoRT&H Guidelines is enclosed for laying of 150mm CS pipeline & 125mm MDPE pipeline on NH land.
- ii) Draft Agreement regarding granting of ROW permissions for laying 150mm CS pipeline & 125mm MDPE pipeline.
- iii) Undertaking for not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.
- iv) Strip plan / Route plan for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450.
- v) Construction Methodology for laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450
- vi) JV document of HPCL & Bhagyanagar Gas Ltd.
- vii) MOU between HPCL & NHAI
- viii) Certificate from the Project Director.


(M. Vidyasagar) 6/1/26
DGM (Tech.) & Project Director
PIU-Vijayawada

CERTIFICATE

1. It is certified that all Standard Conditions specified in the proposal from M/s Bhagyanagar Gas Ltd for permission for Laying of Natural Gas Pipelines of 150mm CS pipeline & 125mm MDPE pipeline from Km. 259.200 to Km. 259.300 (LHS), from Km. 259.300 to Km. 267.450 (RHS) and Crossing at Km. 259.300 & at Km. 267.450 on Nandigama-Vijayawada Section of NH-65 in the state of Andhra Pradesh is in conformity as per MoRT&H guidelines vide Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.
2. It is to certify that upon receipt of approval for the above proposal, the same will be entered in the Register of Records of the Permissions in the prescribed proforma.


(M. Vidyasagar) 6/2/26
DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada