



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)
परियोजना कार्यान्वयन इकाई, कोल्हापूर.

National Highways Authority of India
(Ministry of Road Transport & Highways, Govt. of India.)
Project Implementation Unit, Kolhapur.

गट नं.३७/अ(२+३), अथायू हॉस्पिटल समोर, रा.रा.क्र. ४८ लगत, उजळाईवाडी, ता. करवीर, कोल्हापूर - 416 004, महाराष्ट्र.
Gat No. 37/A (2+3), Opp. Athaayu Hospital, Adjacent to NH-48, At/Post-Ujlaiwadi, Tal-Karveer, Kolhapur - 416 004, Maharashtra
वेबसाईट / Website : www.nhai.org ईमेल / Email : piukolhapur@nhai.org



भारतमाला
प्रगति के पथ पर अग्रसर

NHAI/PIU/KLP/NH-166/S-S/NOC/2021/1038

Date: 07.09.2021

INVITATION OF PUBLIC COMMENTS

Sub- NHAI-PIU-Kolhapur- Four laning of Sangli-Solapur (Package-I, Sangli-Borgaon) section of NH-166 from existing km 182.195 (Design chainage Km 182.556) to existing Km 219.956 (Design Chainage Km 224.000) of length 41.444 Km in the state of Maharashtra on Hybrid Annuity Mode - **Permission for laying of Optical Fibre Cable along NH-166 from Km 185.100 Vitthal Patil Polytechnic college Dhamani to Km 189.700 near Rajput Royal Garden Miraj on Kolhapur-Miraj-Sangola-Solapur for a total length of 4.600 Kms - reg.**

Ref- M/s Jio Digital Fibre Private Limited letter No.JDFPL/OFC/ROW/INTRACITY/NHAI/01, dtd.23.03.2021 (Received on 24.08.2021).

Sir,

1. M/s Jio Digital Fibre Private Limited vide letter cited above, has submitted the proposal for permission for laying of Optical Fibre Cable along NH-166 from Km 185.100 Vitthal Patil Polytechnic college Dhamani to Km 189.700 near Rajput Royal Garden Miraj on Kolhapur-Miraj-Sangola-Solapur for a total length of 4.600 Kms for approval of the Competent Authority, Highway Administration.
2. As per para-4 of Ministry Circular No.RW/NH-33044/29/2015/S&R (R) dated 22.11.2016, the Highways Administration shall be put out in the Public Domain for 30 days for seeking claims and objections (On grounds of Public inconvenience, safety and general public interest).
3. In view of the above, the comments / objections of affected public is hereby invited with reference to Ministry's Circular dated 22.11.2016 for the above mentioned proposal. The objections / comments may be addressed to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

DGM (Tech) & Project Director,
NATIONAL HIGHWAYS AUTHORITY OF INDIA
Project Implementation Unit, Kolhapur
Gat No. 37/A(2+3), Opp. Athaayu Hospital,
In front of old MIDC Div. Office,
At/Post - Ujlaiwadi, Tal - Karveer,
Kolhapur - 416 004, Maharashtra.
Email: piukolhapur@nhai.org

Yours Faithfully,

(V. D. Pandarkar)

DGM (Tech) & Project Director,
NHA, PIU- Kolhapur.

Copy to:

1. The Web Admin, NHAI-HQ, New Delhi - for uploading on NHAI website.
2. The Senior Technical Director, NIC, Transport Bhavan, New Delhi - for uploading on Ministry's website.
3. The CGM (T) & RO Mumbai - for information please.
4. M/s Jio Digital Fibre Private Limited - for information, please.
5. Master file.