

Government of India
Ministry of Road Transport & Highways
Regional Office, Vijayawada

Door no. 38-2-3/2, Gorle dalapanna Veedhi, Near American Hospital, Punnammithota
Vijayawada-520010. Tele: 0866-2970220; Fax: 0866-2571985

Date: 03.05.2019

Subject: Proposals involving deviations from the prescribed guidelines/norms for grant of permission of Private Property - For public comments.

Proposal: Proposal of access permission for approach road to Fuel Station by M/s Indian Oil corporation Ltd. at km 312/524 (RHS) of NH-716 (old NH-205) on Tirupati-Chennai Road of Agraharam (Eswarapuram) Village, Puttur town & taluk, Chittoor District in the State of Andhra Pradesh under Survey no.239/2A.

Please find enclosed herewith the proposal seeking access permission for the above mentioned Fuel station cited as above. The proposal was examined and it was found that the proposal requires relaxation of norms as prescribed by the Ministry.

2. As per the guidelines, issued by the Ministry vide O.M No.RW/NH-33023/19/99-DO III dated 16.03.2016, the Highway administration will make available the relaxation application for public comments, and the comments will be invited within 60 days from the day of uploading in the format enclosed as Form 'A'.

3. In view of the above, comments of the public on the above relaxation proposal is invited on the below mentioned address:

The Regional Officer,
Ministry of Road Transport and Highways,
Door no.38-2-3/2,
Gorle Dalappana Veedhi
Near American Hospital,
Punnami Thota, Vijayawada - 520010
Email id: romorthvijayawada@gmail.com

Enclosure: As above

Yours faithfully,



(Nakul Prakash Verma)
Executive Engineer
For Regional Officer

Copy to:

- (i) Senior Technical Director, NIC for uploading on the Ministry's website. mansoor@nic.in; pk.jain@nic.in
- (ii) The project Director, PIU- Chennai, SRI TOWER, 3rd Floor, DP 34 (SP) Industrial Estate, Guindy, Chennai 600 032. Email: chennaipiu@gmail.com; chennai@nhai.org.
- (iii) Senior Manager (RS), Tirupati Divisional office, M/s Indian Oil Corporation Ltd., D.no.8-115/1, 1st Floor, M.M. Complex, R.C.Road, Royal Nagar, Tirupati-517 501. Email: emuralidhar@indianoil.in.

Sr. No.	State	NH No.	Chainage (Km)	Retail outlet detail	Deviation	Justification given
1	Andhra Pradesh	NH-716 (Old NH-205)	km 312/524	M/s Indian Oil corporation Ltd.	As per Ministry's norms the minimum distance of fuel station from Gap in the central median in Divided carriageway should be 300 mts but, at site it is found to be 56.0 m only.	The access to the proposed Fuel station is to be taken only from the proposed service road of length 650 m from Km312/108 to 312/758 (including acceleration & deceleration lane) separated with 300 mm kerb wall to separate from main carriageway of NH and keep the entry at a distance of 312 m from gap in the median without hindrance to the traffic of main carriageway.



Form-A

Form for inviting public comments on the application for relaxation in the guidelines/norms for access permission to fuel stations, private properties, rest areas complexes and other such facilities along National Highways

The comments by the general public needs to be given within 60 days of uploading the online application for comments.

<u>Sl. No.</u>	<u>Item</u>	<u>Details</u>
1.	Name of the person who is desiring to give comments	
2.	Address of the person	
3.	Details of the application for access permission against which comments are being given (name of applicant and other details like site address etc.)	
	a) Application No.	
	b) Name of Applicant (who applied to access permission)	
	c) Details of Application	
4.	Whether the specific permission, if given, shall cause any damage to Highways? If yes, please give details.	
5.	Whether specific permission, if given, shall adversely affect safety and convenience of the traffic on the Highways? If yes, please give the details.	
6.	Whether specific permission, if given, shall adversely affect hygiene or cause nuisance and pollution on the Highways? If yes, please give the details.	



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय)
National Highways Authority of India
(Ministry of Road Transport and Highways)
परियोजना कार्यान्वयन इकाई
Project Implementation Unit-Chennai

"श्री टवरक, 3rd मंजील, DP-34 (SP), इन्डस्टीयल एस्टेट, गिन्डी, चेन्नै - 600032.
'SRI TOWER' 3rd Floor, DP 34 (SP) Industrial Estate, Guindy, Chennai - 600 032.

दूरभाष/Phone : 91-44-2225 1885
फैक्स/Fax : 91-44-2225 1895
ईमेल/E-Mail : chennai@nhai.org
chennaipiu@gmail.com

NHAI/18011/131/09/PIU.Chennai/ 975

13th March, 2019

To

Regional Officer,
Ministry of Road Transport and Highways,
Regional Office,
38-2-3/2, Gorle Dalpanna Veedhi,
Near American Hospital, Punnamma Thota,
Vijayawada - 520 010, Andhra Pradesh.



[Handwritten signatures and initials]
19/3
17/3/19
[Signature]

Sub: NHAI, PIU, Chennai - Proposal for granting of Issue of NOC for Installation of New MS/HSD Retail Outlet of M/s. Indian Oil Corporation Limited, Tirupati at Km 312/524 on RHS in Survey No. 239/2A of K.M. Agraharam (Eswarapuram), Puttur Town, Chittoor District in Tirupathi-Tiruttani-Chennai Section of NH-205 - **Submitted - Approval requested - Reg.**

- Ref: 1. M/s. Indian Oil Corporation Limited, Tirupati letter dated Nil received by this office on 05.11.2018.
2. This office letter No. NHAI/18011/131/2018/PIU.Chennai/3595 dated 10.11.2018.
3. TL, M/s. Theme Engineering Services Pvt. Ltd., letter No. Theme/IE/TTC & Chennai Bypass /NHAI/2018/ttc/116 dated 25.02.2019.
4. This office letter No. NHAI/18011/131/2018/PIU.Chennai/728 dated 27.02.2019.
5. M/s. Indian Oil Corporation Limited, Tirupati letter dated 11.03.2019.

Sir,

It is to submit that vide reference 1st cited, M/s. Indian Oil Corporation Limited, Tirupati has submitted a proposal seeking access permission to their proposed new MS/HSD Retail Outlet at Km 312/524 on RHS in Survey No. 239/2A of K.M. Agraharam (Eswarapuram), Puttur Town, Chittoor District in Tirupathi-Tiruttani-Chennai Section of NH-205 and the same was forwarded to the Team Leader M/s. Theme Engineering Services Pvt. Ltd., vide reference 2nd cited for offering comments and recommendations as per site condition.

[Contd..2]

[Handwritten signature]

C:\S Private\NH-205\MoRTH Permissions\Retail outlet\IOCL.doc

-2-

2. In the reference 3rd cited, the Team Leader, M/s. Theme Engineering Services Pvt. Ltd., has submitted their comments by examining the above proposal with reference to the Ministry guidelines and certified that it satisfies the norms specified in that circular except the criteria the gap in the centre median from fuel station is 56m against the 300m for which relaxation has been claimed considering the access is from service road only.

3. Further, the Independent Engineer has informed that as per Concession Agreement service road of 7.0m width is proposed from Km 312/600 to 316/800 and in the instant proposal service road of 5.5m width is considered from Km 312/108 to Km 312/758 for taking access from the main carriageway. Hence, it is recommend to adopt 7.0m service road in lieu of proposed 5.5m service road in order to match with the provision of the Concession Agreement.

4. Considering the above, vide reference 4th cited this office has requested to M/s. Indian Oil Corporation Limited, Tirupati to resubmit the proposal after incorporating the above observations of IE.

5. Now, M/s. Indian Oil Corporation Limited, Tirupati has re-submitted the proposal, considering the service road with acceleration and deceleration lane at 7.00m width from Km 312.108 to Km 313.388. Necessary undertaking has also been submitted that the above service road including acceleration and deceleration lane will be constructed at their own cost including future maintenance.

6. The proposal has been examined with reference to guidelines relating to grant of permission for Retail Outlet along National Highways, issued by MoRT&H vide letter No. RW-NH-33022/19/99-DO-III dated 24.07.2013. The site has been inspected on 04.03.2019 and a detailed inspection report is enclosed herewith.

7. Three sets of proposals which contains the following documents have been received from the applicant and duly signed by the undersigned (2 sets of originals and 1 set of Xerox) are enclosed herewith.

- (i) Checklist as per the guidelines issued by MoRT&H letter No. RW-NH-33022/19/ 99-DO-III dated 24.07.2013.



[Contd..3]


-3-

- (ii) Drawing showing the key plan, site plan, drainage plan etc., of the proposed approach road/Retail outlet.
- (iii) License Deed of the use of National Highways land duly signed by the Authorized Signatory of M/s. Indian Oil Corporation Limited, Tirupati.
- (iv) Receipt of Processing fee for Rs. 10,000/- paid through bharatkosh.gov.in the Govt. of India portal (copy enclosed).
- (v) Copy of the sale deed relating to ownership of the land proposed for formation of approach road/Retail outlet.
- (vi) All the necessary undertaking submitted by the applicant.

In view of the above, the proposal of M/s. Indian Oil Corporation Limited, Tirupati seeking access permission to their proposed new MS/HSD Retail Outlet at Km 312/524 on RHS in Survey No. 239/2A of K.M. Agraharam (Eswarapuram), Puttur Town, Chittoor District in Tirupathi-Tiruttani-Chennai Section of NH-205, is herewith forwarded for according necessary approval.

Yours faithfully,

**Encl: 1. 2 sets of Originals & 1 set of Xerox booklets
2. Copies of reference 1st, 3rd, & 5th cited.**


(G. Athipathi)
Project Director,
PIU, Chennai.

National Highways Authority of India, PIU- Chennai.
M/s. Indian Oil Corporation Limited, Tirupati from Km 312/524 on RHS of
NH-205

The site proposed by M/s. Indian Oil Corporation Limited, Tirupati seeking access permission to their proposed new MS/HSD Retail Outlet at Km 312/524 on RHS in Survey No. 239/2A of K.M. Agraharam (Eswarapuram), Puttur Town, Chittoor District in Tirupathi-Tiruttani-Chennai Section of NH-205 has been inspected on 04.03.2019 and the following observations were made

1. At the proposed site, the existing
2. ROW is 30.00 meters on RHS from the centerline of the median.
3. There is no SH intersection available at a distance of within 1000m from the proposed site.
4. The nearest intersection with rural roads is at Km 312/524 which is at a distance of 350m from the proposed site.
5. No fuel station is available within 1000m from the instant proposal.
6. As per Concession Agreement, the service road is proposed from Km 312.600 to Km 313.600 on both sides and the applicant has proposed to provide the service road including acceleration and deceleration lane of 7.0m width from Km 312/108 to Km 312/758 at their own cost including its future maintenance to match with the provision of the Concession Agreement.
7. The nearest median opening is at Km 312/446 which is at a distance of 56m from the proposed site. However, the access is from the service road only. Hence, the relaxation may be considered.
8. No user fee Plaza (existing or proposed) falls within 1 Km from the proposed retail outlet.
9. It is certified that the construction of Retail Outlet has not been commenced.


(G. Athipathi)
Project Director,
PIU, Chennai.




 डॉ. प. क. सिंह
 Project Director
 भारतीय राष्ट्रीय रासायनिक प्रयोगशाला
 National Highways Authority of India
 केन्द्रीय ए.आर.डी. Chemical PHD


 INDIAN OIL CORPORATION LIMITED
 x


 E. M. GHAR
 डॉ. (आर.पी.एस.) एम. गार (आर.पी.एस.)
 वी.पी.एस. एम. गार (आर.पी.एस.)
 Indian Oil Corporation Limited, (M.D.)
 दिल्ली नगर क्षेत्र, दिल्ली-110002

LOCATION PLAN OF FUEL STATION WITHIN 1.50KM RADIUS ON EACH SIDE OF M.S / H.S.D PROPOSED RETAIL OUTLET ON RIGHT SIDE BOUNDARY OF NH - 716(Old NH 205) (TIRUPATI - CHENNAI SECTION) AT KM312.524 IN SURVEY NO. 239/2A OF K.M. AGRAHARAM(ESWARAPURAM) VILLAGE, PUTTUR TOWN, PUTTUR TALUK, CHITTOOR - DISTRICT, ANDHRA PRADESH STATE.