No. RO/VJA/Misc.24/B/OFC/NH-440/Sl.no.109// 2 2 Government of India Ministry of Road Transport & Highways

Regional Office, Vijayawada

Door No.41-29-45A, 3rd & 4th floors, MORTH/NHAI Buildings, Ranigarithota, Near Kanakadurga Varadhi, Krishnalanka, Vijayawada-520013. Tele: 0866-2571985

Dated: 08.06.2022

Invitation of Public Comments

Sub: Proposal for permission for laying Optical Fibre cable (OFC) along the NH-440 road by M/s Telesonic Networks Limited from km 97/800 to km 107/500 (LHS) of Yerraguntla - Proddatur section of NH 440 for a total length of 9700mtrs in Kadapa District in the State of Andhra Pradesh - reg.

Please find enclosed herewith the proposal in accordance with Ministry's latest guidelines dated 22.11.2016 forwarded by Chief Engineer (R&B), NH & CRF, AP vide letter dated 06.05.2022 for laying Optical Fibre cable (OFC) by Horizontal Directional Drilling Method (HDD) and open trench method along the NH-440 road by M/s Telesonic Networks Limited from km 97/800 to km 107/500 (LHS) of Yerraguntla - Proddatur section of NH 440 for a total length of 9700mts in Kadapa District in the State of Andhra Pradesh.

- As per the guidelines, issued by the Ministry vide Circular No.RW/NH-33044/29/2015/S&R(R) dated 22.11.16, the proposal for Highway crossing permission along & across National Highways shall be put out in the public domain for 30 days for seeking claims and objections on grounds of public inconvenience, safety and general public interest.
- 3. In view of the above, comments of the public on the above mentioned proposal is invited on the address mentioned below:

The Regional Officer, Ministry of Road Transport and Highways, Door No.41-29-45A, 3rd & 4th floors, MORTH/NHAI Buildings, Ranigarithota, Near Kanakadurga Varadhi, Krishnalanka, Vijayawada - 520013 Email id: romorthvijayawada@gmail.com.

Yours Faithfully.

Encl: As above

Assistant Engineer, For Regional Officer, MoRTH, Vijayawada

Copy to:

- 1) The Senior Technical Director, NIC for uploading on the Ministry's website.
- 2) The Chief Engineer(R&B), NH & CRF, AP. For kind information.
- 3) M/s Telesonic Networks Limited, 1-8-437, 364, 438 & 445, Splendid towers, Opp. Begumpet Police Station, Hyderabad - 500016, Telangana. - For kind information.

GOVERNMENT OF ANDHRA PRADESH ROADS & BUILDINGS DEPARTMENT

From Sri.V.Ramachandra M-Tech Chief Engineer (R&B) National Highways &CRF Room No.410 State HoD Offices Building, MG Road, VIJAYAWADA - 520010. To

Regional Office, Ministry of Road Transport & Highways, Door No.41-29-45A, 3rd & 4th Floors, MoRTH/NHAI Building, Ranigarithota, Near Kanakadurga Varadhi, Krishna Lanka, VIJAYAWADA - 520 013, Andhra Pradesh.

RECEIVED

Ph No.0866-2571985

Lr. No.440/ OFC/ CE(NH) /DCE(NH)/EE(NH&CRF)/DEE5/AEE2/2021-22 dt.05.05.2022

Sub: R&B Department-National Highways-Road Cutting permission - Permission for laying optical Fiber Cable (OFC) along NH 440 of Yerraguntla-Proddatur section from Km 97/800 to 107/500 LHS for the total length of 9700 meters in Kadapa District in the Andhra Pradesh for payment of Destruction District in the Andhra Pradesh for payment of Restoration Charges (License Fee and Bank Guarantee paid) by M/s Telesonic Networks Limited - Permission -Requested-Reg

Ref: 1. SE/NH/Anantapuramu Letter No: NH- 440/Road Cutting/SE NH ATP/ATO 2021-22 dt 11-04-2022

The SE(R&B), NH, Vijayawada in the reference 1st cited has submitted the - Permission for laying optical Fiber Cable (OFC) along NH 440 of Yerraguntla-Proddatur section from Km 97/800 to 107/500 LHS for the total length of 9700 meters in Kadapa District in the Andhra Pradesh as per Ministry's policy guidelines dt.22.11.2016 with the following details/particulars are here with submitted for according approval.

- 1. Original copy of Necessary Undertakings as per the Ministry's Ir No. RW/NH-33044/29/S&R® dated 22.11.2016 is enclosed.
- 2. Certificate to the extent that the proposal is meeting all the requirements as per the Ministry guidelines communicated vide lr No. RW/NH-33044/29/S&R(R) dated 22.11.2016 is enclosed by EE/NH Division, Kadapa
- 3. Inspection report from EE/NH/Kadapa is enclosed with the proposal.
- 4. The proposal for permission of laying of utility services shall include original copy of licence deed signed by two witnesses and strictly (word to word) as per Ministry Guidelines issued vide circular number: RW/NH-330044/29/2015/S&R® dt 22-11-2016 is enclosed.

- 5. The supporting documents for assessing rates of land for calculation of License fees for the proposal is countersigned by EE/NH/Kadapa
- 6. Estimate for License fee as per Ministry's Lr. No. RW/NH-33044/29/S&R® dated 22.11.2016 amounting to Rs. 4,10,000/-which is in order and paid by the applicant in Bharatkosh.gov.in vide Transaction reference Number 040222009680 dt 04.02.2022
- 7. Estimate for the amount payable towards performance security by the applicant before signing of the agreement with the Authority for an amount of Rs. 9,70,000/- which is in order. (Applicant has furnished BG: 16090100016777 dt. 16.02.2022 validity up to 15-02-2023. Issued by Axis Bank limited, CBS Pusa Road, New Delhi) and submitted an undertaking to pay the difference amount whenever charged by the Highway Administration.
- 8. Copy of Power of Attorney (POA) given by the Company Secretary of Airtel Telesonic, Net work Limited, in the name of Sri Gunasekar manager, of Airtel Telesonic, Net work Limited, for signing the documents/proposals for laying of OFC is enclosed.
- 9. Filled-in Check-list for getting approval for laying of OFC on NH land as per Ministry's Ir No. RW/NH-33044/29/S&R® dated 22.11.2016
- 10. The OFC proposed to be laid and maintained a minimum distance of 10 m from the center line. (The ROW is 10.00m from center line from each side)
- 11. The applicant has undertaken that they will relocate service road/approach road utilities at their cost not withstanding the permission granted within such time as will be stipulated by MoRTH for future six laning or any other development.

Hence, the above proposal is forwarded for according approval for laying OFC cables as per the conditions laid down in Ministry's guide lines dt:22.11.2016.

Encl: Book let-2 Nos

Yours sincerely

O Chief F

R Chief Engineer (R&B) National Highways & CRF

Copy to the Superintending Engineer N.H.Circle, Anantapuramu Copy to the Executive Engineer, N.H.Division, Kadapa

GOVERNMENT OF ANDHRA PRADESH ROADS AND BUILDINGS DEPARTMENT

From, Sri C.Vijaya Bhaskara Reddy, M.Tech., Executive Engineer (R&B), NH Division, Kadapa .

The Superintending Engineer(R&B), NH Circle. Anantapuram.

Lr. No. Road Cutting/EE(R&B)NH/KDP/DB/2021- 22, Dt; 30.03.2022, Sir.

Sub:- (R&B) NH - Division, Kadapa - Permission for laying Optical Fibre Cable (OFC) along NH-440 of section Yerraguntla-Proddatur road from Km;97/800 to 107/500 LHS, for the total length of 9700 Meters in Kadapa District in the state of Andhra Pradesh for payment of Restoration Charges (License fee and Bank Guarantee paid) by Telesonic Networks Limited Permission – Request-Regarding.

Ref: 1) Letter No.TNL/ROW/P2/2021-22/52, Dated: 17-12-2021of Telesonic Networks Ltd., Hyderabad.

2) Letter No.NH-440/Restoration Charges/SA/R&B/NH/Kadapa/ /2021-22 Dt:18.01.2022 of the Dy.Executive Engineer (R&B) NH sub-Division, Kadapa.

3) Letter No. TNL/ROW/P2/2021-22/52,BG, Dated:24-02-2022of Telesonic Networks Ltd., Hyderabad.

I Submit here with the M/s Telesonic Networks Ltd., Hyderabad, has paid license fee amount of Rs.4,10,000/-(Rupees Four Lakhs ten thousand only) online portal of bharatkosh.gov.in Transaction Reference Number:040222009680 , Dt:04.02.2022, and performance guarantee for an amount of Rs.9,70,000/-(Rupees Nine Lakhs thousand only) drawn in favour of Executive Engineer(R&B) NH Division, Kadapa vide B.G.No: 16090100016777, Dt:16.02.2022 extended up to 15.02.2023(i.e. for the period of one year) issued by Axis Bank Ltd, CBB pusa road New Delhi-110001 for according road cutting Permission for Restoration Charges laying Optical Fibre Cable (OFC) along NH-440 of section Yerraguntla-Proddatur road from Km:97/800 to 107/500 LHS, for the total length of 9700 Meters in Kadapa District for payment of Restoration Charges(License fee and Bank Guarantee paid) by Telesonic Networks Limited in the state of Hyderbad.

In this connection, I herewith submit the receipt of pay-in-slip of License fee amount and performance Bank Guaranty along with proposals and request the Superintending Engineer (R&B). NH Circle, Anantapuram to kindly obtain road cutting permission from the

Encl:-3 sets proposals along with copy of pay-in-slip for license fee and xerox copy of performance bank guarantee

Yours faithfully

Executive Engineer (R&B) NH Division , Kadapa

Copy to the Deputy Executive Engineer(R&B)NH Sub-division, Kadapa for information.

INSPECTION REPORT

I have inspected site on Date: 24.12.2021 for the proposal for "Proposal for permission for Laying of Optical Fiber Cable(OFC) along NH-440 of Yerraguntla - Proddatur road from Km 97/800 to 107/500 in LHS for a total route length of 9700 meters, in YSR Kadapa District in the state of Andhra Pradesh. ". The following points were observed and mentioned below.

- 1. The total length length of OFC Proposed is 9700 Mts ,Km. 97/800 to 107/500 L/S.
- 2. The Telesonic Networks limited has Proposed to lay OFC by Open trench (at a depth of 1.65 Mts below ground level) to a length of 9700Mts on L/S of road by open trench.
- 3. The ROW of the road varies from 20 Mts to 25 Mts in this location.
- 4. Restoration of trench should be done by the Agency as specified by the Ministry Vide F.No.RW/NH-33044/29/2015/S&R(R) Dated 22-11-2016.
- 5. The Agency has submitted Undertaking for submission of Performance Bank Guarantee ,Indemnity bond, Certificate for relocation of OFC line in case 4/6-Lanning of the road ,and under taking to comply with the MORTH Guide lines.
- 6. The strip plan and methodology of laying OFC line and other documents submitted by the agency is attached here with.

N.H. SECTION-II, KADAPA.

Dy. Exe. Engineer (R&B)

N.H. Sub Division, KADAPA.

Superintending Engineer (R & 3) NH Circle, Anantapurarag. Executive Engineer (R&B)

N.H. DIVISION, KADAPA.

CERTIFICATE

Fransaction Successful

Under signed has examined the proposed of the applicant for laying of permission for Laying of Optical Fiber Cable (OFC) along National Highway road NH-440 of section Yerraguntla-Proddatur road from Km: 97/800 to 107/500 in (LHS) for the total length of 9700 mts, in kadapa District of Andhra Pradesh and confirm that the all standard conditions issued vide ministry Circular No:RW/NH-33044/29-2015/S&(R), Dt:22.11.2016 has been followed.

- 1. It is certified that any other locations of utilities line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, casing of curve etc.,
- 2. I will ensure supervision of the work of lying of utility and ensure that the defects in the road portion after lying of utility are corrected.
- 3. I will notify / forfeit the BG for claims for damages done / disruption in working, if any.
- 4. I will ensure the proposed permission in the entered in the register of records.
- 5. The record of previous approval, if any has been considered and the copy of same is enclosed with the proposal.

Superintenang Engineer (я в) ин стоје, Ansnistursma

Executive Engineer

(R&B) NH Division, Kadapa.

Asst. Executive Engineer (R&B) N.H. SECTION-II, KADAPA. Dy. Exe. Engineer (R&B) N.H. Sub Division, KADAPA

18-01-22

Superintending Engineer (R & B) NH Circle, Anantapuramu

Telesonic Networks Ltd

1-8-437, 364, 438 & 445 Splendid Towers, Opp. Begumpet Police Station Hyderabad, TG - 500 016

www.airtel.in



UNDERTAKING

Name of Work: To lay Telecom Cables/OFC/ducts along NH-440 of section Yerranguntla Proddatur Section from Km.97.800 to Km.107/500 (LHS) for the total length of 9700 meters in Kadapa District of Andhra Pradesh under the Jurisdiction of R&B, NH-Division, Kadapa.

We, Telesonic Networks Limited having its Regd. Office located at, Telesonic Networks Ltd, 1-8-437,438,364 & 445, Splendid Towers Opp. Begumpet Police Station, Hyderabad-500016, do hereby undertake to pay the differential Performance Bank Guarantee whenever charged by the Highway Administration as per MoRT&H guidelines vide letter no. RW/NH-33044/29/201S/S&R(R) Dated: 22nd November 2016.

Yours Sincer For TELESO

C NETWORKS LTD.

Authorized signature

Government of Andhra Pradesh Roads and Buildings Department

From

Sri C.Vijaya Bhaskar Reddy, M. Tech., Deputy Executive Engineer, (R&B) N.H. Sub-Division, Kadapa. To

The Executive Engineer, (R&B) NH Division, Kadapa.

Lr. No. NH-440/Restoration Charges/SA/R&B/NH/Kadapa/2021-22, dt: 18/01/2021

Sir,

Sub: (R&B) NH Sub Division, Kadapa – Proposal for permission for Laying of Optical Fiber Cable(OFC) along NH-440 of Yerraguntla-Proddatur road from Km 97/800 to 107/500 in LHS for a total route length of 9700 meters, in YSR Kadapa District in the state of Andhra Pradesh. – Telesonic Networks limited – Proposals - Submitted – Reg.

Ref: 1. Memo No. Airtel/ Yerraguntla-Proddatur NH-440/Road cutting/TO/ 2021-22, Dt.05.01.2022 of Executive Engineer(R&B) NH Division, Kadapa.

F.No.RW/NH-33044/29/2015/S&R(R) Dated 22-11-2016.
 of the MORT&H, New Delhi

* * *

Adverting to the reference 1st cited, I here with submit the Proposal for according permission for Laying of Optical Fiber Cable(OFC) along NH-440 of Yerraguntla-Proddatur road from Km 97/800 to 107/500 in LHS for a total route length of 9700 meters, in YSR Kadapa District in the state of Andhra Pradesh, for a length of 9700 Mts on L/S of road by open trench by Telesonic Networks limited along with License fee and Performance bank Guarantee calculation sheet and Necessary documents like Inspection report, Check list.etc., were also enclosed.

This is submitted for favor of necessary action.

Yours faithfully

Encl:-Proposals 1Set

Deputy Executive Engineer (R&B) NH Sub Division, Kadapa.

Telesonic Networks Ltd

1-8-437, 364, 438 & 445 Splendid Towers, Opp. Begumpet Police Station Hyderabad, TG - 500 016 www.airtel.in



Ref:- TNL/ROW/P2/2021-22/52

Dated: 17/12/2021

To, The Executive Engineer R&B, NH-Division, Kadapa, Andhra Pradesh.

Dear Sir

Sub: Permission to lay optic fiber cable (OFC) along NH-440 of section Yerranguntla Proddatur Section from Km.97.800 to Km.107/500 (LHS) for the total length of 9700 meters Kadapa District of Andhra Pradesh under the Jurisdiction of R&B, NH-Division, Kadapa.

Ref: Ministry's circular no. RW/NH-33044/27/2015-S&R(R) dated 22.11.2016

M/S Telesonic Networks Limited, is an infrastructure provider category-I (IP-1), the copy of same issued by Ministry of Communication, Department of Tele Communication is enclosed for ready reference.

In this context, we wish to inform you that we propose to lay HDPE ducts along NH-440 of section Yerranguntla Proddatur Section from Km,97.800 to Km.107/500 (LHS) for the total length of 9700 meters to facilitate installation of Duct/OFC.

We are herewith submitting plan showing the proposed OFC path.

We propose to execute the work by open cut/HDD or any other suitable method to construct a Fiber optic backbone link. The work shall be carried out as per standard guidelines and polices for laying OFC including installation of chambers for above said route.

Hence, we request you to kindly accord ROW permission.

Thanking you

Yours Sincerely

For TELESONIC NETWORKS LIMITED

Authorized signature

ENCL: 1. Plan showing the proposed OFC path, 2. Agreement – 2 original, 3. Undertaking for performance Bank Guarantee, 4. Undertaking for Licensee Fee, 5. Undertaking as per Checklist S.No.5, 6. Undertaking as per Checklist S.No.5.12, 7. Cross Section of open trench 8. Methodology, 9. IP License 10.PoA.

Registered Office: Bharti Crescent, 1, Nelson Mandela Road, Vasant Kunj, New Delhi-110070 T: +91-11-4665 6100, F +91-11-4156 6137, Email: corporate.secretarial@bharti.in Corporate identity Number: U64200DL2009PLC325406

Guidelines for processing the proposal for laying of utility line in the land along National Highways vested with NHAI/PWD/BRO.

SI. No.	Item	Information/ Status	Remarks	1
1	General Information			
1.1	Name and Address of the Applicant/Agency	Telesonic Networks Limited, 1-8-437, 438, 364 & 445, Splendid Towers, Opp. Begumpet Police Station, Hyderabad-500016.		
1.2	National Highway Number	NH-440		
1.3	State	Andhra Pradesh		
1.4	Location	Yerranguntla Proddatur		
1.5	(Chainage in km.)	Km.97.800 to Km.107/500		
1.6	Length in Meters	9700 Meters		
1.7	Width of available ROW			Ĺ
	(a) Left side from center line towards increasing chainage/ km direction	10 Meters		
	(b) Right side from center line towards increasing chainage/ km direction	10 Meters		
1.8	Proposal to lay the utility			i
	(a) Left side from center line towards increasing chainage/km directions	Yes		
	(b) Right side from center line towards increasing /km direction	No		
1.9	Proposal to acquire land			
	a) left side from center line	NA		
	b) right side from center line	NA		
1.10	Whether proposal is in the same side where land is not to be acquired	NA		
444	If not then where to lay the cable			
1.11	Details of already laid services, if any, along the proposed route	NA		
1.12	Number of existing lanes (2/4/6/8 lanes)	2 lane		
1.13	Proposed Number of lanes (2 lane with paved shoulders/4 /6/8 lanes)	NA		
1.14	Service road existing or not	NA		1
	If yes then which side	de) stage	Mrs
	(a) Left side from center line	NA Execut	tive Engine	er (R8
	(b) Right side from center line	NA NHO	MOISIVII	ADAL
1.15	Proposed Service road	NA	TVIOLOTTY I.	MUPU
	(a) Left side from center line	(ELESO)		
	(b) Right side from center line	(5")	1/1	

Asst. Executive Engineer (R&B) N.H. Sub Division, KADAPA
N.H. SECTION-II, KADAPA

	CHECK-1		
1.16	Whether proposal to lay utility is after the		
	service road or between the service road and		
	main carriageway	'	
1.17	Whether carrying of sewage/OFC has been	No, Utility (OFC) not proposed on	
	proposed on highway Bridges.	Bridges.	
	If yes, then mention the methodology	bridges.	
	proposed for the same.		
1.18	Whether carrying of sewage/OFC has been	No, Utility (OFC) not proposed on the	
	proposed on the parapet/any part of the	parapet/any part of the Bridges.	
	Bridges.	purapely any part of the bridges.	
	If yes, then mention the methodology		
	proposed for the same.		
1.19	If Crossing of the Road involved		
	If Yes, it shall be either encased in pipes or		
	through structure or conduits specially built		
	for that purpose at the expense of the agency		
	owning the line		
	a) Whether the existing drainage		
	structures are allowed to carry the		
	OFC OFC	No	
	b) Is it on a line normal to NH	No	
	c) What is the distance of crossing the		
	utility OFC from the existing		
	structures?	Nich Applicately	
	Crossings shall not be too near the existing	Not Applicable	
	structures on the National Highway, the		
	minimum distance being 15 meter.		
	d) The casing pipe (or conduit pipe in		
	the case of electric cable) carrying		
	the utility line shall be of steel, cast		
	iron or reinforced concrete and have	Alak Amaliashia	
	adequate strength and be large	Not Applicable	
	enough to permit ready withdrawal		
	of carrier pipe/cable		
	Mention type of casing.		6
	e) Ends of the casing/conduit pipe shall		
	be sealed from the outside, so that it	Mat Appliants	
	does not act as a drainage path	Not Applicable	
	f) The casing/conduit pipe should be as		
	minimum extend from drain to drain	Not Applicable	
	in cuts and toe of slope in the fills.	Not Applicable	
	g) The top of the casing/conduit pipe		
	should be at least 1.5 meter below		
	the surface of the road subject to		
	being at least 0.3 m below the drain	Amplicable	
1	inverts.	Applicable	
1	Mention the proposed details		
	h) Mention the methodology proposed	co &	at 1/2
	for crossing of road for the proposed	Executive E	28/03/12
	sewage/OFC.		
	_	N.H. DIVIS	ION, KA
1	Crossing shall be by boring method	HDD-METHOD	
1	(HDD) (Trenchless Technology),	ACROSS THE CROSS ROADS AND	
	specially where the existing road pavement is of cement concrete or	OPEN TRENCH METHOD ALONG THE	
		ROAD	
	dense bituminous concrete type	(5)	

Aset. Ex. Engineer (R&B)
N.H. SEUTION-II, KADAPA.

Dy. Exe. Engineer (R&B) N.H. Sub Division, KADAPA,

dose

	 i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a 	Not Applicable
	manner as to prevent the formation of a water way along it	
2	Document/Drawings to be enclosed with the	
	proposal	Enclosed
2.1	Cross section showing the size of trench for open trenching method	Enclosed
	Is it normal size of 1.5m deep x 0.3 m wide	Yes
	i) should not be greater than 60 cms wider	Yes
	than the outer diameter of the pipe	
	ii) located as close to the extreme edge of the Right of Way as possible but not less than 15m from the center line of the nearest carriageway	Drawing Enclosed
	iii) shall not be permitted to run along the National Highways when the road formation is situated in double cutting nor shall these be laid over the existing culverts and bridges	Not Applicable
	iv) These should be so laid that their top is at least 0.6m below the ground level so as not to obstruct drainage of the road land	Yes
2.2	Cross section showing the size of pit and location of cable for HDD method	HDD Cross section enclosed
2.3	Strip plan / Route Plan showing utility/OFC chainage, width of ROW, distance of proposed pipe line from the edge of ROW, important mile stone, intersections, cross	Strip plan showing all the details is enclosed
	drainage works etc.	
2.4	Methodology for laying of the OFC	Enclosed
2.4.1	Open trenching method (may be allowed in	± Enclosed
	utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type)	Yes, Methodology of OFC laying attached.
	If yes, what is the methodology of refilling the trench	
	a) The trench width should be at least 30 cms, but not more than 60 cms. wider than the outer diameter of the pipe	Open Trench cross section enclosed
	b) For filling of the trench, Bedding shall be to a depth of not less than 30 cms. It shall consist of granular material, free of lumps, clods, cobbles and graded to yield firm surface without sudden change in the bearing value.	Yes طبی کی
	Unsuitable soil and rock edges should be excavated and replaced by selected material.	Executive Engineer (R8 N.H. DIVISION, KADAP
	c) The backfill shall be completed in two stages- i) side fill to the level of the top of the pipe and ii) overfill to the bottom of the road crust	Yes
	bottom of the road crust	

Asst. Executive Engineer (R&B)

N.H. SECTION-II, KADAPA.

N.H. Sub Division, KADAPA.

	CHECK-1		
	d) The side fill shall consist of granular material laid in 15 cms. Layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the proctor density. Overfill shall be compacted to the same density as the material that has been removed. Consolidation by saturation or ponding will not be permitted.	Yes	
	e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Yes	
	f) The excavation shall be protected by flagman, Signs and barricades and red lights during night hours.	Yes	
	g) If required a diversion shall be constructed at the expense of agency owing the utility line.	Not applicable	
2.4.2	Horizontal Directional Drilling (HDD) Method	Details provided in Methodology of Laying.	
2.4.3	Methodology for laying of the OFC through CD works and method of laying In cases where the carrying of OFC on the bridge becomes inescapable	Yes, Methodology of OFC laying attached.	
3	Draft License Agreement signed by two witnesses	Enclosed	
3.1	The License fee estimate as per Ministry's guidelines issued vide circular No. RW/NH/33044/29/2015/S&R dated 22-11-2016	Enclosed	
4	Whether Performance Bank Guarantee as per Ministry guidelines issued vide circular No. RW/NH/33044/29/2015/S&R dated 22-11-2016 is obtained	Yes, Enclosed	
4.1	Confirmation of BG has been obtained or not as per MoRTH/NHAI guidelines	Confirmation of BG shall be obtained after BG submission by M/s Telesonic Networks Ltd	
5	Affidavit/Undertaking from the Applicant for following is to be furnished		
5.1	Undertaking for not to damage any other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Yes, Enclosed	
5.2	Undertaking for Renewal of Bank Guarantee as and when asked by MoRTH/NHAI	Yes, Enclosed	
5.3	Undertaking for confirming all standard conditions of Ministry/NHAI's guidelines	Yes, Enclosed	7.
5.4	Undertaking for Indemnity against all	Yes Enclosed Executive Engine	gran
5.5	Undertaking for management of traffic movement during laying of utility line without hampering the traffic	Yes Enclosed N.H. DIVISION,	(ADA

Asst. Executive Engineer (R&B)
N.H. OLOTION-II, KADAPA.

Dy. Exe. Engineer (R&B)

	CHECK 1	3151	
5.6	Undertaking that if any claim is raised by the Concessionaire/contractor then the same has		
5.7	to be paid by the applicant		
5.,	Undertaking that prior approval of the NHAI		
	shall be obtained before undertaking any	Yes Enclosed	
	work of installation, shifting or repairs, or	<u> </u>	1
	alterations to the utility located in the	<i>4</i>	
5.8	National Highway Right of Ways.		
0.0	Undertaking that expenditure if any incurred		
	by NHAI for repairing any damage caused to		1
	the NH by laying, maintenance or shifting of		
	the utility line will be borne by the applicant	.]	
	agency owning the line.		
5.9	Undertaking that text of the License deed is as		
	per verbatim of format issued by MoRTH vide		
	circular No. RW/NH/33044/29/2015/S&R	. [
	dated 22-11-2016		
5.10	Undertaking that the applicant has obtained		
	various safety clearances from the respective		
	authorities such as Directorate of Electricity,	Not Applicable as the Utility line	
	Chief Controller of Explosives, Petroleum and	proposed is OFC.	1
	Explosive Safety Organization, Oil Industry		1 1
-	Safety Directorate, state/central pollution		
	control board and any other statutory		1 9
	clearances as applicable, before applying to		1 1
	Highway Administration.		T U
5.11	If the MoRTH/NHAI considers it necessary in		-
1	future to move the utility line for any work of	Yes, enclosed	1 1
1	improvement or repairs to the road, it will be	Tes, enclosed	
	carried out as desired by the MoRTH/NHAI at		
	the cost of the Agency owning the utility line		
	within a reasonable time (not exceeding 60		
	days) of the intimation given.		
5.12	Certificate from the applicant in the following		_
ľ	format	1	
i i	i) Laying of OFC will not have any deleterious	1	ľ
1	effects on any of the bridge components and	Enclosed	l l
i .	roadway safety for traffic	Enclosed	l l
ı	Toddway surety for trains		
	ii) We do undertake that I/we will relocate		
	service road/approach road/utilities at	Enclosed	16
	my/our own cost notwithstanding the	Enclosed	
3)	permission granted within such time as will be	1	
	stipulated by NHAI for future six laning or/any	[
	other development.	1	
	<u> </u>	i	
6	Who will sign the agreement on behalf of OFC		
	line agency?	Manager, Telesonic Networks Ltd.,	
i.	Power of attorney to sign the Agreement is C	Capy of Power of Attorney enclosed.	1
	available or not	1 so AC	2103/22
7	The Project Director shall submit the following	Executive Eng	COT IRRB
	Certificates		
7.1	Certificate that the proposal is confirming to	N.H. DIVISION	A, KADAYA
ļ	all standard conditions issued vide MoRTH	Enclosed	
1	circular No. RW/NH/33044/29/2015/S&R	Enclosed	
	dated 22-11-2016	0/ 13/ 12/	

Asst. E. Live Engineer (R&B)

N.H. SECTION-II, KADAPA

N.H. Sub Division, KADAPA

	<u>chiler</u>	2101
7.2	Certificate from the PD in the following format i) "it is certified that any other location of the OFC would be extremely difficult and unreasonably costly and the installation of OFC within RoW will not adversely affect the design, stability and traffic safety of the highway nor the likely future improvement	Enclosed
	such as widening of the carriage way, easing	
	of curve etc.".ii) for 6-laning	
	a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location".	
	b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning"	
	proposed on larning	Enclosed
8	If NH section proposed to be taken up by NHAI on BOT basis – a clause is to be inserted in the agreement "the permitted highway on which lises are a large."	
	which licensee has been granted the right lay OFC duct has also been granted as a right of way concessionaire under the concession agreement for up gradation of on EPC basis and therefore the licensee shall honor same.	Yes
9	Who will supervise the work of laying of Utility Pipe line	
	a) On behalf of the applicant	Area Manager, Telesonic Networks Limited, Kadapa
	b) On behalf of MoRTH/NHAI	Executive Engineer (R&B), NH Division, Kadapa
10	Who will ensure that the defects in road portion after laying of OFC are corrected and if not corrected then what action will be taken.	
	c) On behalf of the applicant	Area Manager, Telesonic Networks Limited, Kadapa
	d) On behalf of MoRTH/NHAI	Executive Engineer (R&B), NH Division, Kadapa
11	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire?	Telesonic Networks Limited
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma	Yes, Enclosed Executive Engine
1 A	(copy enclosed)	N.H. DIVISION, P

Asst. Executive Engineer (R&B)
N.H. SECTION-II, KADAPA.

Dy. Exe. Engineer (K&B) N II Cub Divicion KADAPA

er (R&B) ADAPA.

GTJ 2

13	If any previous approval is accorded for laying cable line then Photocopy of register of records of permissions accorded (as maintained by PD) to be enclosed.	NA	
----	--	----	--

Shri. L Gunashekar Sr.Manager - Network

Name, Designation and Signature of the Authorized representative of applicant

Name Designation and signature of concerned field authority of NHAI/PWD/BRO

Asst. Executive Engineer (R&B)
N.H. SECTION-II, KADAPA.

Dy. Exe. Engineer (R&B)
N.H. Sub Division, KADAPA.

Superintending Engineer (R & B) NH Circle, Anantapuramer

Executive Engineer (R&B)
N.H. DIVISION, KADAPA.

[Enclosu, ... o Ministry Circular No. RW/NH-33044/27/2015-S&R(R) date... 22.11.2016] Format for Maintaining Records of Right-of-Way permission granted for laying OFC

(to be maintained separately for every NH and State)

: Andhra Pradesh

: NH R&B, Kadapa

Name of State
Name of Agency

NH Number


: NH-440

_	S.No
Km.97.800 to Km.107/500	Location (chainage in Km)
FS	Left or right side of NH (towards increasing chainage/km direction
Yerranguntla Proddatur	Section and reach
Telecom	Kind of service
1 elesonic Networks Ltd., 1-8-437,438,364 & 445, Splendid Towers Opp. Begumpet Police Station, Hyderabad-500016	Kind of Name of license and contact service address
	Date of signing of agreement
	Date of validity of agreement
	Date of last inspection of site
No	Any deviation from MOST standard norms
	Remarks


Asst. Executive Engineer (R&B)
N.H. SECTION-II, KADAPA.

N.H. Sub Division, KADAPA

Executive Engineer (R&B)
N.H. DIVISION, KADAPA.



Typical Cross Sectional For HDD



40mm HDPE Duct Dy. Exe. Engineer (R&B) N.H. Sub Division, KADAPA.

Bore Dia 100mm

, KADAPA.

Executive Engineer (R&B) N.H. DIVISION, KADAPA. 12/03/22

Superintending Engineer (R &5) NH Circle, Anantapurama

1 h | 11-


Distance Finished Level Bottom Level

Installation of OFC Ducts by Trenchless Techniques (e.g. by HDD)

For the process of HDD excavation of only 2 pits each of standard size 1.5X0.5X1.65M is required which is called Entry pit and exit pit. Pit size may vary based on the site condition. The first stage drills a pilot hole on the designed path, and the second stage (reaming) enlarges the hole by passing a larger cutting tool known as the reamer. The reamer's diameter depends on the size of the duct (HDPE duct in our case) to be pulled back through the bore hole. The driller increases the diameter according to the outer diameter or the conduit and to achieve optimal production. The third stage places the Duct (3 to 7 ducts of 40mm dia each) in the enlarged hole by way of the drill stem; It is pulled behind the reamer to allow cantering of the Duct in the newly reamed path. Pit size may vary based on site condition. Entry and exit pits shall be dug at both ends of the segment which shall later on become either a location for man-hole/hand-hole The drilled hole profile between entry and exit pits (except transition areas) shall be as straight as possible.

High Ways/Roads/Railway crossings

Highways /Roads/railway crossings may be crossed by open cut or trenchless technique (HDD/Mouling) appropriate / approved by the authorities (refer typical sketches at the end of this section). Moiling method is generally not suitable for crossing width of more than 20 meters. For such crossings only HDD should be used when trenchless technique only is approved by authorities. GI pipe shall be provided as additional protection to HDPE ducts at these crossing locations as a measure to prevent third party damage.



SINGLE ROAD CROSSING BY MOILING / BORING

Water Body Crossing

Water bodies and other natural obstructions can be crossed by open-cut method, trenchless techniques or using existing infrastructures such as bridges and culverts depending upon the nature of water body (dry/stagnant/flowing) and availability of permissions from concerned authorities for using existing infrastructure. In all cases, installation technique shall be such that protection of HDPE ducts is ensured. Necessary protection should be provided.


Crossings using Existing Bridges/Culvert

i) Existing infrastructure for crossings water bodies such as nalas /streams / rivers / canals, etc. shall be used wherever possible and permission to use the bridge or culvert is available.

ii) Bridges where it is not possible to make trench, GI pipe / DWC pipe (selected as per criteria as given above) shall be installed at safe available place on the bridge designated for the utilities. The pipe shall be fixed in place firmly using clamps and/or encasing in M15 concrete. HDPE ducts then shall be pulled into this pipe


- iii) When GI pipe/duct is installed on the underside of bridge or culverts, additional measures shall be taken to prevent it getting washed out during flooding. The ducts laid on adjacent areas (banks of water body) shall also be protected against washout or settlement of backfilled area
- iv) Before crossing bridge/culvert the engineer from concerned authority (PWD/NHAI) must be consulted for future plan of expansion or re-construction and to decide the alignment of trench.

Following pictures show typical installations on bridges for reference and guidance purpose.



Typical Crossing on bridge with existing pipes available at left / right side of the bridge

Pit size of HDD will be 1.5X1.5X1.65m depth




Route Markers

Route markers made of RCC (1:2:4) shall be provided at a distance of every 250 meters or wherever there are crossings or major deviation in the route from being straight. Additionally route markers shall be installed on both sides of the crossing. Route markers shall also be put at duct coupler locations and man-hole and Handhole locations. Markers shall be of length 1250 mm with base of 100 mm x 250 mm tapering to 100 mm x 200 mm. Name/logo of Owner shall be engraved on the surface of marker. Aboveground surface of route marker shall be painted in Blue colour. Route Markers placed at coupler locations shall be painted yellow. Markers placed at the man-holes shall be painted red in colour. Owner name/logo shall be filled with fluorescent white.


Man Holes/Hand holes

Size of Manholes made of RCC is 1.0m dia and depth 1.1m depth. They will be placed 500mm below GL and will be placed each at 1.0Km distance.

Asat. Executive Engineer (R&B) N.H. SECTION-II, KADAPA.



_aying of 150mm G.I. Pipe in Re-inforced concrete placing on existing concrete structure



Crossing of Bridge on one side with a G.I. Fixed on Brackets




Aset. Executive Engineer (R&B) N.H. SECHON-II, KADAPA.

(et

Crossing by Open-cut method

- Open cut method is used when installation on bridge / culvert is not available. This method however is more suited to seasonal water bodies (prone to flowing water such as nala/stream/ river/ canal etc.) which may be completely / partially dry during installation period. This method can also be used for small water bodies where it is possible to divert water for a short period of installation.
 - ii In case there is only one Hume pipe up to 600mm dia used as a culvert to equalise the water level on both side of road. The duct can be laid at a min depth of 1.65 m without any protection for more than one 600mm dia and all sizes of Box-culverts, ducts shall be installed as clause iii) below
 - In Case the water body bed is not rocky (i.e. normal soil is present), a trench 2.0 meter below the bottom of culvert bed shall be dug out and DWC pipe of suitable size shall be installed inside the trench. In case the bed is rocky then minimum depth of trench shall be 1.5 m. 50mm thick sand padding (covering highest point on the trench bottom surface) shall be provided before installing DWC pipe.

Note: Trenchless technology will be used (e.g.: HDD) where ever available ROW is restricted and utility corridors cannot be conveniently earmarked.



Methods:

- Open Trench include Manual and Machine trenching
- Trench less technology a) Mauling b) HDD Machine
- Bridge crossings

Open Trench

There will be continuous digging following a single line in open trench. The depth of trench will be 1.65M in the normal soil condition. Open trench will be carried out manually and with machine. Cross section of the trench is attached herewith. Trench will be in RoW limits and will be marked with lime powder to keep it straight. Trench will be barricaded with the safety signs as shown in the annexure drawing. This method will be used wherever normal soil is available for open trench. Trench will be laid clear of Drains, service roads, Truck Lay bays and Bus Bays where ever existing on the High ways.

Trench Profile

Bottom of trench shall be uniform and shall follow ground contour/profile. In areas with steep slope, trench profile shall be such that bottom of trench shall not have more than 23 degree gradient with horizontal (i.e. difference between two adjacent depth readings at a distance of one meter shall not be more than 250 mm). Prior to installation of the duct, the trench shall be checked to ensure the minimum depth requirements.

Backfilling

Backfilling shall be done with well compacted excavated material after ensuring soft material padding. Adequate dry compaction shall be done before Crowning. Compaction shall be done in layers of 50 cm each. The trench shall be filled up to the required height (Measured from top of ducts as per Trench cross- section drawing issued for construction) and a 0.2mm thick high density polyethylene warning tape shall be placed above the ducts prior to further backfilling. A crown of 250mm shall be made at the top of the backfilled trench to cater for soil settlement. No surplus soil shall be left outside trench. Entire area shall be restored and debris removed and disposed off in a safe manner and in line with requirements of the authority having jurisdiction over the area.