



**No. RO/MUM/Laying Utility/MAH/2021-22/P-02/ 1385**

**Office of the Chief Engineer  
Government of India, Ministry of Road Transport & Highways  
(Regional Office, Maharashtra, Goa)**

Room No. 508 & 509, Konkan Bhavan, 5th Floor, Sector-6, C.B.D, Belapur, Navi Mumbai- 400614

Tel:- 022-27562370, 27562369, Email:- [romum-morth@gov.in](mailto:romum-morth@gov.in); [romorthmumbai@gmail.com](mailto:romorthmumbai@gmail.com)

Date: 18.02.2022

**INVITATION OF PUBLIC COMMENT'S**

**Subject: - Proposal for Supplying & Erection of Street Light Poles on LHS Side of NH-04 from Ch, Km, 60/800 (Manashanti Valvan) to Km, 70/200 (Battery Hill Rajmachi) in Lonavala Municipal Council Jurisdiction total length 9.50 Km, at Lonavala, in the State of Maharashtra. -Reg. Applicant: M/s. Chief Officer, Lonavala Municipal Council.**

The EE (NH) MSRDC, Camp Pune, vide letter No. MSRDC/04/EE/NOC-340/2022/199.dated.19.01.2022.submitting therewith proposal for Supplying & Erection of Street Light Poles on LHS Side of NH-04 from Ch, Km, 60/800 Manashanti Valvan to Km, 70/200 Battery Hill Rajmachi in Lonavala Muncpal Council Jurisdiction total length 9.50 Km, at Lonavala, in the State of Maharashtra. -Reg. Sought NOC.

2. As per guideline issued by Ministry vide letter no. RW/NH-33044/29/2015/S&R(R), dated 22.11.2016 according to which for cases, Highway Administrator will make in Ministry website the complete application for public comments and comments will be invited within **30 days** from the day of uploading.

3. In view of above, the comments of the public on the above proposal may be invited to this office. The detailed proposal submitted by applicant is online available at [www.morth.nic.in](http://www.morth.nic.in).

Yours faithfully,

Encl: As above

  
(Prakash Ambhore)  
Sr.Tech Assistant

For CE-RO MoRTH, Mumbai.

18.02.2022

Copy to:

- 1) Senior Technical Director, NIC Transport Bhawan MoRTH, New Delhi -For uploading on Ministry's website.
- 2) The EE (NH), MSRDC, Camp Pune -for information. & it is requested to submit, On line License Fee Receipt, (Bharat Kosh) with calculation sheet, BG Copy at the earliest.





## लोणावळा नगरपरिषद

लोणावळा, ता.मावळ जि.पुणे ४१०४०१

दूरध्वनी : अध्यक्ष (०२११४) २७३७६३ / मुख्याधिकारी : २७५४६४  
कार्यालय : २७५४६३, फॅक्स (०२११४) २७५४६३ email: lmc187@gmail.com

लोनप 10/विद्युत/ना.ह./2021-22/ 688

प्रति,  
मा.कार्यकारी अभियंता,  
महाराष्ट्र राज्य रस्ते विकास महामंडळ,  
नवीन प्रशासकीय इमारत, कॅम्प, पुणे - 411011.

Ex.Engr.	
Dy.Engr.	
Inward	6913
Date	17 NOV 2021
Branch	EE
Sig.of O/s	

दि. १५/११/२०२१,

DE  
K. H. H.

विषय - लोणावळा नगरपरिषद हद्दीतील जाणाऱ्या राष्ट्रीय महामार्ग क्र.4 च्या कडेने मनशक्ती केंद्रापासून ते खंडाळा राजमाची उद्यान बॅटरी हिल पर्यंत स्ट्रीट लाईट पोल उभारणे कामी परवानगी (ना हरकत) मिळणेबाबत.

संदर्भ-1. या कार्यालयाचे पत्र क्र.लोनप 10/विद्युत/ना.ह./2021-22/384, दि.24/08/2021

2. मा.कार्यकारी अभियंता, महाराष्ट्र राज्य रस्ते विकास मंडळ क्र.मरारविम/04/काअ/2021/9582, दि.25/10/2021 अन्वये प्राप्त पत्र.

महोदय,

उपरोक्त संदर्भीय विषयांवये लोणावळा नगरपरिषद हद्दीतील जाणाऱ्या राष्ट्रीय महामार्ग क्र.4 च्या कडेने मनशक्ती केंद्रापासून ते खंडाळा राजमाची उद्यान बॅटरी हिल पर्यंत स्ट्रीट लाईट पोल उभारणे कामी नगर परिषद शासकीय निधीमधून सदरचे काम करणेचे प्रस्तावित आहे. सदर संदर्भ क्र.2 अन्वये आपण कागदपत्रांची पूर्तता करणेस सांगितले, त्यानुसार पूर्तता करणेत आली आहे.

तरी आपणाकडून तात्काळ नगरपरिषदेस लोणावळा नगरपरिषद हद्दीतील जाणाऱ्या राष्ट्रीय महामार्ग क्र.4 च्या कडेने मनशक्ती केंद्रापासून ते खंडाळा राजमाची उद्यान बॅटरी हिल पर्यंत स्ट्रीट लाईट पोल उभारणे कामी परवानगी (ना हरकत) मिळावी जेणेकरून सदरचे काम करणे सुरळीत होईल. तरी सदर कामी परवानगी (ना हरकत) मिळावी हि. विनंती.

कळावे,

सोबत प्रत-1. आराखडा नकाशा

2. चेकलीस्ट, 3. हमीपत्र, 4. करारनामा

5. स्ट्रीट लाईट देखभाल दुरुस्ती व लाईट बिल संदर्भात



मुख्याधिकारी  
लोणावळा नगरपरिषद



## CHECK LIST

Check List For Grant of Permission for Erection of Street light pole by using underground cable sites for Illumination from left hand side from pune to Mumbai corridor on Mumbai Pune Highway (NH-4).


1	Whether for which permission is required (State whether for drinking water/lift irrigation or water pipeline)/street light pole	Street Light pole erection and underground cable
2	Whether within Municipal Limit or outside Municipal limit	Within Municipal Limit On Mumbai Pune NH-4
3	Location Km/Chainage	60/800 to 70/200
4	Whether there will be any problem in maintenance of NH way due to Mobile Tower/ Street light pole	No
5	A Laying of the road	
	1. The nearest distance on either wise of proposed crossing from	
	a) Existing C.D. work of NH- (Minimum distance should be 15m)	
	b) Irrigation drain	
	c) Structure constructed for crossing of utility services whether this can be used in present case	N.A
	2. Distance of the proposed crossing from centre of	N.A
	a) Road Junction	-
	b) Approach road to private property	N.A
	3. The diameter and type of material of utility/ water pipeline/Mobile Tower/ <b>street light pole</b>	No approach road
	4. Diameter of casing pipe (RCC pipe should be large enough to facilitate easy withdrawal of maintenance of service line/water pipeline)	- 50 mm DWC pipe for cable
	5. Type of joints proposed for utility pipe/ water pipeline (Spigot and socket or collar joint)	-
	6. Whether proposal is with pressure pipe or for gravitational flow-	-
	7. The depth of top of the casing pipe below the road surface (This should be 1.20mm)	- 90 cm
	8. Whether crossing is perpendicular or skew with reference to the centre line of road	-
	9. How the conduit pipe is proposed to sealed on both ends	-
	10. Whether road side drainage is affected by crossing or proposed culvert	-
	11. The dept of top of casing pipe below road side drainage (This should be minimum 0.30)	-

*Boati.*

*Lonavala Municipal Council*



	12. If water pipeline is proposed through existing culvert (Furnished plan and elevation of existing structure water way calculation. F.F.D. method of laying the OFC through the structure whether the existing structure is as per NH standard of sub- standard. Please enclose a self contained note for obtaining Govt. of India approval to the proposal.	-
	<b>LAYING THE WATER PIPELINE/ Street Light pole ALONG THE ROAD</b>	
1.	The existing land width for the length along which the water pipeline/ street light pole is to be laid (This should also be shown in plan)	2.0 mtr from existing road  At the Left side end of the road from Pune to Mumbai ROW
2.	Distance of the <b>street light pole</b> from the centre of the carriage way (This should be 15mm minimum)	
3.	The depth of the top of the street light pole below ground level (This should be 0.60m below ground)	
4.	Whether water pipeline is along the road with double cutting (Not permissible in such cases)	
5.	Whether <b>street light pole</b> is proposed to be laid over the existing bridge or culvert. If any, submit a self contained proposal & a drawing of existing structure in duplicate for obtaining Govt. of India's approval (the details as per query number 12 under (A) should be shown in drawing in this cable also)	
6	Document to be attached with the proposal (g) Index Map (h) Drawing showing cross- section of road at Crossing (I) Plan elevation and Section of C.D. work (J) The land width plan (k) Application of party in original (l) Certificate duly signed by the Executive Engineer (Copy enclosed)	Attached
7.	The drawing should be signed by the owner, sub-divisional Engineer. The above documents should be in duplicate	Yes



*[Signature]*  
मुख्याधिकारी  
लेखाधिकारी


*[Signature]*  
Executive Engineer,  
Maharashtra State Road Development  
Corporation Ltd., Pune-1,

*[Signature]*



## Inspection Report & Certificate

- 1) The Proposal is for the work of “लोणावळा नगरपरीषद हद्दीतील जाणा-या राष्ट्रीय महामार्ग क्र. ४ च्या कडेने मनशक्ती केंद्रापासून ते खंडाळा राजमाची उद्यान बॅटरी हिल पर्यंत स्ट्रीट लाईट पोल उभारणे कामी परवानगी (ना हरकत) मिळणेबाबत.”
- 2) The site for “लोणावळा नगरपरीषद हद्दीतील जाणा-या राष्ट्रीय महामार्ग क्र. ४ च्या कडेने मनशक्ती केंद्रापासून ते खंडाळा राजमाची उद्यान बॅटरी हिल पर्यंत स्ट्रीट लाईट पोल उभारणे कामी परवानगी (ना हरकत) मिळणेबाबत was inspected by me on 16/12/2021 along with the field officer.
- 3) The street light erection is proposed from Ch. Km. 60/800 to Km 70/ 200 along Mumbai Pune section of NH – 48.
- 4) Street light pole height is 9m.
- 5) Electrical cable line is proposed to pass through 50 mm dia (DWC) pipe.
- 6) It is proposed to erect street light pole at the edge of soft shoulder i.e. 1.5 to 2 m from B.T. edge.
- 7) The proposal meets all the requirements of the Ministry's Guidelines vide Circular No. guidelines no. RW-NH-33032/01/2017 S&R (R) Dated. 26/06/2020. Hence the proposal is recommended for approval.

  
(R.R. Sonawane)  
Executive Engineer  
MSRDC, Pune



## लोणावळा नगरपरिषद

लोणावळा ,ता.मावळ जि.पुणे ४१०४०१

दूरध्वनी :अध्यक्ष(०२११४)२७३७६३/मुख्याधिकारी २७३७६४ उपमुख्याधिकारी:२७५४६४

कार्यालय :२७५४६३,फॅक्स(०२११४)२७५४६३ email:lmc1877@gmail.com

### UNDERTAKING

1. We do undertake that we would pay necessary fee for the use of the National highway Land whenever fee is asked by the highway authorities in future.
- 2.We undertake that necessary alteration including complete removal /shifting of the **street light pole** at its own cost if so required by ministry for the development of National Highway or in the interest of safety in this section.
- 3.We do undertake that we shall bear the expenditure ,if any,incurred by the Highway Authority for repairing any damage cause to national highway by laying cable ,maintenance or shifting of street light pole.
- 4.We do undertake that we shall bear the expenditure ,of proposed street light energy bill and street light maintenance at chainage 60/800 to 70/200.



  
CHIEF OFFICER

LONAVALA MUNICIPAL COUNCIL



जा. क्र.मरारविम/०४/काअ/रा.म-४/एनओसी - ३४०/२०२१/ 10319

दिनांक - 22 NOV 2021



**Maharashtra State  
Road Development  
Corpn. Ltd.**

(A Government of Maharashtra Undertaking)

प्रति,

मे. ब्लूम कंपनीज् एल.एल.सी.

फ्लॅट नं. ९, ३ रा मजला,

हिमगिरी सोसायटी, भूखंड क्र. ५३

सीटी क्र. ७७७ अल्टिनो कॉलनी

तळेगाव दाभाडे जि. पुणे - ४१०५०६.


**विषय-** लोणावळा नगरपरीषद हद्दीतील जाणा-या राष्ट्रीय महामार्ग क्र. ४ च्या कडेने मनशक्ती केंद्रापासुन ते खंडाळा राजमाची उद्यान बॅटरी हिल पर्यंत स्ट्रीट लाईट पोल उभारणे कामी परवानगी (ना हरकत) मिळणेबाबत.

- संदर्भ-** १) लोणावळा नगरपरीषद यांचे पत्र क्र. लोनप१०/विद्युत/ना.ह./२०२१-२२/३८४ दिनांक २४/०८/२०२१.  
(प्राप्त दि २५/०८/२०२१)  
२) या कार्यालयाचे पत्र क्र.मरारविम/०४/काअ/२०२१/८३६९ दिनांक १५/०९/२०२१  
३) मे. ब्लूम कंपनी एल.एल.सी यांचे पत्र क्र ब्लूम/टि एल/मुंबई-पुणे/२०२१/२१३ दिनांक ०४/१०/२०२१.  
(प्राप्त दि ०६/१०/२०२१)  
४) लोणावळा नगरपरीषद यांचे पत्र क्र. लोनप१०/विद्युत/ना.ह./२०२१-२२/६८८ दिनांक १५/११/२०२१.  
(प्राप्त दि १७/११/२०२१)

उपरोक्त संदर्भीय पत्र क्र. ४ अन्वये लोणावळा नगरपरीषद यांनी लोणावळा नगरपरीषद हद्दीतील जाणा-या राष्ट्रीय महामार्ग क्र. ४ च्या कडेने मनशक्ती केंद्रापासुन ते खंडाळा राजमाची उद्यान बॅटरी हिल पर्यंत स्ट्रीट लाईट पोल उभारणे कामी परवानगी (ना हरकत) मिळणेबाबत.

संदर्भीय पत्रात नमुद केलेल्या माहितीच्या अनुषंगाने सविस्तर अहवाल आपले अभिप्रायासह या कार्यालयास त्वरीत सादर करावा.

सोबत - मुळ प्रस्ताव

  
कार्यकारी अभियंता  
मरारविम शिबिर कार्यालय  
पुणे

प्रत-

- मुख्य अभियंता मरारविम पुणे यांना माहितीसाठी सविनय सादर.
- अधीक्षक अभियंता मरारविम पुणे यांना माहितीसाठी सविनय सादर.
- लोणावळा नगरपरीषद लोणावळा ता. मावळ, जि. पुणे ४१०४०१.