



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेणीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,

रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Ref: NHAI/RO-VJA/PIU - TPT/NOC/AG&P/2023-24/1585

Dt.24.04.2023

To

The Sr. Technical Director,  
NIC, Transport Bhawan,  
New Delhi- 110001.

Sub: RO - Vijayawada - Permission for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 mts by M/s. AGP City Gas Pvt. Ltd in the State of Andhra Pradesh - Public comments - Reg.

Sir,

Please find enclosed herewith a proposal submitted by M/s. AG&P Gas Pvt. Ltd. for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 mts in the State of Andhra Pradesh.

2. As per MORTH guidelines vide letter No.RW/NH-33044/29/2015/ S&R(R) dated 22<sup>nd</sup> November 2016, the application along with the recommendations of PD, PIU-Tirupati are enclosed herewith with a request to host the same in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest), for taking further necessary action.

Encl: As above

Yours faithfully,



(R.K. Singh),  
Regional Officer  
RO - Vijayawada

**Copy to:**

- (i) PD, PIU - Tirupati
- (ii) M/s. AG&P Gas Pvt. Ltd - for information.



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेणीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,

रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in

Ref: NHAI/RO-VJA/PIU - TPT/NOC/AG&P/2023-24/ 1586

Dt.24.04.2023



### INVITATION OF PUBLIC COMMENTS


Sub: RO - Vijayawada - Permission for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 mts by M/s. AGP City Gas Pvt. Ltd in the State of Andhra Pradesh - Public comments - Reg.

The Project Director, PIU - Tirupati submitted a proposal of M/s. AG&P Gas Pvt. Ltd for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 mts in the State of Andhra Pradesh.

As per MORTH guidelines vide letter No.RW/NH-33044/29/2015/ S&R(R) dated 22<sup>nd</sup> November 2016, the Highway Administration will put out the application in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address.

Regional Officer - Vijayawada,  
National Highways Authority of India,  
Regional Office, Dr. No.41-29-45A, R. S. No.373/2A  
Near Kodandaramalayam, Chalasani Nagar,  
Ranigarithota, Krishnalanka, Vijayawada - 520 013.  
Email: [rovijayawada@nhai.org](mailto:rovijayawada@nhai.org)

  
(R.K. Singh),  
Regional Officer  
RO - Vijayawada



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण  
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India 17 APR 2023

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, डो.नं : 1/5/564/C, बालाजी कालनी, लक्ष्मी नारायण कल्याण मंडपम, तिरुपति-517 502, A.P.  
Project Implementation Unit, D.No. 1-5-564/C, Balaji Colony, Opp. Lakshmi Narayana Kalyana Mandapam, Tirupati-517 502, A.P.  
Ph No : 0877-2245060, email : nhaitirupati@gmail.com, piutirupati@nhai.org

NHAI/PIU-TPT/070CM-22/SL. No.25-OFC/2022-23/2318

Dt. 27.03.2023

To,  
The Regional Officer,  
National Highways Authority of India,  
Vijayawada.

Sub: Penchalakona - Yerpedu Section of NH-565 - Permission for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 mts by M/s. AGP City Gas Pvt. Ltd., - Approval - Requested - Reg.

Ref: (i) M/s. AG&P Lr. No. AGPCity Gas / Chittoor-Tirupati/Letter/90A dt. 09.02.2023 received on dt. 24.08.2022  
(ii) T/o. Lr. No. NHAI/PIU-TPT/NH-565/SL. No. 25-OFC/2022-23/2085, dt. 27.02.2023  
(iii) IE, Lr. 01041117/SC/02/39/113, dt. 10.03.2023

Sir,

With reference to the above subject cited, it is to inform that M/s. AGP City Gas Pvt. Ltd., Tirupati vide reference 1<sup>st</sup> cited has requested this office to accord permission for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 meters in the state of Andhra Pradesh.

2. This office vide letter cited under reference (ii) above requested the Supervision Consultant, M/s. Satra Services and Solutions to examine the above proposal as per MORT&H norms. Accordingly, the Supervision Consultant vide letter cited under reference (iii) above stated that the proposal was reviewed and found in order stating the following:

- (i) Joint inspection was carried out along with the representative of M/s. AGP City Gas Pvt. Ltd., Tirupati on 06.03.2023.
- (ii) The ROW details as per Schedule-A of Concession Agreement is 24 mts. (LHS 12 mts. & RHS 12 mts.) for proposed area.
- (iii) If any damages take place while carrying out the work, the same should be restored to its original position as per the specifications of MORTH with the own cost of Laying agency (M / s AGP City Gas Pvt Ltd.)
- (iv) Before commencement of work, a detailed work program and methodology shall be submitted to the NHAI, Supervision Consultancy and O&M Contractor. Prior intimation should be given to the authority offices on daily basis about the work execution.

Contd.,

- (v) All the items of check list are found in order as per the guidelines of MORTH vide Lr No. RW-NH-33044/29/2015/S&R (R), dated 22.11.2016.
- (vi) All required safety measures shall be taken for the safe movement of Traffic flow from M/s AGP City Gas Pvt Ltd at site during work execution.

*In view of the above, Supervision Consultant suggesting Horizontal Directional Drilling (HDD) method based on the situation at site for laying of Pipeline with the length of 5.460 Km, Crossing the project highway at Km 488+400, Built-up areas and villages i.e. from Km 489+300 to Km 490 + 100 (Vampalli), Km 494 + 500 to Km 496+530 (Pallampeta & Pallam), Km 497 + 050 to Km 497 + 550 (Muchuvolu), Km 498 + 350 to Km 498+640 (Chintalapalem), Km 501+200 to Km 501+650 (Rajupalem), Km 502+200 to Km 502+580 (Ponguru), Km 506+420 to Km 506+740 (Durgiperi) and Km 507+000 to Km 507+690 (Nachenari).*

*Other than built-up areas, Rural village areas and pipeline crossing locations can be done by Open / HDD method depending on feasibility of land. The proposed pipeline should be laid along the road corridor at a distance of 1 mtr. from the extreme edge on LHS.*

3. In this connection, the proposal submitted M/s. AGP City Gas Pvt. Ltd., Tirupati was examined and the following are furnished herewith:

- (i) Check list
- (ii) Undertaking for submission of Performance Bank Guarantee as per the requirement of NHAI.
- (iii) Undertaking for shifting / Relocation of Optical Fiber Cables (as per Sl. No. 5 of Checklist).
- (iv) Draft License Agreement regarding granting of ROW permission for laying telecom cable / OFC / ducts Plan showing proposed pipeline crossing.
- (v) Key Map
- (vi) Route Strip Plans.
- (vii) Calculations for amount to be paid to NHAI towards License fee.
- (viii) IE had inspected the proposed location of laying of OFC on dt. 06.03.2023 along with the representative of M/s. AGP City Gas Pvt. Ltd., Tirupati.
- (ix) M/s. AGP City Gas Pvt. Ltd., Tirupati has given undertaking as per Sl. No. 5 of Check List.
- (x) M/s. AGP City Gas Pvt. Ltd., Tirupati has given undertaking that "we undertake the text of the license deed is as per verbatim of MoRTH format (issued vide Ministry's Circular no. RW/NH-33044/29/2015/S&R(R), dt. 22.11.2016.
- (xi) Laying of Gas Pipeline Work shall be carried out in co-ordination with the representatives of O&M Contractor and Supervision Consultant under intimation to NHAI.

Contd.,



//3//

6. However, it is to submit that this office has earlier issued permission for laying "Water supply pipelines facility to IIT, Tirupati & IISER, Tirupati" from Km 494+830 to Km 505+100, LHS. Therefore, Applicant may be instructed to co-ordinate with the concerned Department while according approval of the subject proposal.

7. In view of the above, the proposal of M/s. AGP City Gas Pvt. Ltd., Tirupati, is herewith forwarded for approval of the Competent Authority for granting of ROW permission for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 meters in the state of Andhra Pradesh.

Yours faithfully

Encl: As above

  
(G. Hari Krishna)  
Project Director  
PIU-Tirupati

Copy to: SC, M/s. M/s. Satra Services and Solutions, Venkatagiri, SPSR Nellore - for information

### CERTIFICATE

Undersigned has examined the proposal of the applicant M/s. AGP City Gas Pvt. Ltd., Tirupati, is herewith forwarded for approval of the Competent Authority for granting of ROW permission for laying 6" steel pipeline, 125mm MDPE pipeline & 40mm HDPE Duct for OFC cable along NH-565 from Vampalli Village to end of Toll Plaza from Km 488+400 to Km 509+400 (LHS) and crossing at Km 488+400 along Penchalakona - Yerpedu Section of NH-565 for a total length of 21,020 meters in the state of Andhra Pradesh and confirms all the standard conditions satisfied which are issued by Ministry Circular F. No. RW/NH-33044/29/2015/S&R(R), dated 22.11.2016.

1. It is certified that there will not be hindrance to the 2-laning, if it needs immediate shifting or re-location of proposed Gas pipeline by the agency at their cost as per the undertaking given by the agency.
2. It will be ensured that supervision of the work of laying of utility and ensured that the defects in road portion if any, after laying of utility are corrected.
3. It will be ensured that proposed permission is entered in the register of records.

  
(G. Hari Krishna)  
Project Director  
PIU-Tirupati



## CHECK LIST

### (From Venkatagiri to Yerpedu of Andhra Pradesh - National Highway - 565)

Guidelines for processing the proposal for laying Utility / Gas Line in the land along National Highway vested with NHAI/PWD/BRO

Sr. No	Item	Information / Status of Crossing – 1	Remarks
1	General Information	Construction of Gas Pipeline in Tirupati District	
1.1	Name and Address of the Applicant / Agency	M/s. AGP City Gas Private Limited	
1.2	National Highway Number	NHAI - 565	
1.3	State	Andhra Pradesh	
1.4	Location	From Vampalli village to Yerpedu	
1.5	Chainage in KM	From 488.4 Km to 509.4Km	Centreline chainage of NH
1.6	Length in Meters	21000	
1.7	Width of Available ROW	22mtrs	
	(a) Left side from center line towards increasing chainage / km direction	11mtrs	
	(b) Right side from center line toward increasing chainage/ km direction	11mtrs	
1.8	Proposal to lay underground Gas pipeline		
	(a) Left side from centreline towards increasing chainage/ Km direction	NA	
	b) Right side from center line toward increasing chainage/ km direction	NA	
1.9	Proposal to acquire land	NA	Land acquisition is not required as sufficient utility corridor is available.
	(a) Left side from centreline	NA	
	(b) Right side from centreline	NA	
1.10	Whether proposal is in the same side where land is not to be acquired	NA	
	If not then where to lay the cable	NA	
1.11	Details of already laid services, if any along the proposed route.	OFC line, electrical lines, water pipeline etc.	
1.12	Number of existing lanes (2/4/6/8 lanes)	2	
1.13	Proposed Number of lanes (2 land with paved shoulders 4/6/6/8 lanes)	4	
1.14	Service road existing or not	No	
	If yes then which side		
	(a) Left side from Center line		
	(b) Right side from center line		
1.15	Proposed Service Road	No	

Manager (Tech.)  
NHAI, PIU-Tirupati.




Sr. No	Item	Information / Status of Crossing – 1	Remarks
	(a) Left side from center line		
	(b) Right side from center line		
1.16	Whether proposal to lay Gas Pipeline is after the service road or between the service road and main carriageway	NA	
1.17	Whether carrying of sewage / gas pipeline has been proposed on highway bridges. Then mention the methodology proposed for the same	Enclosed	
1.18	Whether carrying of sewage / gas pipeline has been proposed on the parapet / any part of bridges. If yes, then mention the methodology proposed for the same	NA	
1.19	If crossing of the road involved If yes, it shall be either encased in pipes or through structure on conduits specially built for that purpose at the expenses of the agency owning the line.	Yes at 488.4 Km Chainage	
	(a) Whether existing drainage structures are allowed to carry the utility pipelines.	Yes	
	(b) Is in on a line normal to NH	Yes	
	(c) What is the distance of crossing the utility pipelines from the existing structures. Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter.	Minimum 15 meters away from the existing structures	
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable. Mention type of casing.	6 inch Carbon Steel Pipeline & 125 mm MDPE with 40mm HDPE duct for OFC cable	Manager (Tech.) NHAI, PIU-Tirupati.
	(e) Ends of the casing / conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Yes	
	(f) The casing / conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in fills	Yes	
	(g) The top of the casing / conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3m below the drain inverts. Mention the proposed details	Yes	
	(h) Mention the methodology proposed for crossing of road for proposed	Trenchless method	









Sr. No	Item	Information / Status of Crossing – 1	Remarks
	sewerage / Gas Pipeline. Crossing shall be by boring method (HDD) (Trenchless technology) especially where the existing road pavement is of cement concrete or dense bituminous concrete type.		
	(i) The casing / conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Yes	
2	Document / Drawings enclosed with the proposal	Yes, Enclosed	
2.1	<p>Cross section showing the size of trench for open trenching method (is it normal size of 1.2m deep x 0.3m wide)</p> <p>(i) Should not be greater than 60cm wider than the outer diameter of the pipe</p> <p>(ii) Located as close to the extreme edge of the right-of-way as possible but not less than 15 meter from the centre-lines of the nearest carriageway.</p> <p>(iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges.</p> <p>(iv) These should be said that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.</p>	Yes, Enclosed	
2.2.	Cross Section showing the size of pit and location of Gas Pipeline for HDD method	Yes, Enclosed	Manager (Tech.) NHAI, PIU-Tirupati.
2.3	Strip plan / Route plan showing Gas Pipeline, Chainage, width of ROW. Distance of proposed, cable from edge of RoW, important mile stone, intersections, cross drainage works etc.	Yes, Enclosed	
2.4	Methodology for laying of sewage / Natural Gas Pipe line	Yes, Enclosed	
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of	Yes, Methodology Enclosed	
	(a) The trench width should be at least 30cm, but not more than 60cm wider than the outer diameter of the Pipe.	Agreed	
	(b) For filling the trench, Bedding shall be to a depth of not less than 30cm. it shall consist of granular material, free of lumps, clods and cobbles and	Agreed	



Sr. No	Item	Information / Status of Crossing – 1	Remarks
	graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should excavated and replaced by selected material.		
	(c) The backfill shall be completed in two stages (i) side fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed	
	d) The side fill shall consist of granular material laid in 15cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted	Agreed	
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Not Applicable	
	(f) The excavation shall be protected by flagman. Signs and barricades, and red lights during night hours.	Agreed	
	(g) If required, a diversion shall be constructed at the expenses of agency owning the utility line.	Agreed	
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes	
2.4.3	Methodology for laying pipeline through CD works and method of laying. In case of where the carrying of gas pipeline on the bridge becomes inescapable.	Not Applicable	Manager (Tech.) NHAI, PIU-Tirupati.
3	Draft License Agreement signed by two witnesses	Yes ,Enclosed	
3.1	The license fee estimate as per Ministry's guidelines issues vide circular No. RW/NH-33044/29/2015/S&R(R) DATED 22.11.2016	Yes, M/s AGP City Gas Private Limited, will Agree for the same as per the requirement of NHAI	
4	Whether performance Bank Guarantee as per Ministry's Circular no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 is obtained.	Undertaking for submission of BG has been obtained from M/s AGP City Gas Private Limited	
4.1	Confirmation of BG has been obtained or not as per MoRTH. NHAI guidelines	Confirmation of BG shall be obtained after BG submission by M/s AGP	

Sr. No	Item	Information / Status of Crossing – 1	Remarks
		City Gas Private Limited	
5	Affidavit / Undertaking from the applicant for the following is to be furnished:		
5.1	Undertaking for Not to Damage any other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Yes, Enclosed	
5.2	Undertaking for Renewal of Bank Guarantee as and when asked by MORTH / NHAI.	Yes, Enclosed	
5.3	Undertaking for Confirmation all standard condition of Ministry Circulars & NHAI's guideline	Yes, Enclosed	
5.4	Undertaking for indemnity against all damages and claims	Yes, Enclosed	
5.5	Undertaking for management of traffic movement during laying of utility line without hampering the traffic	Yes, Enclosed	
5.6	Undertaking that prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs or alterations to the utility located in the National Highway right-of-ways.	Yes, Enclosed	
5.7	Undertaking that expenditure, if any, incurred by NHAI for repairing any damage caused to the National highway by the laying, Maintenance of shifting of the utility line will be borne by the applicant agency owing	Yes, Enclosed	
5.8	Undertaking that text of the text of the license deed is as per verbatim of MoRTH format (issued vide Ministry's Circular no. RW/NH-33044/29/2015/S&R(R) dated 22/11/2016	Yes, Enclosed	 <b>Manager (Tech.)</b> <b>NHAI, PIU-Tirupati.</b>
5.9	Undertaking that the applicant has obtained various safety clearances' from the respective authorities such as Directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State / Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Yes, Enclosed	
5.10	If the MoRTH/NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time of the intimation	Yes, Enclosed	 

Sr. No	Item	Information / Status of Crossing – 1	Remarks
	given.		
5.11	<p>Certificate from the applicant in the following format</p> <p>(i) Laying of Gas Pipeline will not have any deleterious effect on any of the bridge components and roadway safety for traffic</p> <p>(ii) "We do undertake that I / we will relocate service road / approach road/ utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six-lanning or another development</p>	Yes, Enclosed	
6	Who sign the agreement on behalf of Gas Pipeline agency	Mr. Chirag Bhanwadia GA Head- AGP City Gas Private Limited, Tirupati	
	Authorised person to sign the agreement on behalf of Gas pipeline agency	Copy enclosed	
7	Certificate from Project Director		
7.1	Certificate that the proposal is confirming to all standards conditions issued vide Ministry's Circular No: RW/NH-33044/29/2015/S&(R) Dated 22.11.2016	Yes, enclosed	
7.2	<p>Certificate from PD in the following format (Yes / No)</p> <p>(i) " It is certified that any other location of the Pipe line would be extremely difficult and unreasonable costly and the installation of Gas Pipe line within RoW will not adversely affect the design, stability &amp; traffic safety of the highway nor the likely future improvement such as widening of the carriage way, easing of curve etc".</p> <p>(ii) for 6-lanning</p> <p>(a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location".</p> <p>(b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning".</p>	Yes, Enclosed	<p>Manager (Tech.) NHAI, PIU-Tirupati.</p> 
8	If NH section proposed to be taken up by NHAI on BOT basis – a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay	Included in the agreement.	



Sr. No	Item	Information / Status of Crossing – 1	Remarks
	Pipeline has also been granted as a right of way to the concessionaire under the concession agreement for upgradation of Kerala <b>Section from Km..... to KM ..... Of NH No. - man build, Operate and Transfer Basis]</b> and therefore, the licenses shall honour the same."		
9	Who will supervise the work of laying gas supply pipeline		
	(a) On Behalf of Applicant	Mr. Chirag Bhanwadia, Head, CVK GA M/s. AGP City Gas Pvt Ltd,	
	(b) on Behalf of MoRTH / NHAI	Project Director – NHAI, Tirupati	
10	Who will ensure that the defects in road portion after laying of gas supply pipe line are corrected and if not corrected then what action will be taken		
	(a) On Behalf of Applicant	Mr. Chirag Bhanwadia, Head, CVK GA M/s. AGP City Gas Pvt Ltd,	
	(b) on Behalf of MoRTH / NHAI	<b>Project Director – NHAI, Tirupati</b>	
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	<b>M/s AGP City Gas Private Limited.</b>	
12	A Certificate from PD that he will enter the proposed permission in the register of records of the permission in the prescribed proforma (copy enclosed)		M/s AGP City Gas Private Limited will agree for the same as per the requirement of NHAI
13	If any previous approval is accorded for laying of underground Gas Supply Pipeline	<b>No previous approvals accord at the proposed location.</b>	

*[Handwritten Signature]*  
To Mr. RH (DAN)



Name & Designation, Signature of authorized Representative of applicant

Name & Designation, Signature of Concerned field authority of NHAI / PWD / BRO

*[Handwritten Signature]*  
**Manager (Tech.)  
NHAI, PIU-Tirupati.**