

No.RW/VJA/Misc-24/Access/RO/NH-44/S.No.-179

Government of India

Ministry of Road Transport & Highways

Regional Office, Vijayawada

Door no. 38-2-3/2, Gorle dalappanna Veedhi, Near American Hospital, Punnammithota Vijayawada-520010. Tele: 0866-2970220; Fax: 0866-2571985

Date: 11.09.2018

Subject: Proposals involving deviations from the prescribed guidelines/norms for grant of permission of Fuel station - For public comments.

Proposal: Proposal of access permission for approach road to Fuel Station by M/s Indian Oil corporation Ltd. at km 208/375 (RHS) of NH-44 on Hyderabad-Bangalore Road at Kallur village, Kallur Mandal, Kurnool District in the State of Andhra Pradesh under Survey no.310/1A1, 311/1A2 & 322/1A2.

Please find enclosed herewith the proposal seeking access permission for the above mentioned Fuel station cited as above. The proposal was examined and it was found that the proposal requires relaxation of norms as prescribed by the Ministry.

2. As per the guidelines, issued by the Ministry vide O.M No.RW/NH-33023/19/99-DO III dated 16.03.2016, the Highway administration will make available the relaxation application for public comments, and the comments will be invited within 60 days from the day of uploading in the format enclosed as Form 'A'.

3. In view of the above, comments of the public on the above relaxation proposal is invited on the below mentioned address:

The Regional Officer,
Ministry of Road Transport and Highways,
Door no.38-2-3/2,
Gorle Dalappanna Veedhi
Near American Hospital,
Punnam Thota, Vijayawada - 520010
Email id: romorthvijayawada@gmail.com

Enclosure: As above

Yours faithfully,



(Nakul Prakash Verma)
Assistant Executive Engineer
For Regional Officer

Copy to:

- (i) Senior Technical Director, NIC for uploading on the Ministry's website. mansoor@nic.in; pk.jain@nic.in
- (ii) The project Director, PIU-Hyderabad, D.no.331/2RT, 2nd Floor, P.S.Nagar, Masab Tank, Hyderabad- 500 057. Email: hyd@nhai.org.
- (iii) Manager (RS), M/s Indian Oil corporation Ltd., Nellore Retail Territory (MD), Tirupati Divisional office M.M.Complex, R.C.Road, Royal Nagar, Tirupati - 517 501, Andhra Pradesh.

| Sr. No. | State | NH No. | Chainage (Km) | Fuel station detail | Deviation | Justification given |
|---------|----------------|------------------|---------------|---------------------------------|---|---|
| 1 | Andhra Pradesh | NH-44 (old NH-7) | 208/375 | M/s Indian Oil corporation Ltd. | As per Ministry's norms the distance from Intersection with any category of road (irrespective of carriageway width) in case divided carriageway of urban stretches should be 100 mts, but at the site it is 34 mts only. | The access to the proposed fuel station at km 208/375 (RHS) of NH-44 is to be taken only from the existing 7.0 m width service road without hindrance to the traffic of main carriageway. |

Form-A

Form for inviting public comments on the application for relaxation in the guidelines/norms for access permission to fuel stations, private properties, rest areas complexes and other such facilities along National Highways

The comments by the general public needs to be given within 60 days of uploading the online application for comments.

| <u>Sl. No.</u> | <u>Item</u> | <u>Details</u> |
|----------------|---|----------------|
| 1. | Name of the person who is desiring to give comments | |
| 2. | Address of the person | |
| 3. | Details of the application for access permission against which comments are being given (name of applicant and other details like site address etc.) | |
| | a) Application No. | |
| | b) Name of Applicant (who applied to access permission) | |
| | c) Details of Application | |
| 4. | Whether the specific permission, if given, shall cause any damage to Highways? If yes, please give details. | |
| 5. | Whether specific permission, if given, shall adversely affect safety and convenience of the traffic on the Highways? If yes, please give the details. | |
| 6. | Whether specific permission, if given, shall adversely affect hygiene or cause nuisance and pollution on the Highways? If yes, please give the details. | |



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई

Project Implementation Unit

ड.नं.331/2RT, द्वितीय तल, पि.एस.नगर, मासाब टैंक, हैदराबाद - 500 057.

D.No.331/2RT, 2nd Floor, P.S.Nagar, Masab Tank, Hyderabad - 500 057.

टेली / Telephone : 040 - 23372666

फैक्स / TeleFax : 040 - 23372666

ई-मेल / email : hyd@nhai.org

NHAI/PIU-HYD/AP-5/IOCL/Km.208/375/2018/219

10.03.2018

The Regional Officer

Ministry of Road Transport & Highways,
Door No. 38-2-3/2, Gorle Dalapanna Veedhi,
Near American Hospital, Purnnamma Thota,
Vijayawada 520010. (AP)



Sir,

Sub: NHAI, PIU, HYD - Grant of No Objection Certificate (NOC) for use of NH land as approaches to proposed Retail Outlet by M/s. Indian Oil Corporation Ltd., at Km. 208/375 on (RHS) in Survey no. 310/1A1,311/1A2& 322/1A2, at Kallur village, Kallur Mandal, Kurnool District of Hyderabad – Bangalore section of NH-44 – Approval requested - reg

Ref: 1 M/s.IOCL, Ir.no. TDO/NH7/KNL/KALLUR/02, dated. 15.11.2016
2. NHAI/PIU-HYD/AP-5/IOCL/Km.208/375/2017/1377 dt. 26.12.2017 (copy enclosed)
3. RW/HYD/Misc-24/Access/RO/NHAI/810 dt. 07.02.2018

M/s Indian Oil Corporation Limited, proposed to install a fuel station at Km.208/375 (RHS) in Survey no. 310/1A1,311/1A2& 322/1A2, at Kallur Village, Kallur Mandal, Kurnool District of Hyderabad – Bangalore section of NH-44 and sought for NOC & access permission to the retail outlet vide their letter dated.15.11.2016 (Copy enclosed).

2. The location of proposed retail outlet @ Km. 208/375 (RHS) is on Hyderabad – Bangalore section of NH-44. Four laning was completed in this stretch in 2009. The detailed inspection report is enclosed. The proposal fulfills the stipulations as mentioned in the Inspection report and as described under Circular No.RW/NH-33023/19/99-DO-III, dated. 24.7.2013 applicable for the cases of access of retail outlets.

3. It is requested that the NOC & Permission for access to retail outlet @ Km.208/375 on (RHS) of Hyderabad – Bangalore section of NH-44 may be accorded.

Yours faithfully

(Signature)

(M. Sailaja)

Project Director

Encl: 1. Application dated. 15.11.2016 with 2 sets of proposals
2. DD No. 1604/16, dated. 18.08.2018
3. Inspection Report

इंडियन ऑयल कॉर्पोरेशन लिमिटेड
मंडल कार्यालय: नं. 8-115/1, पहली मंजिल
एम.एम. कॉम्प्लेक्स, आर.सी. रोड
रायल नगर, तिरुपति-517 501



IndianOil

A Maharatna
Company

Indian Oil Corporation Limited

Divisional Office : D.No. 8-115/1, 1st Floor
M.M.Complex, R.C.Road, Royal Nagar, Tirupati-517 501
Tel: 0877 - 2289963


विपणन प्रभाग

Marketing Division

Ref: TDO/NH7/KNL/KALLURU

Date: 15/11/2016

To
The Project Director,
National Highways Authority of India,
PIU-Hyderabad, Door. No.331/2RT, 2nd Floor,
P. S. Nagar, Masab Tank,
Hyderabad-500 057



Dear Sir,

Sub: Grant of No Objection Certificate and access permission for approach road to proposed Fuel station abutting NH7 (Old) (NH44 as New NH Number) at Chainage 208/375 of Kalluru Village, Under Survey No.310/1A1,31/1A2 & 322/1A2, Kurnool Mandal & Dist. Andhra Pradesh.

We a Government of India Organization, engaged in refining and marketing of petroleum products through out India. As per the directive of Ministry of Petroleum & Natural Gas, New Delhi, It was decided to provide a new fuel station to supply petroleum products and highway-allied facilities to the public and motoring traffic on National highway.

We, therefore, propose to put up a new fuel station **abutting existing service of NH7 (Old) (NH44 as New NH Number)** at Chainage 208/375 of Kalluru Village, Under Survey No.310/1A1,31/1A2 & 322/1A2, Kurnool Mandal & Dist. Andhra Pradesh.

We are enclosing herewith 4 sets of Drawings showing Site plan, Key plan, proposed Entry/Exit lanes, Details of construction of approach road, Drain & Trap, Cross sectional view, Elevation and other details of proposed facilities. We are also enclosing here with License Agreement and checklist complete in all respect as per Ministry of Road Transport & Highways letter No **RW/NH-33023/19/99-DO III dated 24.07.13** for access to fuel stations and also we are enclosing the DD No: 589841 Dated: 15.11.2016 of Rs 10000/- (Ten Thousand Only) in the name of Regional Pay and Accounts Officer (NH), MORTH payable at Hyderabad towards the processing fee of application.

We request you to kindly grant "**No Objection Certificate**" and access permission for approach road to the proposed Retail outlet and return us one copy of drawing duly sealed and signed as a token of your permission.

Thanking you,

Yours truly,

For Indian Oil Corporation Ltd.


Authorised Signatory

Enclosure: As above & DD for Rs 10000/-

के. राजिश कुंजप्पन
K. RAJISH KUNJAPPAN
प्रबंधक (खुदरा विक्री) / Manager (RS)
इंडियन ऑयल कॉर्पोरेशन लिमिटेड (विपणन प्रभाग)
Indian Oil Corporation Limited (MD)
तिरुपति मंडल कार्यालय / Tirupati Divisional Office

पंजीकृत कार्यालय : जि-9, अली यावर जंग मार्ग, बन्दा (पूर्व), मुंबई - 400 051
Regd. Office : G-9, Ali Yavar Jung Marg, Bandra (East), Mumbai - 400 051

LOCATION:
SURVEY NO.:310/1A1,
311/1A2 & 322/1A2
VILLAGE :KALLURU
MANDAL :KURNOOL
DISTRICT :KURNOOL
STATE :ANDHRA PRADESH
ROAD ON:NH7(Old)
(NH44 as New NH Number)
CHAINAGE:208/375
(HYDERABAD-BANGALORE SECTION)



A circular professional engineer seal for the State of Maharashtra. The outer ring contains the text "CONSULTANTS & ENGINEERS" at the bottom and "INFO CAD ★ SR" at the top. The inner circle contains the text "MORTH Empaneled Consultants". A handwritten signature is written across the center of the seal. To the right of the seal, the number "28710" is printed vertically.


Indian Oil Corporation Limited
TIRUPATI DIVISIONAL OFFICE
8-115/11, FIRST FLOOR, M.M.COMPLEX,
R.C.ROAD, RAYAL NAGAR,TIRUPATI

| | | |
|--|--|--|
| SUBJECT :- PLAN SHOWING THE LOCATION OF PROPOSED IOCL FUEL STATION@KALLURU ALONG NATIONAL HIGHWAYS@CH:208/375 KM OF NH7(OLD)(RHS) (NH44 as New NH Number) (HYDERABAD-BANGALORE SECTION) | | DATE _____ DRAWN NO. _____ NUMBERS CROSSED OUT ARE SUPERSEDED DRAWINGS. |
| SCALE : 1:7500 | ORTH Empanelled Consultant | Manager(RS): |
| DRAWN : MKR | INFO CAD <small>CONSULTANTS&ENGINEERS</small> 27-1-1075/3,RAMJI NAGAR NELLORE-524 002, A.P., www.infocad.in | <p> कै. राजिश कुंजप्पन K. RAJISH KUNJAPPAN प्रबंध (खुदा वक्ती) / Manager (RSP) / KUR/25 हैदियन ऑयल कॉर्पोरेशन लिमिटेड (विणन प्रभाग) Hyd (AD) </p> |
| DATE:01/10/16 | | |



LOCATION:
SURVEY NO.:310/1A1,
311/1A2 & 322/1A2
VILLAGE :KALLURU
MANDAL :KURNOOL
DISTRICT :KURNOOL
STATE :ANDHRA PRADESH
ROAD ON:NH7(Old)
(NH44 as New NH Number).
CHAINAGE:208/375
(HYDERABAD-BANGALORE SECTION)

- (A) — FUEL STATION AHEAD
- (B) — FUEL STATION
- (C) — NO RIGHT TURN
- (D) — NO ENTRY
- (E) — FUEL STATION BOARD



DRAINAGE PLAN

CATCH DRAIN SECTION 'A-A'

SCALE: 1:25

SECTION OF ABUTMENT

TABLE OF DIMENSIONS FOR ABUTMENT

| SPAN | 4M | 3M | 2M | 1.5M | 1M |
|------|------|------|------|------|------|
| CW | 1.5m | 2.0m | 2.5m | 3.0m | 4.0m |
| B1 | 0.15 | 0.2 | 0.25 | 0.3 | 0.4 |
| B2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B7 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B8 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B9 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B10 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B11 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B12 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B13 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B14 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B15 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B16 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B17 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B18 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B19 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| B20 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |

WING WALL SECTION

TABLE OF DIMENSIONS FOR WING WALL

| SPAN | UP TO 2 METRES |
|------|----------------|
| H | 1.5m |
| B1 | 0.15 |
| B2 | 0.3 |
| B3 | 0.3 |
| B4 | 0.3 |
| B5 | 0.3 |
| B6 | 0.3 |
| B7 | 0.3 |
| B8 | 0.3 |
| B9 | 0.3 |
| B10 | 0.3 |
| B11 | 0.3 |
| B12 | 0.3 |
| B13 | 0.3 |
| B14 | 0.3 |
| B15 | 0.3 |
| B16 | 0.3 |
| B17 | 0.3 |
| B18 | 0.3 |
| B19 | 0.3 |
| B20 | 0.3 |

CROSS SECTION

REINFORCEMENT DETAILS

| S.NO | CLEAR SPAN (m) | CONCRETE (mm) | LONGITUDINAL TOP STEEL | LONGITUDINAL BOTTOM STEEL | TRANSVERSE TOP STEEL | TRANSVERSE BOTTOM STEEL |
|------|----------------|---------------|------------------------|---------------------------|----------------------|-------------------------|
| 1 | 1.0-3.0 | 300 | 10 T @ 140 c/c | 10 T @ 250 c/c | 10 T @ 200 c/c | 10 T @ 250 c/c |

Indian Oil Corporation Limited
TIRUPATI DIVISIONAL OFFICE
8-115/11, FIRST FLOOR, M.M.COMPLEX,
R.C.ROAD, RAYAL NAGAR,TIRUPATI

SUBJECT: PLAN SHOWING THE DRAINAGE PLAN OF PROPOSED IOCL FUEL STATION@KALLURU ALONG NATIONAL HIGHWAYS@CH:208/375 KM OF NH7(OLD)(RHS) (NH44 as New NH Number) (HYDERABAD-BANGALORE SECTION)

SCALE : 1:500

DATE:01/10/16

MORTH Empanelled Consultant

Senior Regional Manager(R):

INFO CAD CONSULTANTS&ENGINEERS
27-1-1075/3,RAMJI NAGAR
NELLORE-524 002, A.P.,
www.infocad.in

Project Director
NHAI, PIU
HYDERABAD

DRAWN : MKR

NUMBERS CROSSED OUT ARE SUPERSEDED DRAWINGS.

DRAWING NO. IRO/KUR/25

के. राजेश कुंजप्पन
K. RAJESH KUNJAPPAN
प्रबंधक (धरत विज्ञान) / Manager (RB)
इंडियन ऑयल कॉर्पोरेशन लिमिटेड (विपणन प्रभाग)
Indian Oil Corporation Limited (MD)
तिरुपति मंडल कार्यालय / Tirupati Divisional Office