

Government of India Ministry of Road Transport & Highways Transport Bhawan (EAP) Zone

Transport Bhawan 1, Parliament Street New Delhi-110 001

No.RW/NH-37010/4/2010/PIC-EAP(Printing)

Dated the 22.08.2017

То

- 1. The Principal Secretaries/Secretaries of all States/UTs Public Works Department dealing with National Highways, other Centrally Sponsored Schemes & State Schemes.
- 2. The Engineers-in-Chief and Chief Engineers of all States/UTs Public Works Department dealing with National Highways, other Centrally Sponsored Schemes & State Schemes.
- 3. Director General (Border Roads), Seema Sadak Bhawan, Ring Road, New Delhi-110010
- 4. The Chairman, National Highways Authority of India (NHA!), G-5&6, Sector-10, Dwarka, New Delhi-110 075.
- 5. The Managing Director, National Highway Infrastructure Development Corporation Ltd., 3rd floor, PTI Building, Parliament Street, New Delhi-110 001

Subject: Amendment to Standard EPC Agreement for National Highways and centrally sponsored Road & Bridge Works proposed to be implemented on Engineering, Procurement & Construction (EPC) mode

Sir,

With reference to Standard EPC Agreement issued vide circular 17.01.17 for National Highways and centrally sponsored Road & Bridge works to be implemented on Engineering, Procurement & Construction (EPC) mode, following amendments are being issued:

- (i) Schedule-H read with Clauses 10.1.4 and 19.3 shall be amended as per Annex-I.
- (ii) Clause 14.1.1- Maintenance obligations of the Contractor, shall be read as under:
 - 14.1.1 The Contractor shall maintain the Project Highway for a period of 4 (four) years commencing from the date of the Provisional Certificate (the "Maintenance Period"). For the performance of its Maintenance obligations, the contractor shall be paid [0.5%][#] of the Contract Price for the first year and [1%][#], [1.5%][#], [2%][#] of the Contract Price for the second, third and fourth year respectively in case of road projects. But in case of stand alone Bridge / structure work, the contractor shall be paid 0.25%, 0.5%, 0.5% and 0.5% of the Contract Price for the first, second, third and fourth year respectively. Amount shall be, inclusive of all taxes. The amount payable for maintenance shall be adjusted to reflect

any increase or decrease arising out of variation in WPI to be determined in accordance with the provisions of Clause 19.12. For the avoidance of doubt, it is agreed that in the event no Provisional Certificate is issued, the Maintenance Period shall commence from the date of the Completion Certificate. It is further agreed that the Contract Price hereunder shall be reckoned with reference to the amount specified in Clause 19.1.1, which shall be adjusted to the extent of Change of Scope and the works withdrawn under the provisions of Clause 8.3.3, but shall not include any price adjustments in pursuance of Clause 19.10.

Add footnote:

#- In case of Rigid Pavement-0.25% of the Contract Price for the 1st year and 0.5%, 0.75%, 1% of the Contract Price for the Second, third and Fourth year respectively in case of road projects.

2. The above amendments will be applicable for the projects whose bids are yet to be received.

9-

- 3. The contents of this circular may be brought to the notice of all the concerned for immediate compliance.
- 4. This issues with approval of Hon'ble Minister (RT&H).

Encl: As above.

(Khushal Chand) Superintending Engineer (EAP)

Copy To:

- 1. All Technical Officers at the Headquarters
- 2. Secretary General, Indian Roads Congress
- 3. Director, IAHE, NOIDA
- 4. All ROs and ELOs of MoRT&H.

Copy for information to:

- 1. PPS to Secretary (RT&H), PPS to DG(RD) & SS, PS to AS&FA.
- 2. NIC- with the request to upload in the Ministry's portal

SCHEDULE - H (See Clauses10.1.4 and 19.3)

Contract Price Weightages

1.1 The Contract Price for this Agreement is Rs. ******

1.2 Proportions of the Contract Price for different stages of Construction of the Project Highway shall be as specified below:

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
Road works including culverts, widening and repair of culverts.	[****]	 A- Widening and strengthening of existing road (1) Earthwork up to top of the sub-grade (2) <u>Sub-Base Course</u> (3) <u>Non Bituminous Base</u> <u>Course</u> (4) <u>Bituminous Base</u> <u>Course</u> (5) <u>Wearing Coat</u> (6) Widening and repair of 	4 [**] [**] [**] [**] [**]
		culverts B.1- Reconstruction/ New 2-lane realignment/ bypass (Flexible pavement) (1) Earthwork up to top of the sub-grade (2) <u>Sub Base Course</u> (3) Non-Bituminous Base Course	[**] [**] [**]

Page 1 of 29

ltem	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		(4) Bituminous Base	[**]
		Course	
		(5) Wearing Coat	[**]
		B.2- Reconstruction/ New	
		2-lane realignment/	
		bypass(Rigid Pavement)	
		(1) Earthwork up to top of	[**]
		the sub-grade	
		(2) Sub Base Course	[**]
		(3) Dry Lean	
		Concrete(DLC) Course	[**]
		(4) Pavement Quality	r**1
		Control (PQC) Course	[**]
		C.1- Reconstruction/ New	
		service road (Flexible	
		pavement)	
		(1) Earthwork up to top of	[**]
		the sub-grade	
		(2) <u>Sub Base Course</u>	[**]
		(3) Non-Bituminous Base	[**]
		Course	
		(4) Bituminous Base	[**]
		Course	
		(5) Wearing Coat	[**]
		C.2- Reconstruction/ New	
		Service road (Rigid	
		Pavement)	
		(1) Earthwork up to top of	[**]
		the sub-grade	
		(2) Sub Base Course	[**]

Page **2** of **29**

÷

ltem	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		(3) Dry Lean	[**]
		Concrete(DLC) Course	
		(4) Pavement Quality	[**]
		Control (PQC) Course	
		D- Re-Construction and	
		New culverts on existing	
		road, realignments,	
		bypasses:	
		Culverts (length $< 6 \text{ m}$)	[**]
Minor	[****]	A.1- Widening and	
Bridges/		Repair of Minor bridges	
Underpasses/		(length > 6 m and < 60 m)	
Overpasses			
		Minor bridges	[**]
		A.2- New Minor bridges	
		(length >6 and <60 m.)	
		(1) Foundation +Sub-	
		Structure: On completion of	[**]
		the foundation work including	
		foundations for wing and	
		return walls, abutments, piers	
		upto the abutment/pier cap.	
		(2) Super-structure: On	(**)
		completion of the super-	[**]
		structure in all respects	
		including wearing coat,	
		bearings, expansion joints,	
		hand rails, crash barriers, road	
	1	signs & markings, tests on	
		completion etc. complete in all	
	1	respect.	

Page 3 of 29

ltem	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		(3) Approaches: On completion of approaches including Retaining walls, stone pitching, protection works complete in all respect and fit for use.	[**]
		(4) Guide Bunds and River Training Works:	[**]
		On completion of Guide Bunds and river Training Works complete in all respects	
		B.1- Widening and Repair of underpasses/ overpasses	
		Underpasses/ Overpasses	[**]
		B.2- New underpasses/ overpasses	
		(1) Foundation +Sub- Structure: On completion of the foundation work including foundations for wing and return walls, abutments, piers upto the abutment/pier cap.	[**]
		(2) Super-structure: On completion of the super- structure in all respects including wearing coat, bearings, expansion joints, hand rails, crash barriers, road signs & markings, tests on	[**]

Page **4** of **29**

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		completion etc. complete in al respect.	1
		Wearing Coat (a) in case of Overpass- wearing coat including expansion joints complete in all respects as specified and (b) in case of underpass- rigid pavement including drainage facility complete in all respects as specified as specified.	
		(3) Approaches : On completion of approaches including Retaining walls/ Reinforced Earth walls, stone pitching, protection works complete in all respect and fit for use.	[**]
Major	[*****]	A.1- Widening and	
Bridge(length		repairs of Major Bridges	
> 60 m.)		(1) Foundation	[**]
works and		(2) Sub-structure	[**]
ROB/RUB/		(3) Super-structure	[**]
levated		(including bearings)	
ections/flyov		(4) Wearing Coat including	
rs including		expansion joints	[**]
iaducts, if		(5) Miscellaneous Items	
ny		like hand rails, crash	[**]
		barriers, road markings	
		etc.)	
		(6) Wing walls/return walls	[**]
		(7) Guide Bunds, River	[**]
		Training works etc.	
		(8) Approaches (including Retaining walls, stone	[**]

ltem	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		pitching and protection	
		works)	
		A.2- New Major Bridges	
		(1) Foundation	[**]
		(2) Sub-structure	[**]
		(3) Super-structure	[] [**]
		(including bearings)	
		(4) Wearing Coat including	[**]
		expansion joints	[****
		(5) Miscellaneous Items	[**]
		like hand rails, crash	
		barriers, road markings	
		etc.)	
		(6) Wing walls/return walls	[**]
		(7) Guide Bunds, River	
		Training works etc.	[**]
		(8) Approaches (including	
		Retaining walls, stone	[**]
		pitching and protection	
		works)	
		B.1- Widening and repair	
		of	
		(a) ROB	
		(b) RUB (1) Foundation	
		(2) Sub-structure	[**]
		(3) Super-structure	[**]
		(including bearings)	[**]
		(menuang bear (ngs)	
		(4) Wearing Coat: (a) in case	[**]
		of ROB- wearing coat	
		including expansion joints	
		complete in all respects as	
		specified and (b) in case of	

Page 6 of 29

item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		RUB- rigid pavement under RUB including drainage facility complete in all respects as specified as specified.	
		(5) Miscellaneous Items like hand rails, crash barriers, road markings etc.)	[**]
		(6) Wing walls/return walls	[**]
		(7) Approaches (including Retaining walls, stone pitching and protection works)	[**]
		 B.2- New ROB/RUB (a)ROB (b) RUB (1) Foundation (2) Sub-structure (3) Super-structure (including bearings) (4) Wearing Coat: (a) in case of ROB- wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified as specified. 	(**) [**] [**]
		(5) Miscellaneous Items like hand rails, crash	[**]

I

item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		barriers, road markings	
		etc.)	
		(6) Wing walls/return walls	[**]
		(7) Approaches (including	
		Retaining walls/Reinforced	[**]
		Earth wall, stone pitching	
		and protection works)	
		C.1- Widening and repair	
		of Elevated	
		Section/Flyovers/ Grade	
		Separators	
		(1) Foundation	[**]
		(2) Sub-structure	[**]
		(3) Super-structure	[**]
		(including bearings)	
		(4) Wearing Coat including	[**]
		expansion joints	
		(5) Miscellaneous Items	
		like hand rails, crash	[**]
		barriers, road markings	
		etc.)	
		(6) Wing walls/return walls	[**]
		(7) Approaches (including	[**] [**]
		Retaining walls/Reinforced	[**]
		Earth wall, stone pitching	
		and protection works)	
		C.2-New Elevated	
		Section/Flyovers/ Grade	
		Separators	
		(1) Foundation	[**]
		(2) Sub-structure	[**]
		(3) Super-structure	[**]
		(including bearings)	

1

Page 8 of 29

ltem	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		(4) Wearing Coat including expansion joints	[**]
		(5) Miscellaneous Items like hand rails, crash barriers, road markings	[**]
		etc.) (6) Wing walls/return walls (7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works)	[**] [**]
Other works	[*****] a) Bus bays b) Truck lay- byes c) Rest areas d) others	 and protection works) (i) Toll Plaza (ii) Road side drains (iii) Road signs, markings, km stones, safety devices, (iv) Project facilities (a) Bus Bays (b) Truck lay-byes (c) Rest areas (d) others (v) Road side plantation (vi) Repair of protection works other than approaches to the bridges, elevated sections/ flyovers/grade separators and ROBs/RUBs. (vii) Safety and traffic management during 	[**] [**] [**] [**] [**] [**] [**] [**]

_

X

1.3 Procedure of estimating the value of work done

1.3.1 Road works.

Procedure for estimating the value of road work done shall be as follows:

Stage of Payment	Percentage - weightage	Payment Procedure
 A-Widening and strengthening of existing road (1) Earthwork up to top of the sub-grade (2) <u>Sub-Base Course</u> 	[**]	Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.
(3) <u>Non Bituminous Base</u> <u>Course</u> (4) <u>Bituminous Base</u>	[**] [**]	
Course (5) <u>Wearing Coat</u>	[**]	-
(6) Widening and repair of culverts	[**]	Cost of completed culverts shall be determined pro rata basis with respect to the total no. of culverts. The payment shall be made on the completion of atleast five culverts.
B.1- Reconstruction/New 2- lane realignment/bypass (Flexible pavement)		Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full

Table 1.3.1

Page **10** of **29**

J -2

Stage of Payment	Percentage - weightage	Payment Procedure
(1) Earthwork up to top of the sub-grade	[**]	length or 5(five) km. length, whichever is less.
(2) Sub Base Course	[**]	-
(3) Non-Bituminous Course	[**]	-
(4) Bituminous Base Course	[**]	-
(5) Wearing Coat	[**]	
B.2- Reconstruction/New 2- lane realignment/bypass (Rigid pavement)		
(1) Earthwork up to top of the sub-grade	[**]	Unit of measurement is linear length. — Payment of each stage shall be made on pro
(2) Sub Base Course	[**]	rata basis on completion of a stage in full length or 5(five) km. length, whichever is
(3) Dry Lean Concrete (DLC) Course	[**]	less
(4) Pavement Quality Control (PQC) Course	[**]	
C.1- Reconstruction/ New service road (Flexible pavement)		Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 5(five) km. length, whichever is
(1) Earthwork up to top of the sub-grade	[**]	less
(2) Sub Base Course	[**]	
(3) Non-Bituminous Course	[**]	
(4) Bituminous Base Course	[**]	

/ 子

Stage of Payment	Percentage - weightage	Payment Procedure
(5) Wearing Coat	[**]	
C.2- Reconstruction/ New service road (Rigid pavement) (1) Earthwork up to top of the sub-grade	[**]	Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 5(five) km. length, whichever is less
(2) Sub Base Course	[**]	
(3) Dry Lean Concrete (DLC) Course	[**]	
(4) Pavement Quality Control (PQC) Course	[**]	
D- Re-Construction and New culverts on existing road, realignments, bypasses: (1) Culverts (length < 6m)	[**]	Cost of each culvert shall be determined on pro rata basis with respect to the total number of culverts. Payment shall be made on the completion of atleast five culverts.

@. For example, if the total length of bituminous work to be done is 100 km, the cost per km of bituminous work shall be determined as follows:

Cost per km = P x weightage for road work x weightage for bituminous work x (1/L)

Where P= Contract Price

L = Total length in km

Similarly, the rates per km for other stages shall be worked out accordingly.

Note: The length affected due to law and order problems or litigation during execution due to which the Contractor is unable to execute the work, may be deducted from the total project length for payment purposes. The total length calculated here is only for payment purposes and will not affect and referred in other clauses of the Contract Agreement.

Page 12 of 28

X

1.3.2 Minor Bridges and Underpasses/Overpasses.

Procedure for estimating the value of Minor bridge and Underpasses/Overpasses shall be as stated in table 1.3.2:

	Tab	le	1.	3	.2
--	-----	----	----	---	----

Stage of Payment	Weightage	Payment Procedure
1	2	3
A.1-Widening and repair of minor bridges (length > 6m and < 60m)	[**]	Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length of the minor bridges. Payment shall be made on the completion of widening & repair works of a minor bridge.
A.2- New minor bridges		
(i) Foundation +Sub-Structure: On completion of the foundation work including foundations for wing and return walls, abutments, piers upto the abutment/pier cap.	[**]	 (i) Foundation +Sub-Structure: Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length (m) of the minor bridges. Payment against foundation + sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation +sub-structure of each bridge subject to completion of atleast two foundations along with sub-structure upto abutment/pier cap level of each bridge. In case where load testing is required for foundation, the trigger of first payment shall
		include load testing also where specified.
(ii) Super-structure: On	[**]	(ii) Super-structure:
completion of the super-structure in all respects including wearing coat, bearings, expansion joints, hand		Payment shall be made on pro- rata basis on completion of a

A

rails, crash barriers, road signs & markings, tests on completion etc.		stage i.e. completion of super-
complete in all respect.		structure of atleast one span in
·····		all respects as specified in the column of "Stage of Payment"
		in this sub-clause.
(iii) Approaches: On completion of		in and but charge.
approaches including Retaining	[**]	(iii) Approaches: Payment
walls, stone pitching, protection		shall be made on pro-rata basis
works complete in all respect and fit		on completion of a stage i.e.
for use.		completion of approaches in all respect as specified in the
		column of "Stage of Payment"
		in this sub-clause.
(iv) Guide Bunds and River		
(iv) Guide Bunds and River Training Works:	[**]	(iv) Guide Bunds and River
		Training Works:
On completion of Guide Bunds		
and river Training Works		Payment shall be made on pro- rata basis on completion of a
complete in all respects		stage i.e. completion of Guide
		Bunds and River training Works
		in all respects as specified.
B.1-Widening and repair of	[##]	
underpasses/overpasses	[**]	Cost of each underpass/overpass shall be
		underpass/overpass shall be determined on pro rata basis
		with respect to the total linear
		length of the
		underpasses/overpasses.
		Payment shall be made on the
		completion of widening &
		repair works of a
		underpass/overpass.
B.2- New Underpasses/		
Overpasses:		
	[**]	(i) Foundation +Sub- Structure: Cost of each
On completion of the foundation work including foundations for wing		Structure: Cost of each Underpass/Overpass shall be
and return walls, abutments, piers		determined on pro rata basis
upto the abutment/pier cap.		with respect to the total linear
		length (m) of the
		Underpasses/Overpasses.
		Payment against foundation +

//

 (ii) Super-structure: On completion of the super-structure in all respects including wearing coat, bearings, expansion joints, hand rails, crash barriers, road signs &markings, tests on completion etc. complete in all respect. Wearing Coat (a) in case of Overpass- wearing coat including expansion joints complete in all respects as specified and (b) in case of underpass- rigid pavement including drainage facility complete in all respects as specified as specified. 		sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation +sub- structure of each Underpasses/Overpasses subject to completion of atleast two foundations along with sub- structure upto abutment/pier cap level each underpass/overpass. In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified. (ii) Super-structure: Payment shall be made on pro- rata basis on completion of a stage i.e. completion of super- structure of atleast one span in all respects as specified in the column of "Stage of Payment" in this sub-clause.
(iii) Approaches : On completion of approaches including Retaining walls/ Reinforced Earth walls, stone pitching, protection works complete in all respect and fit for use.	[**]	(iii) Approaches: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of approaches in all respect as specified.

2

1.3.3 Major Bridge works, ROB/RUB and Structures.

Procedure for estimating the value of Major Bridge works, ROB/RUB and Structures shall be as stated in table 1.3.3:

Table 1.3.3

Stage of Payment	Weightage	Payment Procedure
1	2	3
A.1- Widening and repairs of Major Bridges		
(i) Foundation	[**]	(i) Foundation: Cost of each Major Bridge shall be determined on pro rata basis with respect to the total linear length (m) of the Major Bridge. Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation of the major Bridge subject to completion of atleast two foundations of the major Bridge.
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure	[**]	(ii) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the major bridge subject to completion of atleast two sub-structures of abutments/piers upto abutment/pier cap level of the major bridge.

Page 16 of 28

	T	
(iii) Super-structure (including bearings)	[**]	(iii) Super-structure: Payment shall be made on pro- rata basis on completion of a stage i.e. completion of super- structure including bearings of atleast one span in all respects as specified.
(iv) Wearing Coat including expansion joints	[**]	(iv) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	[**]	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.
(vi) Wing walls/return walls	[**]	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii) Guide Bunds, River Training works etc.	[**]	(vii) Guide Bunds, River Training works: Payments shall be made on completion of all guide bunds/river training works etc. complete in all respects as specified.
(viii) Approaches (including Retaining walls, stone pitching and protection works)	[**]	(viii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.

9

A.2- New Major Bridges		· <u></u>
(i) Foundation	[**]	(i) Foundation: Cost of each Major Bridge shall be determined on pro rata basis with respect to the total linear length (m) of the Major Bridge. Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation of the major Bridge subject to completion of atleast two foundations of the major Bridge.
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure	[**]	(ii) Sub-Structure:. Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the major bridge subject to completion of atleast two sub-structures of abutments/piers upto abutment/pier cap level of the major bridge.
(iii) Super-structure (including bearings)	[**]	(iii) Super-structure: Payment shall be made on pro- rata basis on completion of a stage i.e. completion of super- structure including bearings of atleast one span in all respects as specified.

Page **18** of **28**

V Z

(iv) Wearing Coat including expansion joints	[**]	(iv) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	[**]	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.
(vi) Wing walls/return walls	[**]	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii) Guide Bunds, River Training works etc.	[**]	(vii) Guide Bunds, River Training works: Payments shall be made on completion of all guide bunds/river training works etc. complete in all respects as specified.
(viii) Approaches (including Retaining walls, stone pitching and protection works)	[**]	(viii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.
B.1 -Widening and repairs of (a) ROB		
(b) RUB		m - 10 - O-t af a-ah
(i) Foundation	[**]	(i) Foundation: Cost of each ROB/RUB shall be determined on pro rata basis with respect to the total linear length (m) of the ROBs/RUBs. Payment against

		foundation shall be made on
		pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation of the ROB/RUB subject to completion of atleast two foundations of the ROB/RUB.
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure	[**]	(ii) Sub-Structure:. Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the ROB/RUB subject to completion of atleast two sub-structures of abutments/piers upto abutment/pier cap level of the ROB/RUB.
(iii) Super-structure (including bearings)	[**]	(iii) Super-structure:
		Payment shall be made on pro- rata basis on completion of a stage i.e. completion of super- structure including bearings of atleast one span in all respects as specified.
(iv) Wearing Coat including expansion joints in case of ROB. In case of RUB, rigid pavement under RUB including drainage facility as specified.	[**]	(iv) Wearing Coat: Payment shall be made on completion of (a) in case of ROB- wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified as specified.

Page 20 of 28

(v) Miscellaneous Items like hand	[**]	(v) Mercu
rails, crash barriers, road markings		(v) Miscellaneous: Payments shall be made on completion of
etc.		all miscellaneous works like
		hand rails, crash barriers, road
		markings etc. complete in all
		respects as specified.
(vi) Wing walls/return walls	[**]	(vi) Wing walls/return walls: Payments shall be made on completion of all wing
		walls/return walls complete in all respects as specified.
(vii) Approaches (including	[**]	(vii) Approaches: Payments shall be made on completion of
Retaining walls, stone pitching and		both approaches including stone
protection works)		pitching, protection works, etc.
F		complete in all respects as
		specified.
B.2- New		
(a) ROB		
(b) RUB		
(i) Foundation		() Franklettere Cart (frank
	[**]	(i) Foundation: Cost of each ROB/RUB shall be determined
		on pro rata basis with respect to
		the total linear length (m) of the
		ROBs/RUBs. Payment against
		foundation shall be made on
		pro-rata basis on completion of
		a stage i.e. not less than 25% of
		the scope of foundation of the
		ROB/RUB subject to
		completion of atleast two
		foundations of the ROB/RUB.
		In case where load testing is
		required for foundation, the
		trigger of first payment shall
		include load testing also where specified.
		ifiad

		(ii) Sub-Structure:. Payment
(ii) Sub-structure	[**]	against Sub-structure shall be
		made on pro-rata basis on
		completion of a stage i.e. not
		less than 25% of the scope of
		sub-structure of the ROB/RUB
		subject to completion of atleast
		two sub-structures of
		abutments/piers upto
		abutment/pier cap level of the
		ROB/RUB.
(iii) Super-structure (including		(iii) Super-structure:
bearings)	[**]	Payment shall be made on pro-
		rata basis on completion of a
		stage i.e. completion of super-
		structure including bearings of
		atleast one span in all respects
		as specified.
(iv) Wearing Coat including		(iv) Wearing Coat: Payment
expansion joints in case of ROB. In		shall be made on completion of
case of RUB, rigid pavement under		(a) in case of ROB- wearing
RUB including drainage facility as	[**]	coat including expansion joints
specified.		complete in all respects as
		specified and (b) in case of
		RUB- rigid pavement under
		RUB including drainage facility
		complete in all respects as
		specified as specified.
		(v) Miscellaneous: Payments
(v) Miscellaneous Items like hand		(v) Miscellaneous: Payments shall be made on completion of
rails, crash barriers, road markings	64.43	all miscellaneous works like
etc.	[**]	hand rails, crash barriers, road
1		markings etc. complete in all
		respects as specified.
(vi) Wing walls/return walls	[**]	(vi) Wing walls/return walls:
		Payments shall be made on
		completion of all wing

Page **22** of **28**

	· · · · · · · · · · · · · · · · · · ·	
(vii) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works)	[**]	 walls/return walls complete in all respects as specified. (vii) Approaches: Payments shall be made on completion of both approaches including stone
		pitching, protection works, etc. complete in all respects as specified.
C.1- Widening and repairs of Elevated Section/Flyovers/ Grade Separators		
(i) Foundation	[**]	(i) Foundation: Cost of each structure shall be determined on pro rata basis with respect to the total linear length (m) of the structures. Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation of the structure subject to completion of atleast two foundations of the structure .
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure	[**]	(ii) Sub-Structure:. Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the structure subject to completion of atleast

-2

		two sub-structures of
(iii) Super-structure (including bearings)	[**]	abutments/piers upto abutment/pier cap level of the structure.
		(iii) Super-structure:
		Payment shall be made on pro- rata basis on completion of a stage i.e. completion of super- structure including bearings of atleast one span in all respects as specified.
(iv) Wearing Coat including expansion joints	[**]	(iv) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	[**]	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.
(vi) Wing walls/return walls	[**]	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works)	[**]	(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.

Page 24 of 28

1 2 5 5		
C.2 -New Elevated Section/Flyovers/ Grade Separators		
(i) Foundation	[**]	(i) Foundation: Cost of each structure shall be determined on pro rata basis with respect to the total linear length (m) of the structures. Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation of the structure subject to completion of atleast two foundations of the structure .
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure	[**]	(ii) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the structure subject to completion of atleast two sub-structures of abutments/piers upto abutment/pier cap level of the structure.
(iii) Super-structure (including bearings)	[**]	 (iii) Super-structure: Payment shall be made on pro- rata basis on completion of a stage i.e. completion of super- structure including bearings of

Z

		atleast one span in all respects as specified.
(iv) Wearing Coat including expansion joints	[**]	(iv) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	[**]	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.
(vi) Wing walls/return walls	[**]	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works)	[**]	(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.

- Note: (1) In case of innovate Major Bridge projects like cable suspension/cable stayed/ Extra Dozed and exceptionally long span bridges, the schedule may be modified as per site requirements before bidding with due approval of DG(RD)&SS, MoRT&H.
 - (2) The Schedule for exclusive tunnel projects may be prepared as per site requirements before bidding with due approval of DG(RD)&SS, MoRT&H.

Page 26 of 28

A

1.3.4 Other works.

Procedure for estimating the value of other works done shall be as stated in table 1.3.4.

.

Sta	ge of Payment	Weightage	Payment Procedure
(i)	Toll plaza	[**]	Unit of measurement is each completed toll plaza. Payment of each toll plaza shall be made on pro rata basis with respect to the total of all toll plazas.
(ii)	Road side drains	[**]	Unit of measurement is linear length in
(iii)	Road signs, markings, km stones, safety devices,	[**]	km. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10 % (ten per cent) of the total length.
(iv)	Project Facilities		
	d) Bus bayse) Truck lay-byesf) Rest areasd) others	[**] [**] [**] [**]	Payment shall be made on pro rata basis for completed facilities.
(v)	Roadside plantation	[**]	
(vi)	Repair of protection works other than approaches to the bridges, elevated sections/ flyovers/grade separators and ROBs/RUBs.	[**]	Unit of measurement is linear length. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10% (ten per cent) of the total length.
(vii)		[**]	Payment shall be made on prorata basis every six months.

Table 1.3.4

Page **27** of **28**

//5

2. Procedure for payment for Maintenance

2.1 The cost for maintenance shall be as stated in Clause 14.1.1.

2.2 Payment for Maintenance shall be made in quarterly instalments in accordance with the provisions of Clause 19.7.

A

-.