



No. RW/BNG/PER.CASES/TMK. DVN/2015

Government of India

Ministry of Road Transport & Highways
(Regional Office (Civil), Bengaluru)

PWD Annexe Building, KR Circle, Bangalore-560 001

Email: robengaluru@gmail.com; Telephone: 080-22217457, 080-22105765 (F)

Dated: 12.02.2019

INVITATION OF PUBLIC COMMENTS

Subject: Permission for laying of sewer line along and across NH-207 from Km 55.620 to 57.380 of Sarjapura - Dobbespette section by KUWS&SB in Hoskote Town limits - reg.


Reference: (i) The Chief Engineer, NH, Bangalore letter No. CNH/TA-2/AE-9/NH-207/NOC/2018-19/3752 dated 28.11.2018.
(ii) Executive Engineer, KUWS&DB, Division, Bangalore letter no. KWB/EE/Dvn/BNG/HSK-UGD/1856/2018-19/ dated 21.01.2019.

The proposal seeking Permission for laying of sewer line along and across NH-207 from Km 55.620 to 57.380 of Sarjapura - Dobbespette section by KUWS&SB in Hoskote Town limits, is forwarded by The Chief Engineer, NH, Bangalore vide letter cited under reference (i) above (Annexure - I). The proposal is verified/certified by Executive Engineer, NH Division, Tumkur.

2. As per the guidelines issued by the Ministry vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the application will be made available for public comments/objections and the comments/objections will be invited within 30 days from the day of uploading.
3. In view of the above, comments/objections of the public on the above proposal is invited to the below mentioned address:

The Regional Officer (C)
Cum Highway Administration,
O/o the The Regional Officer (C)
Cum Highway Administration,
Ministry of Road Transport & Highways,
PWD Annexe Building, K.R.Circle
Bangalore - 560001.

Encl : As above.


(Praveen Kumar P)
Executive Engineer
for Regional Officer (C)

Copy to : (i) ✓ NIC, New Delhi for uploading in the Ministry's website.
(ii) The Executive Engineer, NH Division, Tumkur for information.


(Praveen Kumar P)
Executive Engineer
for Regional Officer (C)

Annexure-I



Phone No.22276601

FAX No.22276605

E-mail: cenhpwd@yahoo.co.in

GOVERNMENT OF KARNATAKA

(Public Works, Ports and inland Water Transport Department)

No. CNH/TA-2/AE-9/NH-207/NOC/2018-19

Office of the Chief Engineer,
National Highways, K.R. Circle,

Bangalore. Dated: 28 NOV 2018

To

Dy. No. 854

Date - 3/12/2018

The Superintending Engineer/Highway Administration,
Regional Office,
MoRT&H, K.R. Circle,
Bangalore.

Sir,

Sub: Issue of NOC for laying of sewer line along and across NH-207 from
Km 55.620 & Km 57.380 of Sarjapura-Dabaspeta section by KUWS&DB-

Reg.

Ref: The EE, NHC, Tumkur letter No.983 Dtd:26.10.2018

The Karnataka Urban Water Supply & Drainage Board (KUWS&DB),
Bengaluru has sought NOC for laying sewer line along and across NH-207 from Km
55.620 & Km 57.380 of Sarjapura-Dabaspeta section by KUWS&DB. Based on the
request of Karnataka Urban Water Supply & Drainage Board (KUWS&DB) has
inspected the site and verified the proposal with respect to Ministry's guide line and
circular No.RW/NH-33044/29/2015/S&R(R) Dated 22.11.2016. After detailed
examination the Executive Engineer has recommended for issue of NOC as per
Ministry's guidelines.

The proposal received from the Executive Engineer has been examined with
respect to Ministry's latest guide line vide No RW/NH-33044/29/2015/S&R(R)
Dated 22.11.2016. The KUWS&DB proposed to lay the Pipeline at 9.00 to 10mtrs
from Ch.56.80 to 57.300(Builtup areas) & 15.00 to 16.00 mtrs away from the Existing
centre line of the Highway by open trench.

The request of the KUWS&DB to issue NOC for laying OFC cable is recommended here with subject to the following conditions.

1. The Pipeline has to be invariably laid at a minimum distance of 15mtrs from the centre line of existing Highway. If the ROW is at a distance more than 15mtrs then pipeline has to be laid at the edge of ROW.
2. While laying cable the guide lines issued by the Ministry vide letter No. RW/NH-33044/29/2015/S&R(R) Dated 22.11.2016.
3. In case of any future development by widening to 4/6lane the firm shall be replaced/shift the laid cables at their own cost within reasonable time of intimation given by the Highway Authority.
4. The approval may be communicated from NH point of view.

With the above conditions the proposal along with check list and necessary documents and drawings are here with enclosed and submitted with a request to communicate approval to issue NOC.

Encl : As above

Draft Approved by CE

Yours faithfully,



For Chief Engineer,
National Highways,
Bengaluru.