



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

क्षेत्रीय कार्यालय-पश्चिम उ०प्र०, लखनऊ Regional Office - West UP, Lucknow.

3/248, विशाल खण्ड, गोमती नगर, लखनऊ-226010 (उ.प्र.)

3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291, टेलीफैक्स / Fax : 0522-4950680

ई-मेल / E-mail : rowestup@nhai.org, rowestup@gmail.com



19001/1/RO-W-UP/km.25.965 - 35.680/NH-91/NOC/1668

Date: 20.10.2022

Invitation of Public Comments

Sub: Permission for Laying of underground OFC line form Ch.25+965 (Chhapauria) to Ch.35+680 (Dhoom Manikpur) (RHS) on Ghaziabad - Aligarh Section of NH-91 (New NH-34) for connection of selective links & sub-station of UPPTCL.

The Authorized Signatory M/s Lightstorm Telecom Connectivity Pvt. Ltd., Delhi has submitted the Proposal for Laying of underground OFC line form Ch.25+965 (Chhapauria) to Ch.35+680 (Dhoom Manikpur) (RHS) on Ghaziabad - Aligarh Section of NH-91 (New NH-34) for connection of selective links & sub-station of UPPTCL in the State of Uttar Pradesh.

2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

**The Chief General Manager cum Regional Officer,
National Highways Authority of India
Regional Office, UP-West, Lucknow
3/248, Vishal Khand, Gomti Nagar
Lucknow-226 010**

This is issues with the approval of RO-West (UP).

Encl: As above.

Susy
(S.K. Sharma)

**General Manager (Tech.)
For RO-UP(West)**

Copy to:

1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.
2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.
3. The Authorized Signatory, M/s Lightstorm Telecom Connectivity Pvt. Ltd., Delhi for information.
4. The PD, PIU-Aligarh for information.

CHECK - LIST

Permission for laying of proposed Underground OFC Line from Ch. 25.965 to 35.680 (RHS), on NH-91 (New NH-34) Ghaziabad - Aligarh Section road in the State of Uttar Pradesh.

Relevant circulars

- Ministry Circular No. RW/NH/33044/27/2005/S&R(R)(Pt.) dated 07.08.2013.
- Ministry Circular No. RW/NH-33044/29/2015/S&R/(R) dated 22.11.2016.


S. No.	Item	Information / Status	Remarks
1	General Information		
2	Name and Address of the Applicant	Sayan Bhattacharyya, Authorized Signatory, M/s Lightstorm Telecom Connectivity Pvt. Ltd., Regd. Office: A-49, Ground Floor, Lane No.-1, Guru Nanak Pura, Laxmi Nagar, Delhi - 110092	
3	National Highway Number	NH-91 (New NH-34)	
4	State	Uttar Pradesh	
5	Location	Village- Chhaparaula to Dhoom Mankpur (Dadri Bypass)	
6	(Chainage in Km.)	Km. 25+965 to Km. 35+680 (RHS)	
7	Length in Meter	9715 Meter	
8	Width of available ROW	45/60 Meter	
9	Side of NH (left or right side of NH towards increasing Chainage /KM/ Direction)	Km. 25+965 to Km. 35+680 (RHS)	
10	Highway Administration Address	Regional Officer, National Highways Authority of India, 3/248, Vishal Khand, Gomti Nagar, Lucknow	
11	Proposal to acquire land	Project Director, NHAI-Aligarh	

✓ पी.पी. सिंह / P.P. SINGH
परियोजना निदेशक / Project Director
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण / National Highways Authority of India
परियोजना कार्यान्वयन इकाई-अलीगढ़ / Project Implementation Unit-Aligarh

B K S P
Resident Engineer
Theme Engineering Services Pvt. Ltd.
Bulandshahr




Sr. No.	Item	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid services, if any, along the proposed route.	No	NA	Complying
2	Whether up-gradation of the stretch in near future is proposed or not.	6 Laning	-	Complying
	a. If yes provision of utility adversely affect the plant of up gradation	No	Affect the plant of up-gradation	N/A
3	Laying of the utility services along the National Highways	Yes	-	Complying
3.1	Location of proposed utility services along the stretch	From Km. 25.965 to Km. 35.680 U/G OFC through HDD method & pet work will be done inside the edge of ROW of NH-91 (New NH-34)	-	Complying
3.2	Dept of the OFC cable laying service from ground level	6 m	0.6m	Complying
3.3	Mechanism of laying/crossing for OFC channel	HDD Method	Through duct	Complying
3.4	Whether is ROW restricted on the stretch ?	No	-	N/A
3.4.1	If yes whether provision of land acquisition is required to lay electric utility	N/A	-	N/A
	a. If yes whether undertaking for land acquisition is along with relevant LA details has been furnished.	N/A	-	N/A
3.4.2	With if concrete duct in OFC line are proposed to be laid in concrete duct.	N/A	Not less than One lane	N/A
4	Laying of Optical Fiber Cable service across the NH	-	-	-
4.1	Whether existing drainage structure is allow to carry the electric utility lines.	No	Not to be allowed	N/A
4.2	Proposed crossing of OFC utility service	No	-	N/A
4.3	Type of casing pipe/ conduct carrying the OFC line	OFC Duct	-	Complying


 Manoj Singh
 Resident Engineer
 Theme Engineering Services Pvt. Ltd.
 Bulandshahr



 Reshmi
 Resident Engineer
 Theme Engineering Services Pvt. Ltd.
 Bulandshahr




4.4	Whether ends of the casing/ conduct pipe sealed from the outside	Sealed	Sealed	Complying
4.5	Length of crossing pipe crossing NH	No	Extend from drain to drain cuts and toe to toe of slope in the fills	N/A
4.6	Depth of top of the casing	6 m	At least 1.2m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement	NO	Only boring method (HDD)	N/A
4.8	Horizontal and vertical clearance in case OFC are allowed overhead	N/A (Underground only)	In accordance with IRC codes	N/A
5	Document/ Drawing enclosed with the proposal	Yes Enclosed	-	Complying
5.1	Cross Section showing the size of pit and location of conduct for HDD Method	Enclosed	Enclosed, if applicable	Complying
5.2	Strip Plan/ Route Plan showing OFC line chainage, width of Row distance of proposed OFC utility from the edge of ROW important milestone intersection cross drainage work etc.	Yes, Enclosed	Enclosed	Complying
5.3	Plan and Profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed electric utility.	Yes, Enclosed	Enclosed	Complying
6	Methodology for laying of U/G OFC Line	Yes, HDD Method	HDD Method	Complying
7	Draft license agreement is as per Ministry Circular no. RW/NH30044/2015/S&R(R) dated 22.11.2016 and signed by two witness	Yes, Enclosed	Enclosed	Complying
8	License fee in Bharat Kosh	Yes, at the time of demand letter	As per Ministry Circular no. RW/NH30044/2015/S&R(R) dated 22.11.2016	Complying
9	Whether Bank Guarantee has been obtained	Yes, to be submitted	As per Ministry Circular no. RW/NH30044/2015/S&R(R) dated 22.11.2016	BG shall be submitted as per NHAI Guidelines
	a. If yes, whether confirmation of BG has been obtained as per MoRTH/ NHAI guidelines	Shall be obtained	-	-
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORT&H/ NHAI to be cornered agency	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantee and when asked by NHAI / MORT&H	Enclosed	Enclosed	Complying



 Resident Engineer,
 Theme Engineering Services Pvt. Ltd.
 Bulandshahr




 Project Director
 National Highway Authority of India
 Project Implementation Unit, Aligarh

10.3	Undertaking for confirming all standard condition of MORT&H/ NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of Optical Fiber Cable as and when asked by MoRT&H / NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claim	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic moment during laying OFC line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that if any claim is raised by the Concessionaire/ Contractor than the same has to be paid by the applicant/utility agency.	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant/ utility agency has obtained various safety clearance from the representative authorities such as directorate of electricity, chief control of explosive safety of directorate, state/ central pollution control board and any other statutory clearances applicable buffering applying to Highway Administration	Enclosed	Enclosed	Complying
11.	Who will supervise the work of laying of OFC Cable U/G ?	Sayan Bhattacharyya, Authorized Signatory, M/s Lightstorm Telecom Connectivity Pvt. Ltd., Delhi	-	Complying
12.	Who will ensure that the defects in road portion after laying of OFC U/G are correct and if not correct then what action shall be taken.		-	Complying
13.	Who will pay the claims for damages done/disruption in working of laying of OFC, if asked by the Concessionaire.		-	Complying
14	A certificate from PD that he will enter the proposed permission in the register of records of the permission in the prescribed Performa (copy enclosed) issued vide Ministry Circular No. RW/NH-33044/27/2005/S&R (R)(Pt.) dated 07.08.2013.	Yes	-	Complying
15.	If any previous approval is accorded for laying of cable then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular No. RW/NH-33044/27/2005/S&R (R)(Pt.) dated 07.08.2013) as referred in para 13 above in enclosed or not.	NA	-	NA


पी०पी० सिंह / P.P. SINGH
परियोजना निदेशक / Project Director
 भारतीय राष्ट्रीय राजमार्ग प्राधिकरण / National Highways Authority of India
 परियोजना कार्यालय इकाई-अलीगढ़ / Project Implementation Unit-III


Resident Engineer,
Engineering Services Pvt. Ltd.
Bulandshahr



The ROW of the National Highway available at the proposed location from the centre line of divided carriageway is 22.5/30m from centre of ROW edge of ROW towards proposed OFC laying.

The above particular along with the drawing and document has been verified and certified as cored as per prevailing site condition.


प.पी. सिंह / P.P. SINGH
परियोजना निदेशक / Project Director
राष्ट्रीय राजमार्ग प्राधिकरण / National Highways Authority of India
परियोजना कार्यान्वयन इकाई-अलीगढ़ / Project Implementation Unit-Aligarh

Sayan Bhattacharyya, Authorized Signatory, Lightstorm Telecom Connectivity (P) Ltd. Regd. Office: A-49, Ground Floor, Lane No.-1, Guru Nanak Pura, Laxmi Nagar, Delhi - 110092	<u>Project Director,</u> National Highway Authority of India, PIU-Aligarh
--	--


Resident Engineer
Theme Engineering Services Pvt. Ltd.
Bulandshahr



[Enclosure to Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.09.2000 and dated 23.07.2003]

Format for Maintaining Records of Right-of-Way permission granted for laying Pipe line
(to be maintained separately for every NH/NE and State)

1. Name of State : Uttar Pradesh
2. Name of Agency : National Highway Authority of India
3. NH Number : NH-91 (New NH-34)

S. N o.	Location (Chainage in Mtr.)	Left or right side of NH (towards increasing chainage/km direction)	Section	Kind of Service	Name of license and contact address	Date of signing of agreement	Date of validity of agreement	Date of last inspection of site	Any deviation from MORTH standard norms	Remarks
1	From Km. 25.965 to Km. 35.680, Total Length - 9715 Mtr.	RHS	Ghaziabad - Aligarh Section	Laying of OFC Line from Chhaparaula to Dadri Bypass	Sayan Bhattacharyya, Authorized Signatory, Lightstorm Telecom Connectivity Pvt. Ltd., Regd. Office: A-49, Ground Floor, Lane No.-1, Guru Nanak Pura, Laxmi Nagar, Delhi - 110092					

[Handwritten signature]

[Handwritten signature]

Sayan Bhattacharyya,
Authorized Signatory,
M/s Lightstorm Telecom Connectivity Pvt. Ltd.,
Regd. Office: A-49, Ground Floor,
Lane No.-1, Guru Nanak Pura,
Laxmi Nagar, Delhi - 110092

