

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

### National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India) क्षेत्रीय कार्यालय-पश्चिम उ**०प्र0**, लखनऊ Regional Office - West UP, Lucknow. 3/248, विशाल खण्ड, गोमती नगर, लखनऊ-226010 (उ.प्र.)

3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291, टेलीफैक्स / Fax : 0522-4950680 ई-मेल / E-mail : rowestup@nhai.org, rowestup@gmail.com



Dated: 06.03.2023

19001/1/RO-W-UP/NH-58/Km.113.800-118.600/NOC/1916

Invitation of Public Comments

Sub: Permission for laying proposed 18" dia Gas Pipeline with OFC along/across NH-334 along from design Ch.113.800 to design Ch.11.600 RHS & Across NH-58 at design ch.113.800 - reg.

The Authorized Signatory M/s HPCL, Bareilly has submitted the NOC proposal for granting permission for laying proposed 18" dia Gas Pipeline with OFC along/across NH-334 along from design Ch.113.800 to design Ch.11.600 RHS & Across NH-58 at design ch.113.800.

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/ 2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow-226 010

This is issues with the approval of RO-West (UP).

Encl: As above.

(N.P. Singh)

For RO-West, UP

#### Copy to:

- 1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.
- 2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.
- 3. The Authorized Signatory, M/s HPCL, Bareilly for information.
- 4. The PD, PIU-Meerut for information.

प्रधान कार्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075 ● दूरभाष : 91-11-25074100, 200 ● वेबसाइट : www.nhai.gov.in Corporate Office : G-5 & 6, Sector - 10, Dwarka, New Delhi - 110 075 ● Phone : 91-11-25074100/200 ● Website : www.nhai.gov.in

## CHECK - LIST

### Check list for getting approval for laying of Gas pipeline with OFC on NH Land

Sr. No.	Item	Information / Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant / Agency	Hindustan Petroleum Corporation Limited City Gas Distribution, UP&UK cluster 1st & 2nd floor Mahalaxmi Towers, 112 Civil lines, Bareilly. Bareilly-243001, U.P.	
1.2	National Highway Number	NH-334	
1.3	State	Uttar Pradesh	
1.4	Location	Muzaffarnagar , Bijnor	
1.5	(Chainage in Km)	Along the Road: Along: with NH-334 From Design Ch. 113.800 to Design Ch. 118.600 km (RHS)  (Length =4800 M)  Across the Road: Across NH -334 Design Ch. 113.800km  (Length = 60M)	
1.6	Length in Meters	Along the Road: Along NH -334 From Design Ch. 113.800 (Near Vehlana, Dis Muzaffarnagar) to design Ch. 118.600 Near Shernagar , Dis. Muzaffarnagar. (Length = 4800m)  Across the Road Across NH-334 At Design Ch. 113.800 km (Vehlana Village, Dist. Muzaffarnagar. (Length = 60m)	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage / km direction	At Design Ch.113.800(30M.) to Design Ch.118.600km (27.5M) Variable in M.	

Project Director
National Highway Authority of India
PIU-Meenut

30.07.2022 What apply

अनिल कुमार ANIL KUMAR महाप्रबन्धक – परियोजना General Manager - Projects

	(b) Right side from center line towards increasing chainage / km direction	At Design Ch.113.800(30M.) to Design Ch.118.600km (27.5M) Variable in M.	
1.8	Proposal to lay underground Gas pipeline with OFC cable		
	(a) Left side from center line towards increasing chainage / km direction	Yes, From km 113.800 to 118.600 drawing Attached.	
	(b) Right side from center line towards increasing chainage / km direction	Yes, From km 113.800 to 118.600 , drawing Attached.	
1.9	Proposal to acquire Land	Yes	
	(a) Left side from center line	30, 27.5 (Variable in m.)	
	(b) Right side from center line	30, 27.5 (Variable in m.)	
1.10	Whether proposal is in the same side where land is not to be acquired	Land is to be acquired in Patches	
	If not then where to lay the cable	This Pipeline is proposed to lay on the side of proposed service road by HDD method	
1.11	Details of already laid services, if any, along the proposed route	N/A.	
1.12	Number of lanes (2/4/6/8 lanes) existing	2/4 Lane	
1.13	Proposed Number of lanes (2 lane with paved shoulders /4 /6/8 lanes)	4/6 Lane	
1.14	Service Road existing or not	No	
	If yes then which side		
	(a) Left side from center line		
	(b) Right side from center line		Į.
1.15	Proposed Service Road	Yes	
	(a) Left side from center line	Yes	
1.16	(b) Right side from center line Whether proposal to lay Gas	Yes N/A.	
0	pipeline with OFC is after the service road or between the service road and main carriageway	IV/A.	
1.17	The permission for laying of Gas pipeline with OFC shall be considered for approval / rejection based on the Ministry Circulars mentioned as above.	Yes	
	(a) Carrying of sewage / Gas pipelines on highway bridges		

अस्ति कुमोर 20 2 2 ANIL KUMAR महाप्रबन्धक – परियोजना General Manager - Projects

	shall not be permitted as Fumes / Gas pipes can	For Natural Gas pipeline with OFC
	accelerate the process of	r or Natural Gas pipeline with Gr G
	corrosion or may cause	
	explosions, thus, being much	
	more injurious than leakage of Gas.	
		N/A
	(b) Carrying of Gas pipelines on bridges shall not be	N/A
	discouraged. However, if the	
	Gas authorities seem to have	
	no other viable alternative and	
	approach the highway authority	
	well in time before the design	
	of the bridge is finalized, they	
	may be permitted to carry the	
	pipeline on independent	
	superstructure, supported on	
	extended portions of piers and	
	abutments in such a manner	
	that in the final arrangement	
	enough free spade around the	
	superstructure of the bridge	
	remains available for	
	inspection and repairs etc.	
	(c) Cost of required extension	N/A
	of the substructure as well as	
	that of the supporting	
	superstructure shall be borne	
	by the agency-in-charge of the	
	utilities.	N/A
	(d) Services are not being allowed indiscriminately on the	N/A
	parapet / any part of the	
	bridges, Safety of the bridges	
	has to be kept in view while	
	permitting various services	
	along bridge. Approvals are to	
	be accorded in this regard with	
	the concurrence of the	
	Ministry's Project Chief	
	Engineers only.	
1.18	If crossings of the road	Yes
	involved If Yes, it shall be	
	either encased in pipes or	
	through structure or conduits	
	specially built for that purpose	
	at the expenses of the agency	
	owning the line	
	(a) Existing drainage	Agree
	structures shall not be allowed	

ANIL KUMAR महाप्रबन्धक – परियोजना General Manager - Projects

to carry the lines	
to carry the lines.  (b) The utility services shall	Yes
	ies
cross the National Highway	
preferably on a line normal to	
it or as nearly show as	
practicable. Hindustan	
Petroleum Corporation Limited	
shall be permitted to cross the	
National Highway either	
through structure or conduits	
specially built for that purpose.	
The casing / conduit pipe	
should, as minimum, extend	
from drain to drain in cuts	
and toe of slope to toe of	
slope in the fills and shall	
be designed in accordance	
with the provision of IRC and	
executed following the	
Specifications of the	
Ministry.	
(c)The casing pipe may be	Yes, Casing Will Be Provided
installed under the route	
embankment either by boring	
or digging a trench. Installation	
by boring method shall prefer.	
(d) The casing pipe (or	Yes
conduit pipe in the case of	100
electric cable) carrying the	
utility line shall be of steel, cast	
iron, or reinforced cement	
concrete and have adequate	
strength and be large enough	
to permit ready withdrawal of	
the carrier pipe / cable.	
(e) Ends of the casing / conduit	Yes
pipe shall be sealed from the	165
outside, so that it does not act	
as a drainage path.	
	Vaa
(f) The casing / conduit pipe	Yes
should, as minimum extend	
from drain to drain in cuts and	
toe of slope toe of slope in the	
 fills.	
(g)The top of the casing /	
conduit pipe should be at least	Yes
1.2 meter below the surface of	
the road subject to being at	
least 0.3 meter below the drain	
inverts.	
(h) Crossing shall be by boring	Yes
	/

~ ~ ~ ·

Project Director
National Highway Authority of India
PIU-Meerut

3 ० ० २ २०२२ अनिल कुमार ANIL KUMAR महाप्रबन्धक – परियोजना Garal Manager - Projects

	method (HDD) specially	
	where the existing road pavement is of cement	
	concrete or dense	
	bituminous concrete type.	
	(i) The casing / conduit pipe	Yes
	shall be installed with an even	700
	bearing throughout its length	
	and in such a manner as to	
	prevent the formation of a Gas	
	way along it.	
2	Document / Drawings enclosed	Enclosed
	with the proposal	
2.1	Cross section showing the size	
	of trench for open trenching	
	method (Is it normal size of	Enclosed
	1.2-meter-deep X 0.6 meter	
	wide)	
	(I) Q1 11 11 11 11 11 11 11 11 11 11 11 11	
	(i) Should not be greater than	
	60 cm wider than the outer	
	diameter of the pipe	
	(ii) Located as close to the	
	extreme edge of the right- of-way as possible but the	
	utility services shall cross	
	the National Highway	
	preferably on a line normal	
	to it or as nearly so as	
	practicable.	
	(iii) The casing pipe shall be	
	installed under the road	
	embankment either by	
	boring or digging a trench.	
	Installation by boring	
	method shall be preferred.	
	(iv) These should be so laid	
	that their top is at least 0.6	
	meter below the ground	
	level so as not to obstruct	
0.0	drainage of the road land.	
2.2	Cross section showing the size	Enclosed
	of pit and location of cable for HDD method	
2.3		Fadaad
2.3	Strip plan / Route plan showing Gas pipeline with OFC,	Enclosed
	Chainage, width of ROW,	
	distance of proposed cable	
	from the edge of ROW,	
	important mile stone,	
	intersections, cross drainage	
	9 1	

अभिले कुमार १२ ANIL KUMAR महाप्रबन्धक – परियोजना General Mariager - Projects

	works etc.		
2.4	Methodology for laying of Gas pipeline with OFC	Enclosed	
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Agree	
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Agree	
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value.	Agree	
	Unsuitable soil and rock edged should be excavated and replaced by selected material.	Agreed	
	(c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed	
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Agreed	
	(e) The road crust shall be built to the same strength	Agreed	
		,	

3 व्यनिल कुमार 20 2 2 ANIL KUMAR महाप्रबन्धक – परियोजना General Manager - Projects

	as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	
	(f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours.	Agreed
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line	Agreed
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes
2.4.3	Laying of Gas pipeline with OFC through CD works and method of laying	
	(a) The utility services shall cross the National Highway preferably on a line normal to it for as nearly so as practicable and subject to all other stipulations contained in this Ministry's guidelines issued with letter No.	Yes
	RW/NH-33044/29/ 2015/S&R(R) - Dtd. 22nd November, 2016	
3	Draft License Agreement signed by two witnesses	Enclosed
4	Performance Bank Guarantee in favour of NHAI has to be obtained @ Rs per running meter (parallel to NH) and Rs per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables / ducts by proper filling and compaction, clearing debris / loose earth produced due to execution of trenching at least 50 meters away from the edge of the right of way. No payment shall be payable by the NHAI	Will obtain at the time of receipt of permission
	shall be payable by the NHAI	

	to the licensee for clearing debris / loose earth.		
4.1	Performance BG as per above is to be obtained.	Yes	a desp
4.2	Confirmation of BG has been obtained as per NHAI guidelines	No	
5	Affidavit / Undertaking from the Applicant for		
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Enclosed	
5.2	Renewal of Bank Guarantee	Enclosed	
5.3	Confirming all standard condition of NHAI guideline	Enclosed	
5.4	Shifting of Gas Pipeline with OFC as and when required by NHAI at their own cost	Enclosed	
5.5	Shifting due to 6 lanning / widening of NH	Enclosed	
5.6	Indemnity against all damages and claims clause (xxiv)	Enclosed	
5.7	Traffic movement during laying of Gas pipeline with OFC to be managed by the applicant	Enclosed	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	Enclosed	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs or alterations to the showing Gas Pipeline located in the National Highway right-ofways.	Enclosed	
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas Pipeline with OFC will be borne by the agency owning the line.	Enclosed	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as	Enclosed	

अभिने जुनार 2 ANIL KUMAR महाप्रबन्धक – परियोजना General Manager - Projects

30,500		p
	desired by the NHAI at the cost	
	of the agency owning the utility	
	line within a reasonable time	
	(not exceeding 60 days) of the	
1000	intimation given.	
5.12	Certificate from the applicant in	Enclosed
	the following format	
	(i) Laying of Gas Pipeline	
	with OFC will not have	
	any deleterious effects on	
	any of the bridge	
	components and roadway	
	safety for traffic.	
	(ii) for 6 - lanning "We do	
	undertake that I will	
	relocate service road /	
	approach road / utilities at	
	my own cost	
	notwithstanding the	
	permission granted within	
	such time as will be	
	stipulated by NHAI" for	
	future Six – lanning or any	
	other development."	
6	Who will sign the agreement on	Anil Kumar (General Manager, HPCL
	behalf of Gas Pipeline agency	CGD - Projects).
	Power of attorney to sign	
	agreement available or not	
7	Certificate from the Project	
	Director	
7.1	Certificate for confirming of all	Yes
	standard condition issued vide	
	Ministry Circular No NH-	
	41(58)/68 dated - 31.1.1969,	
	Ministry Circular No NH-	
	III/P/66/76 dated- 18/19.11.1976,	
	Ministry Circular No. – NH-	
	RW/NH-III/P/66/76 dated -	
	11.5.1982, Ministry Circular No. – RW / NH-11037 / 1 / 86 – DOI (ii)	
	dated – 28.7.1993, Ministry	
	Circular No. – RW / NH-11037 / 1	
	/ 86/DOI dated - 19.1.1995,	
	Ministry Circular No RW / NH-	
	34066 / 2 / 95 S&R dated -	
	25.10.1999, Ministry Circular No.	
	- RW / NH-34066 / 7 / 2003 S&R	
	(B) dated - 17.9.2003 and	
	RW/NH-33044/29/2015/S&R(R) -	
	Dated 22nd November, 2016	
7.2	Certificate from PD in the	Yes
	following format	

तिकावाबा Manager - Projects

1		(i) "It is certified that any other	
1		location of the Gas Pipeline	
		with OFC would be	
		extremely difficult and	
		unreasonable costly and the	
		installation of Gas Pipeline	
1		with OFC within ROW will	
		not adversely affect the	
		design, stability & traffic	
		safety of the highway nor	
		the likely future	
		improvement such as	
		widening of the	
		carriageway, easing of	
-		curve etc".	
		(ii) for 6 – lanning	
		(a) Where feasibility is available	
		"I do certify that there will be	
		no hindrance to proposed	
-		six-laning based on the	
		feasibility report considering	
		proposed structures at the	
		said location".	
		(b) In case feasibility report is	
		not available "I do certify	
		that sufficient ROW is	
		available at site for	
1		accommodating proposed	
	1/2	six-laning".	
	8	If NH section proposed to be	Enclosed
		taken up by NHAI on BOT	
		basis - a clause is to be	
		inserted in the agreement. "The	
		permitted Highway on which	
		Licensee has been granted the	
		right of lay cable / duct has	
		also been granted as a right of	
		way to the concessionaire	
		under the concession	
		agreement for up-gradation of	
		section from Km	
		to Km of NH No -	
		on Build, Operate and Transfer	
		Basis] and therefore, the	
		licensee shall honour the	
		same."	
-	0		LIDO
	9	Who will supervise the work of	HPCL
		laying of Gas Pipeline with	
		OFC?	
	10	Who will ensure that the	NHAI
		defects in road portion after	
L		defects in road portion after	

अनिल कुमार ANIL KUMAR महाप्रबन्धक – परियोजना General Manager - Projects

	laying of Gas Pipeline with OFC are corrected and if not corrected then what action will be taken.	
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	HPCL
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).	
13	If any previous approval is accorded for laying of underground Gas Pipeline with OFC then Photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed	

Yours Sincerely

Date: 30.07.2022
Place: Bareilly

ANIL KUMAR
Anil Kumar सक - परियोजना
General Manager Projects ts
Hindustan Petroleum Corporation Ltd.

अनिल कुमार

Bareilly.