Telefax: 040-23393206 : 040-23378549



GOVERNMENT OF INDIA MINISTRY OF ROAD TRANSPORT & HIGHWAYS

Regional Office: Quality Control Building, Errum Manzil, Hyderabad-500082

No.RW/HYD/Misc-24/Access/RO/NH-9(65)/S.No.164/ 586

Date: 16.10.2017

Notice inviting Public Comments in respect of Extension of Time for 'in-principle' NOC

Sub: Access permission to new Retail Outlet M/s HPCL at km.32/150 (LHS, Sy No.330, 331/1) of Hyderabad-Vijayawada Section of NH-9 (new No.65) of Batasingaram Village, Abdullapur Mandal, Shamshabad District in the State of Telangana - Extension of Time - Reg.

In principle NOC has been issued to the above subject proposed retail outlet vide letter No.RW/ HYD/Misc-24/Access/RO/NH-9(65)/S.No.164/381 dated 11.08.2017. The retail outlet was not constructed due to certain technical difficulties and it is proposed to extend the validity of the 'in-principle' NOC up to 10.02.2019. The applicant has sought relaxation from Ministry Guidelines issued vide letter No.RW/NH-33023/19/99-DO.III dated 24.07.2013 based on justification at Annexure I.

2.0 As per Ministry OM No.RW/NH/33023/19/99-DO.III dated 16.03.2016, the Highway Administrator will make available the relaxation proposal of Oil company for public comments, and the comments will be invited within 60 days from the day of uploading.

3.0 In view of the above, the comments from public on the above mentioned proposal is invited on public portal for access permission to fuel station on website of Ministry and Road Transport and Highways (<u>www.morth.nic.in</u>) as per Form-A (copy enclosed).

> The Regional Officer, Ministry of Road Transport & Highways, (R&B) Quality Control Building, 2nd floor, Errum Manzil, Hyderabad - 500082 email Id: <u>sehyderabad@gmail.com</u>

4.0 This is issued with the concurrence of Highway Administration-cum Regional Officer, MORT&H, Hyderabad.

Yours faithfully,

(S. Vijaya Kumar) Superintending Engineer ^{for} Regional Officer

Copy to:-

Encl: As above.

- 1. Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.
- 2. The Manager (Retail), HPCL, 9-1-130/1, Sebastian Street, S.D. road, P.B.No.5, Secunderabad-500003.

.

Form for inviting public comments on the application for relaxation in the guidelines/norms for access permission to fuel stations, private properties, rest areas complexes and other such facilities along National Highways

Sub: Access permission to new Retail Outlet M/s HPCL at km.32/150 (LHS, Sy No.330, 331/1) of Hyderabad-Vijayawada Section of NH-9 (new No.65) of Batasingaram Village, Abdullapur Mandal, Shamshabad District in the State of Telangana - Extension of Time - Reg.

The comments by the general public needs to be given within 60 days of uploading the online application for comments

SI. No	Item	Details
1	Name of the person who is desiring to give comments	
2	Address of the person	
3	Details of the application for access permission against which comments are being given (name of applicant and other details like site address etc.) a) Application No. b) Name of applicant (who applied to access permission) c) Details of Application	
4	Whether the specific permission if given, shall cause any damage to Highways? If yes, please give details	
5	Whether specific permission if given, shall adversely affect safety and convenience of the traffic on the Highways? If yes, please give the details.	
6	Whether specific permission if given, shall adversely affect hygiene or cause nuisance and pollution on the Highways? If yes, please give the details.	

Annexure - I



हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड

(भारत सरकार का उपक्रम) पंजीकृत कार्यालय : १७ जमशोडजी टाटा रोड, मुंबई -४०० ०२०.

HINDUSTAN PETROLEUM CORPORATION LIMITED

(A GOVERNMENT OF INDIA ENTERPRISE) REGISTERED OFFICE ; 17, JAMSHEDJI TATA ROAD, MUMBAI - 400 020.

टेलि / TEL : 27778501, 27778502 HPCL CIN-L23201MH1952G01008858 फेक्स / Fax 040-27700974



जवाब दें / Reply to ९-१-१३०/१, सेबास्टियन स्ट्रीट, एस.डी. रोड, डाक थैली नं. ५, सिकन्दराबाद - ५०० ००३. 9-1-130/1, Sebastian Street, S.D. Road, P.B. No. 5, Secunderabad - 500 003.

Dt:10/10/2018

Ref:SRO/AS/E&P

То

The Regional Officer Ministry of Road Transport and Highways, Quality Control Building, 2nd Floor, Erramanzil Colony, Hyderabad-82.

Sir,

. Sub: Extension time of Provisional NOC for our new retail outlet of M/s Ghanshayamdas Brothers, at km.32/150(LHS) of Hyderabad-Vijayawada section of NH-9 (new NH no.65) in Sy. No.330,331/1 of Batasingaram Village, Abdullapur Mandal, Shamshabad District of Telangana State-reg.

Ref: RW/HYD/Misc-24/Access/RO/NH-99(65)/S.No.164/551 dtd 3/10/18.

We wish to bring to your kind notice that simultaneously, we have submitted the both applications for Collectors/DM NOC and NHAI NOC.

The provisional approval given by NHAI vide letter Ref: RW/HYD/Misc-24/Access/RO/NH-9(65)/S.No.164/381 dtd 11/08/2017, at that time we have not received 'No Objection Certificate' from O/o the District Collector's Office. Hence, we are not able to construct the retail outlet activity due to Collectors/DM NOC is not issued.

Once we will have received NOC's from Collectors/DM NOC and NHAI NOC we will start the construction activity. In this location Collectors/DM NOC has been delayed. The NOC is received on 8/10/2018, Xerox copy is enclosed for your perusal.

We request you to kindly give us extension time up to one year to complete the construction of retail outlet with Acceleration and Deceleration lanes as per the specifications of NHAI

We request your good self to kindly give us time extension of one more year for the above subject location.

Thanking you,

Avolus on priverity Avez 12/x/2018 12/x/2018 5/E P/6/

Very truly yours, Ashish Pandey

Manager-Retail Upgradation

अाशीष पाण्डेय/ASHISH PANDEY प्रबंधक-रिटेल, उन्नयन Manager-Retail Upgradation रुच.पी.सी.एल-सिकंदराबाद क्षे.का., सिकंदराबाद-3. HPCL-Secunderabad R.O., Secunderabad-3.



Office of the Commissioner of Police, Rachakonda. <u>Dt.08.10.2018.</u>

No:45/M2/Petroleum/RCK/2017,

NO OBJECTION CERTIFICATE

- Sub:. PETROLEUM ACT & RULES Rachakonda Police Abdullapurmet Mandal
 Requested to issue NOC for the Proposed MS & HSD Retail Outlet at Sy.No.330, 331/1, to an extent of 2006.23 Sq. mtrs. Batasingaram village, Abdullapurmet Mandal, Ranga Reddy District by M/s Hindustan Petroleum Corporation Limited, Secunderabad. NOC issued Reg.
 - Ref:. 1. A/o Sri Manoj Goyal, Senior Manager-RU M/s Hindustan Petroleum Corporation Limited, Secunderabad, Dt.04.01.2017.
 - 2. Lr.No. C3/544/2017, Dt.20.01.2017 of the Collector, Ranga Reddy District.
 - 3. Lr.No.B/1171/2017, Dated.08.12.2017 of the Revenue Divisional Officer, Ibrahimpatnam, Ranga Reddy District.
 - 4. Letter No.003703/GHT/NOC/HMDA/19092017, Dated.24.07.2018 of the Metropolitan Commissioner, HMDA, Hyderabad.
 - Lr.No.RW/HYD/Misc-24/Access/RO/NH-9(65)/S.No.164/381, dated.11.08.2017 of the Executive Officer, Regional Officer, (NH) MORTH Hyderabad.
 - 6. Letter No.38/M2/ACP-VPRM/RCK/2017, Dated.03.06.2017 of ACP Vanasthalipuram Division, Rachakonda.
 - 7. A/o Authorized Signatory of M/s Hindustan Petroleum Corporation Limited, Secunderabad, Dt.23.08.2018.
 - 8. Letter No.207/Addl.DCP/Tr-I/RCK/2018, Dt.19.09.2018 of the Addl.Dy.Commissioner of Police, Traffic-I, L.B.Nagar, Rachakonda.
 - 9. Lr.No. C3/828/2018/2018, Dt.12.05.2018 of the Collector, Ranga Reddy District.

<<<V>>>>

Sri Manoj Goyal, Senior Manager-Retail Upgradation of M/s Hindustan Petroleum Corporation Limited, Secunderabad vide reference 1st cited has submitted an application, Form IX along with site plan, relevant documents and requested to issue of NOC for the Proposed MS & HSD Retail Outlet at Sy.No.330, 331/1, to an extent of 2006.23 Sq. mts, Batasingaram village, Abdullapurmet Mandal, Ranga Reddy District to the District Collector, Ranga Reddy District.

The matter has been referred to Inspecting Officers to following departments for enquire and report by the Collector, Ranga Reddy District vide reference 2nd cited.

- 1. The Commissioner of Police, Rachakonda. (ACP Vanasthalipuram Division &
- Addl.DCP Traffic-I, L.B.Nagar)
- 2. The Metropolitan Commissioner, HMDA Hyderabad.
- 3. The Project Director, NHAI, Hyderabad.
- 4. The RDO Ibrahimpatnam Division, Ranga Reddy District.

Through the references 3^{rd h} to 6th & 8th cited, the Inspecting Officers have submitted their inspection reports and recommended to issue No Objection Certificate for the proposed new MS/HSD retail outlet in Sy.No.330, 331/1, to an extent of 2006.23 Sq. mtrs. Batasingaram village, Abdullapurmet Mandal, Ranga Reddy District to the District Collector, Ranga Reddy District subject to conditions and Precautionary Measures proposed by the all inspection officers.



GENERAL FIRE PRECAUTIONARY MEASURES FOR ALL PETROL/DIESEL & CNG

ommissi

- 1. A compound wall should be provided around the premises except at front side.
- 2. The retail outlet should be easily approachable to fire appliances.
- 3. They should not construct any new attractive/building shed/work on the entire plot except the bunk office, apart from the approved storage tanks.
- There should be an underground water storage tank of 10,000 liters capacity at the site for fire fighting.
- 5. The safety distance of (15) meters shall be kept clear all times between any building, public road, public place or any adjoining property from the storage of MS/HSD retail outlet.
- 6. The Fire precautionary and fire prevention measures should be followed scrupulously.
- No residential premises should exist within the radius of (15) meters from the storage of MS/HSD retail outlet.
- There should be a (10) feet compound wall between the proposed site and the residential house cum sheds of labourers working.
- No overhead high tension lines should be passed through the compound.
- 10. It should be seen that the cell phone users are requested to switch off the cell phones before entering the Petrol pump premises by means of sign boards at conspicuous places.
- 11. Certain boards exhibiting the slogans such as not to carry matches, fuses or other appliances capable of producing ignition/explosion should be displayed at conspicuous places.
- 12. Care should be taken to prevent entry of petroleum products into drain/sewer/public road.
- 13.All the electrical fittings should protect properly with approved pattern to prevent short circuit and they must be flame proof.
- 14. All the staff working in the premises should be well aware of the usage and maintenance of firefighting equipment provided and they should be trained in first aid fire fighting courses.
- 15. If any spillage of fuel occurs immediately it should be covered with dry sand to be hung to a stand and cleared.
- 16. The vehicle engine should be stopped during loading and un-loading process.
- 17. The customers should stop engine of vehicles before refilling petroleum products.
- 18. Static charges should be dissipated while unloading.
- 19. No welding/cutting should be allowed within 30 meters from the storage area.
- 20.All the staff/occupants must know the correct method of operation of the fire fighting system installed.
- 21.All the fire protection arrangements shall be maintained in good working condition as seen during inspection.
- 22. Any loss of life or property due to non-functioning of fire safety measures and other installations shall be the responsibility of the management/owner.
- 23.All occupants/security personnel shall be trained to operate the fire safety equipments in case of emergency.
- 24. Mock drills should be conducted once in 3 months for initial two years. Thereafter, once in every 6 months.
- 25.To comply the conditions laid down in G.O.MSNo.168, MA, dated.7-4-2014 and G.O.MS.No.223 MA, Dated.30.08.2016.
- 26. The HMDA reserve the right to cancel the permission if it is found that the permission obtained by framed mis-interpretation or by mistake of fact.
- 27. The applicant is whole responsible, if any discrepancy in the ownership documents and ULC aspects and if any litigation and the technically approved building plans and NOC of petrol pump may be withdrawn and cancalled without notice.
- 28. The applicant/developer is the whole responsible if anything happens/ while constructing the petrol pump building.



- 29. The area affected under (cod wide ning shall be handed over to the Local authority at the free of cost 3 (100 200)
 30. The applicant shall develop the common service road at the proposed site to restrict direct entry of vehicles to NH-65 (100 200)
- 31. Action against adulteration or other illegal activity to lead to cancellation of NOC issued.
- 32. Any document will found incorrect at any time, the NOC will be cancelled without any notice.
- 33. If any time on Traffic point of view comes to notice, the NOC will be cancelled without any notice.

In view of the above, the No Objection Certificate is issued for the proposed MS (Petrol) & HSD (Diesel) retail outlet for (4) delivery units at Sy.No.330, 331/1, to an extent of 2006.23 Sq. meters, Batasingaram village, Abdullapurmet Mandal, Ranga Reddy District in favour of Sri Manoj Goyal, Senior Manager-Retail Upgradation of M/s Hindustan Petroleum Corporation Limited, Secunderabad subject to above conditions imposed by all the Inspecting Officers. Any deviation noticed, the NOC will be cancelled without assigning any further notice.

The site plan is returned herewith duly attested.

Sd/-Mahesh M.Bhaqwat, IPS., Commissioner of Police,

Rachakonda.

То Sri Manoj Goyal, Senior Manager-Retail Upgradation, M/s Hindustan Petroleum Corporation Limited, # 9-1-130/1, Sebastain Street, S.D. Road, P.B.No.5, Secunderabad. - 500 0003.

Parties 10 for the

Copy to the District Collector, Ranga Reddy District at Lakdikapul, Hyderabad. Copy to the Metropolitan Commissioner, HMDA Tarnaka, Hyderabad. Copy to the Regional Officer, Ministry of Road Transport & Highway (MORTH) Errum Manzil, Hyderabad. -500 082. Copy to the DCP L.B.Nagar Zone & DCP Traffic Rachakonda. Copy to the ACP Vanasthalipuram Division, & ADCP Traffic-I, L.B.Nagar, Rachakonda.

:: BY ORDER::

Asst.Commissioner of Police (Admin) I/c ADCP(Admin), Rachakonda, Audl. Dv. Commissioner of Police Admn. Rachakonda.